

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Acalypha	Bronze Pink		36	18	40	21	High vigor, few flowers, flowers are hidden in foliage/ Grown for foliage but flowered weakly from the end of August to early September. Flowers were covered by foliage.
Ageratum	Garden Leader True Blue		8	9	8	13	Low vigor, few flowers/ Flowered strongly after planting through early September
Ageratum	Patina Delft		14	11	15	17	High vigor, many flowers/ Flowered strongly after planting through the end of September
Ageratum	Patina Purple 10		11	9	11	9	High vigor, many flowers/ Flowered strongly after planting through the end of September
Alcea rosea annua	Spring Celebrities Purple		12	13	12	17	90% are dead/ Flowered moderately from mid-July through mid-August then plants declined slowly
Alcea rosea annua	Spring Celebrities White		16	11	18	15	Few flowers, severe lodging and disease/ Flowered strongly from mid-August through early September
Alternanthera	Brazilian Red Hot		19	16	24	18	Vigorous plant, uniform, nice foliage color/ Grown for foliage
Alternanthera	Little Ruby	New	8	15	10	15	Vigorous plant, uniform, nice foliage color/ Grown for foliage
Angelonia	AngelMist Lavender		23	12	23	19	No blooms, moderate vigor/ Flowered strongly after planting through early September
Angelonia	AngelMist Pink		18	14	18	16	Few flowers, 5% are dead, others okay/ Flowered strongly after planting through early September
Angelonia	AngelMist Spreading Blue		10	10	12	12	Moderate flowering, only 10% are dead/ Flowered strongly after planting through mid-September
Angelonia	AngelMist Spreading Pink		11	12	11	16	90% dead/ Flowered strongly after planting through mid-September
Angelonia	AngelMist Spreading Purple Improved	New	11	12	11	13	Vigorous plant, many flowers/ Flowered moderately to strongly after planting through early September
Angelonia	AngelMist Spreading White		8	12	8	12	75% are dead/ Flowered strongly after planting through early September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Angelonia	Carita Lavender 09		15	10	20	13	Few flowers, uniform, all plants still look good/ Flowered strongly after planting through early September
Angelonia	Carita Purple 09		14	10	15	15	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Angelonia	Carita Raspberry		13	10	14	14	Few flowers, moderate vigor/ Flowered strongly after planting through early September
Angelonia	Carita White 09		15	14	15	15	No flowers, two are dead, others okay/ Flowered moderately after planting through early September
Angelonia	Serena Lavender		16	11	18	18	Few flowers, all plants still look good/ Flowered moderately after planting through early September
Angelonia	Serena Lavender Pink		17	10	18	15	Few flowers, moderate vigor/ Flowered moderately after planting through early September
Angelonia	Serena Purple		13	13	19	13	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Angelonia	Serena White		17	11	22	21	Many flowers, uniform, most look great but 20 % dead/ Flowered moderately to strongly after planting through late September
Angelonia	SunDancer Pink		17	13	20	15	Few flowers, moderate vigor/ Flowered strongly after planting through mid-September
Angelonia	SunDancer Purple		19	14	21	15	Few flowers, moderate vigor, some lodging/ Flowered moderately after planting through mid-September
Anisodontea	Slightly Strawberry	New	25	20	28	26	Vigorous plant, few flowers/ Flowered moderately to strongly after planting through mid-September
Argyranthemum	Comet Red		20	17	26	18	Vigorous plant, moderate flowering, some lodging/ Flowered moderately from early July through the end of September
Argyranthemum	Comet Yellow	New	16	11	18	11	Vigorous plant, uniform, almost no flowers/ Flowered strongly after planting through mid-August
Argyranthemum	Flutterby Yellow	New	24	14	27	17	Vigorous plant, uniform, moderate flowering/ Flowered strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Argyranthemum	Madeira Crested Violet		9	10	15	11	Vigorous plant, few flowers/ Flowered moderately to strongly after planting through mid-September
Argyranthemum	Madeira Crested Yellow		15	11	18	13	Uniform, moderate flowering/ Flowered moderately to strongly after planting through the end of September
Argyranthemum	Madeira Deep Pink Improved		13	12	18	14	Vigorous plant, few flowers/ Flowered moderately to strongly after planting through mid-September
Argyranthemum	Reflection Pink		18	14	20	15	Few flowers, old flowers look unattractive/ Flowered strongly after planting through early September
Argyranthemum	Reflection Yellow Cream		25	17	26	18	Vigorous plant, moderate flowering, some lodging/ Flowered strongly after planting through mid-September
Argyranthemum	Summersong Dark Rose		13	10	18	12	Vigorous plant, few flowers/ Flowered moderately to strongly after planting through mid-September
Argyranthemum	Summersong Lemon		14	9	16	12	Vigorous plant, uniform, almost no flowers/ Flowered moderately from mid-July through early September
Argyranthemum	Summersong White Imp.		16	10	19	14	Vigorous plant, few flowers/ Flowered moderately to strongly after planting through mid-September
Argyranthemum	Summit Dark Pink 98.4		17	12	19	13	Vigorous plant, few flowers, uniform/ Flowered moderately to strongly after planting through mid-September
Argyranthemum	Summit White 98.4mut1		18	12	21	13	Vigorous plant, few flowers/ Flowered moderately to strongly after planting through mid-September
Argyranthemum	Summit Yellow 1026		10	9	17	9	Vigorous plant, uniform, almost no flowers by September/ Flowered strongly after planting through mid-August
Bacopa	Taifun Mega White Imp.		8	14	8	14	High vigor, few flowers, flowers are only on edges/ Flowered moderately to strongly after planting through mid-August
Basil	Aristotle		14	13	14	15	Low vigor, no flowers, stayed uniform and compact when alive, 80% dead/ Grown for foliage.
Basil	Floral Spires Lavendar	New	12	8	-	-	All have died/ Flowered moderately after planting through mid-August then the plants declined

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Basil	Floral Spires White	New	11	6	-	-	All have died/ Flowered weakly after planting through mid-August then the plants declined
Basil	Garden Leader Lemon Experimental		21	14	25	21	High vigor and many flowers on survivors but 50% are dead/ Flowered moderately to strongly after planting through the end of September
Begonia	Havana White		5	4	7	7	Many flowers, uniform/ Flowered strongly after planting through the end of September
Begonia	Monza Blush		9	10	15	12	Vigorous plant, many flowers, uniform, looks great/ Flowered strongly after planting through the end of September
Begonia	Monza Orange Scarlet		4	8	7	10	Many flowers, non-uniform/ Flowered strongly after planting through the end of September
Begonia semperflorens	Emperor Pink		7	8	11	13	High vigor, many flowers/ Flowered strongly after planting through the end of September
Begonia semperflorens	Emperor Red		9	9	13	12	High vigor, many flowers, uniform/ Flowered strongly after planting through the end of September
Begonia semperflorens	Emperor Rose		12	9	14	12	High vigor, many flowers/ Flowered strongly after planting through the end of September
Begonia semperflorens	Emperor Soft Pink		9	8	12	15	Moderate vigor, many flowers/ Flowered strongly after planting through the end of September
Begonia semperflorens	Emperor White Improved		6	7	9	11	Average overall appearance/ Flowered strongly after planting through the end of September
Begonia semperflorens	Sprint Appleblossom		8	7	10	15	Low vigor, many flowers, compact/ Flowered strongly after planting through the end of September
Begonia semperflorens	Tequila		11	7	12	10	Low vigor, many flowers, compact/ Flowered strongly after planting through the end of September
Begonia x benariensis	BIG Red Green Leaf		16	11	23	13	Vigorous plant, many flowers, uniform, looks perfect/ Flowered strongly after planting through the end of September
Begonia x benariensis	BIG Rose Bronze Leaf		20	12	27	15	Vigorous plant, many flowers, uniform, looks perfect/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Bidens	Goldilocks Rocks	New	15	18	15	18	Vigorous plant, few flowers, non-uniform/ Flowered moderately to strongly after planting through mid-September
Bidens	Pirates Talisman	New	10	8	12	9	Vigorous plant, few flowers/ Flowered moderately to strongly after planting through mid-September
Bidens	Yellow Charm		13	12	13	12	Vigorous plant, few flowers, uniform/ Flowered moderately to strongly after planting through mid-September
Bracteantha	Dreamtime Jumbo Light Pink	New	5	7	7	10	Low vigor, few flowers/ Flowered strongly after planting through late July then poorly as plants declined. In September plant health increased but had few flowers.
Bracteantha	Dreamtime Jumbo Pure White	New	7	10	9	13	Low vigor, few flowers/ Flowered strongly after planting through late July then poorly as plants declined. In September plant health increased but had few flowers.
Bracteantha	Dreamtime Jumbo Red Ember	New	5	8			Vigorous plant, few flowers, non-uniform/ Flowered moderately to strongly after planting through late July then poorly as plants declined
Bracteantha	Strawburst Yellow		10	13	13	14	Low vigor, few flowers/ Flowered moderately to strongly after planting through mid-September
Bulbine	Yellow Compact	New	33	22	38	32	Vigorous plant, many flowers, uniform, looks the same as mid-summer/ Flowered moderately to strongly after planting through the end of September
Calibrachoa	Celebration Capri Gold		4	11	6	13	Low vigor, few flowers/ Flowered strongly after planting through early September
Calibrachoa	Celebration Carnival Mix		6	17	8	19	Few flowers, average plant vigor/ Flowered strongly after planting through early September
Calibrachoa	Celebration Fire		6	14	6	15	Vigorous plants, few flowers/ Flowered moderately to strongly after planting through mid-September
Calibrachoa	Celebration Neon Sun		5	15	6	16	Average overall appearance/ Flowered moderately to strongly after planting through the end of September
Calibrachoa	Celebration Orient Mix		6	13	8	13	Few flowers, 40% of all plants are dead/ Flowered strongly after planting through early September
Calibrachoa	Celebration Snowball		6	16	6	16	Low vigor, few flowers/ Flowered moderately to strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Calibrachoa	Celebration Spring Mix		6	15	7	17	Vigorous plant, few flowers/ Flowered strongly after planting through early September
Calibrachoa	Dream Kisses Magnolia Improved		3	12	3	12	80% have died/ Flowered moderately after planting through mid-August then the plants declined
Calibrachoa	Dream Kisses Orange Sunset		4	10	4	10	Low vigor, few flowers/ Flowered moderately to strongly after planting through mid-September
Calibrachoa	Dream Kisses Tiger Eye		5	9	5	9	Low vigor, no flowers/ Flowered moderately from early August to early September then plants declined slowly
Calibrachoa	Million Bells Brilliant Pink		10	14	13	14	Vigorous plant, moderate flowering/ Flowered strongly after planting through mid-September
Calibrachoa	Million Bells Cherry Pink		7	12	7	12	Moderate flowering/ Flowered strongly after planting through mid-September
Calibrachoa	Million Bells Neon Yellow		5	13	5	13	40% of all plants are dead/ Flowered strongly after planting through early September
Calibrachoa	Million Bells Trailing Blue 09		6	14	6	16	Vigorous plant, many flowers, looks very good/ Flowered strongly after planting through the end of September
Calibrachoa	Million Bells Trailing Yellow		3	14	3	14	Low vigor, 50% of all plants are dead/ Flowered strongly after planting through early September
Calibrachoa	Noa Almond Blossom		6	11	8	12	Low vigor, few flowers/ Flowered strongly after planting through early September
Calibrachoa	Noa Dark Pink Carnival		5	16	6	17	Vigorous plant, moderate flowering/ Flowered strongly after planting through mid-September
Calibrachoa	Noa Mango Eye Improved		7	14	7	16	Vigorous plant, few flowers/ Flowered strongly after planting through early September
Calibrachoa	Noa Mega Raspberry		5	10	5	10	Low vigor, few flowers/ Flowered moderately to strongly after planting through mid-September
Calibrachoa	Noa Peach		4	10	4	10	All have died/ Flowered strongly after planting through mid-August

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Calibrachoa	Noa Sunset	New	7	16	9	16	Few flowers, average vigor/ Flowered moderately to strongly after planting through mid-September
Calibrachoa	Noa Tangerine		5	8	5	8	All have died/ Flowered moderately to strongly after planting through late July then plants declined
Calitunia	Pink		7	11	7	11	Low vigor, few flowers/ Flowered moderately after planting through early September
Calitunia	Purple		14	23	15	32	Vigorous plant, moderate flowering/ Flowered strongly after planting through mid-September
Campanula cochlearifolia	Alpine Breeze Blue		8	11	8	11	90% dead from unknown cause/ Flowered moderately from mid-July through mid-August then plants declined slowly
Campanula cochlearifolia	Alpine Breeze White		8	8	8	8	90% dead from unknown cause/ Flowered moderately from mid-July through mid-August then plants declined slowly
Capsicum	Black Pearl		24	13	24	20	Non-uniform, unique color, severe lodging/ Grown for foliage and fruit. Peppers began to appear in early August.
Capsicum	Garda Fireworks		8	7	12	10	Vigorous plant, non-uniform/ Grown for foliage and fruit.
Capsicum	Garda Hocus Pocus		6	6	6	7	Many showy peppers/ Grown for foliage and fruit.
Capsicum	Peppa Blanca/Rose		6	6	10	10	Uniform, many showy peppers/ Grown for foliage and fruit.
Capsicum	Peppa Lila/Naranja		10	10	11	15	Non-uniform, average fruiting but some under foliage/ Grown for foliage and fruit.
Capsicum	Peppa Orangina		17	14	17	17	Vigorous plant, mostly white, slow to change color, few peppers/ Grown for foliage and fruit.
Capsicum	Peppa Pepperoni		8	9	8	10	Non-uniform, showy, many peppers/ Grown for foliage and fruit.
Capsicum	Peppa Purple/Tangerine		10	12	15	12	Non-uniform, few peppers/ Grown for foliage and fruit.

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Capsicum	Purple Flash		12	10	15	10	Non-uniform, mostly only flowers and foliage/ Grown for foliage and fruit.
Capsicum	Sangria		10	9	11	11	Uniform, many peppers, great color and habit/ Grown for foliage and fruit.
Carex buchananii	Red Rooster ColorGrass		22	12	25	17	Vigorous plant, uniform/ Grown for foliage
Carex comans	Amazon Mist ColorGrass		11	9	11	14	Vigorous plant, uniform, unique color/ Grown for foliage
Carex comans	Bronco ColorGrass		13	9	14	18	Vigorous plant, uniform, unique color/ Grown for foliage
Carex testacea	Prairie Fire ColorGrass		13	10	19	25	Vigorous plant, uniform/ Grown for foliage
Celosia plumosa	Glorious Red		8	5	8	6	Many flowers, non-uniform, still showy/ Flowered strongly after planting through the end of September
Celosia plumosa	Glorious Yellow		7	6	7	9	Low vigor, in decline, not showy/ Flowered moderately to strongly after planting through mid-September
Celosia plumosa	Smart Look Romantica		6	5	6	7	Low vigor, in decline, not showy/ Flowered moderately to strongly after planting through mid-September
Centratherum	Apfeld 53	New	20	17	23	26	Moderate flowering, 20% affected by disease/ Flowered moderately to strongly from mid-July to late September
Cleome	Senorita Rosalita		28	20	38	26	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Coleus	Bonifay	New	31	17	37	24	High vigor, no flowers, non-uniform growth habit/ Grown for foliage
Coleus	Carnival		22	8	26	8	Low vigor, no flowers/ Grown for foliage
Coleus	ColorBlaze Alligator Tears		20	12	25	17	High vigor, no flowers, uniform/ Grown for foliage



## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Coleus	Dark Chocolate		12	9	13	15	Moderate vigor, few flowers, uniform/ Flowered moderately from early July through mid-September
Coleus	Henna		22	16	30	26	High vigor, no flowers, uniform/ Grown for foliage
Coleus	Lancelot Cherry Cordial		20	10	24	10	High vigor, no flowers/ Grown for foliage with significant flowers from late June through early July
Coleus	Mosaik Amazon Green	New	21	14	25	21	High vigor, no flowers, uniform/ Grown for foliage, flowered weakly in June
Coleus	Mosaik Burgundy Velvet	New	22	13	23	18	High vigor, moderate flowering, uniform/ Grown for foliage, flowered moderately after planting through the end of September
Coleus	Mosaik Chocolate Mint	New	24	15	26	33	High vigor, no flowers/ Grown for foliage
Coleus	Mosaik Lava Red	New	18	12	21	22	High vigor, no flowers/ Grown for foliage, flowered weakly in June
Coleus	Mosaik Rose Blast	New	14	10	16	19	Low vigor, no flowers, non-uniform/ Grown for foliage, flowered weakly in June and July
Coleus	Pineapple Splash	New	21	11	25	11	Low vigor, no flowers, unique foliage color/ Grown for foliage
Coleus	Red Hot Rio	New	23	13	30	14	Low vigor, no flowers/ Grown for foliage
Coleus	Redhead		22	18	26	18	High vigor, no flowers, uniform/ Grown for foliage
Coleus	Sibila		20	18	20	18	High vigor, few flowers, non-uniform/ Grown for foliage with significant flowers from late June through the end of July
Coleus	Stained Glassworks Eruption	New	20	14	26	20	High vigor, no flowers, non-uniform, unique color/ Grown for foliage
Coleus	Stained Glassworks Green Autry	New	14	12	18	17	Moderate vigor, no flowers, uniform/ Grown for foliage

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Coleus	Trusty Rusty		26	17	31	29	High vigor, no flowers, uniform/ Grown for foliage
Coleus	Versa Burgundy to Green		23	16	29	22	High vigor, moderate flowering/ Grown for foliage but flowered moderately in September
Coleus	Versa Crimson Gold		17	13	24	15	High vigor, many flowers, uniform growth habit/ Grown for foliage but flowered moderately in September
Coleus	Versa Green Halo		18	12	23	13	Moderate vigor, many flowers, lodged/ Grown for foliage but flowered moderately in September
Coleus	Versa Lime		22	12	26	18	High vigor, many flowers, uniform/ Grown for foliage but flowered moderately starting in late August
Coleus	Versa Rose to Lime		18	9	19	9	Low vigor, few flowers/ Grown for foliage but flowered weakly in late September
Coleus	Versa Watermelon		12	7	15	8	Low vigor, no flowers/ Grown for foliage.
Coreopsis	Corey Yellow		24	14	24	18	Few flowers, moderate powdery mildew/ Flowered moderately to strongly after planting through mid-September
Dahlia	Dahlinova Alabama		12	10	14	13	Many flowers, good vigor/ Flowered moderately to strongly after planting through the end of September
Dahlia	Dahlinova Carolina		13	10	13	10	Not attractive, no flowers/ Flowered strongly after planting through early September
Dahlia	Dahlinova Carolina Orange		10	9	12	9	Few flowers, not showy/ Flowered strongly after planting through mid-September
Dahlia	Dahlinova Lisa Burgundy		7	8	9	9	Few flowers, starting to decline/ Flowered moderately to strongly after planting through mid-September
Dahlia	Dahlinova Lisa Dark Pink		9	10	10	11	Moderate flowering, moderate vigor/ Flowered strongly after planting through mid-September
Dahlia	Dahlinova Lisa White		11	14	14	16	Few flowers, good vigor/ Flowered moderately to strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Dahlia	Dahlinova Montana		8	9	11	9	Few flowers, smaller plants, not showy/ Flowered moderately to strongly after planting through mid-September
Dahlia	Dalina Grande Morelia		13	10	19	15	Many flowers, showy, minor powdery mildew/ Flowered strongly after planting through the end of September
Dahlia	Dalina Grande Tampico		20	15	24	15	Vigorous plant, few flowers/ Flowered moderately to strongly after planting through mid-September
Dahlia	Dalina Grande Toluca		20	16	20	17	Many flowers, significant lodging/ Flowered strongly after planting through the end of September
Dahlia	Dalina Grande Topia		17	10	22	10	Moderate flowering, slight powdery mildew/ Flowered moderately to strongly after planting through the end of September
Dahlia	Dark Angel Dracula		16	11	20	11	Few flowers, non-uniform/ Flowered moderately to strongly after planting through mid-September
Dahlia	Finals Star	New	19	14	23	22	Vigorous plant, many flowers, non-uniform, unstable flower color/ Flowered strongly after planting through the end of September
Dahlia	Hypnotica Bronze Bi		18	14	22	16	Non-uniform, moderate flowering/ Flowered moderately after planting through the end of September
Dahlia	Hypnotica Pink		10	10	10	12	Average overall appearance/ Flowered moderately to strongly after planting through the end of September
Dahlia	Hypnotica Red		15	13	21	13	Few flowers, some lodging/ Flowered strongly after planting through early September
Dahlia	Hypnotica Yellow		14	10	18	17	Moderate flowering, good vigor, some lodging/ Flowered moderately after planting through the end of September
Dahlia	Lucky Heart	New	11	9	16	10	Few flowers, non-uniform/ Flowered moderately after planting through mid-September
Dahlia	Lucky Love	New	11	9	12	9	Few flowers, non-uniform, moderate powdery mildew/ Flowered moderately after planting through mid-September
Dahlia	Lucky Stripe	New	17	12	17	15	Few flowers, unstable coloring/ Flowered moderately to strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Dianthus	Diabunda Pink Pearl	New	13	12	13	13	Vigorous plant, few flowers/ Flowered moderately after planting through mid-September
Dianthus	Diabunda Purple	New	10	13	11	13	Few flowers, uniform/ Flowered moderately to strongly after planting through mid-September
Dianthus	Diabunda Purple Picotee	New	13	13	13	14	Few flowers, uniform/ Flowered moderately to strongly after planting through mid-September
Dianthus	Diabunda Red	New	11	12	11	12	Average overall appearance/ Flowered moderately to strongly after planting through the end of September
Dianthus	Diabunda Red Picotee	New	11	12	11	12	Average overall appearance/ Flowered moderately to strongly after planting through the end of September
Dianthus	Diabunda Rose	New	10	13	11	13	Few flowers, uniform/ Flowered moderately to strongly after planting through mid-September
Dianthus	Dulce Pink	New	10	13	10	13	Few flowers, uniform/ Flowered moderately to strongly after planting through mid-August
Dianthus	Fandango Crimson Picotee	New	15	13	15	13	Vigorous plant, non-uniform, moderate flowering/ Flowered moderately to strongly after planting through mid-September
Dianthus	Sweet Red White Eye	New	18	12	20	13	Vigorous plant, few flowers/ Flowered moderately to strongly from early July to early September
Dianthus	Telstar Burgundy	New	10	11	11	12	Few flowers, non-uniform/ Flowered moderately to strongly after planting through early September
Dianthus	Venti Parfait Crimson Eye	New	9	9	10	11	Few flowers/ Flowered moderately to strongly after planting through mid-September
Echinacea	PowWow White	New	17	10	26	12	High vigor, many flowers, covered in blooms/ Flowered strongly from late July to late September
Echinacea	PowWow Wild Berry	New	17	11	28	13	High vigor, moderate flowering/ Flowered strongly from mid-July through mid-September
Euphorbia	Breathless Blush		11	10	13	14	Vigorous plant, many flowers, uniform, unique color, near perfect/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Euphorbia	Breathless White		16	13	20	15	Vigorous plant, many flowers, uniform/ Flowered moderately to strongly from early July through the end of September
Euphorbia	Diamond Frost		17	14	23	17	Vigorous plant, many flowers, non-uniform/ Flowered moderately to strongly after planting through end of September
Euphorbia	Hip Hop		16	15	21	19	Vigorous plant, many flowers/ Flowered moderately to strongly after planting through end of September
Euphorbia	Silver Fog		13	11	16	14	Many flowers, uniform, compact habit/ Flowered strongly after planting through the end of September
Festuca cinerea	Festina ColorGrass		14	15	15	15	Vigorous plant, uniform/ Grown for foliage
Fuchsia	Autumnale	New	2	25			Low vigor, few flowers, unique foliage color, nearly dead/ Flowered weakly from mid-July through mid-August
Fuchsia	Fire Cracker	New	13	8	16	8	Moderate vigor, few flowers, uniform/ Flowered moderately after planting through early August
Fuchsia	Fun Times Rose		26	21	31	23	High vigor, no flowers, non-uniform/ Flowered moderately after planting through mid-July
Gaillardia	Arizona Red Shades		13	9	17	11	Low vigor, few flowers, 40% diseased/ Flowered moderately from early July through early September
Gaillardia	Sunrita Burgundy Picotee (Sunburst)		15	12	15	13	Moderate vigor, few flowers, unique color, 20% diseased/ Flowered moderately to strongly after planting through early September
Gaillardia	Sunrita Scarlet Halo (Sunburst)		12	15	14	17	High vigor, few flowering/ Flowered strongly after planting through mid-September
Gazania	Daybreak Bronze Improved	New	11	8	11	14	Average overall appearance/ Flowered moderately to strongly from mid-July to mid-September
Gazania	Daybreak White Improved	New	9	12	9	13	Average overall appearance/ Flowered moderately to strongly from mid-July to mid-September
Gazania	Daybreak Yellow Improved	New	10	9	11	13	Vigorous plant, uniform, moderate flowering/ Flowered moderately to strongly from mid-July to mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Gazania	Kiss Frosty White Flame	New	8	10	11	17	Vigorous plant, moderate flowering/ Flowered moderately to strongly from mid-July to mid-September
Geranium (interspecific)	Caliente Fire		19	16	19	28	High vigor, many flowers/ Flowered strongly after planting through the end of September
Geranium (interspecific)	Caliente Hot Coral		12	13	14	22	High vigor, many flowers, uniform, unique color/ Flowered strongly after planting through the end of September
Geranium (interspecific)	Caliente Orange		13	16	19	23	High vigor, many flowers, uniform, unique bright color, covered in blooms/ Flowered strongly after planting through the end of September
Geranium (interspecific)	Caliente Pink		11	18	13	21	High vigor, moderate flowering, flowers mainly on edges, uniform/ Flowered strongly after planting through mid-September
Geranium (interspecific)	Calliope Dark Red		18	16	18	24	High vigor, many flowers/ Flowered strongly after planting through the end of September
Geranium (interspecific)	Calliope Scarlet Fire		15	16	18	21	High vigor, many flowers/ Flowered strongly after planting through the end of September
Geranium (interspecific)	Graziosa Cherry Picotee	New	17	17	18	18	High vigor, many flowers, uniform/ Flowered moderately to strongly from mid-July through the end of September
Geranium (interspecific)	Graziosa Merlot Red	New	14	18	15	19	High vigor, many flowers, uniform, unique color/ Flowered moderately to strongly from mid-July through the end of September
Geranium (interspecific)	Graziosa Royal Lilac	New	12	14	14	15	High vigor, few flowers, uniform, unique color, compact/ Flowered moderately to strongly from mid-July through mid-September
Geranium (interspecific)	Graziosa Royal Salmon	New	13	15	14	16	High vigor, many flowers, uniform, unique color/ Flowered strongly from mid-July through the end of September
Geranium (ivy)	Temprano Dark Red 11	New	9	13	10	13	Low vigor, many flowers, compact/ Flowered strongly after planting through the end of September
Geranium (ivy)	Temprano White (Blanche Roshe)		11	12	12	19	Moderate vigor, many flowers/ Flowered moderately to strongly after planting through the end of September
Geranium (seed)	Americana Cherry Rose		12	11	16	14	Vigorous plant, many flowers, uniform, very showy/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Geranium (seed)	Horizon Deep Red	New	16	15	19	22	Moderate vigor, many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (seed)	Horizon Neon Rose	New	20	16	21	24	High vigor, many flowers/ Flowered strongly after planting through the end of September
Geranium (seed)	Horizon Tangerine	New	14	11	17	20	Moderate vigor, many flowers, compact/ Flowered strongly after planting through the end of September
Geranium (seed)	Pinto Scarlet		17	17	19	17	High vigor, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Americana Cranberry Red		15	14	14	14	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Americana Dark Red		17	16	18	18	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Americana Deep Rose		16	17	16	17	Vigorous plant, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Americana Pink I		15	12	16	14	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Americana Salmon		14	10	15	13	High vigor, many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Americana Violet		15	13	16	15	Many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Americana White		14	18	16	18	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Classic Mosaic Purple (Avenida)		10	11	13	15	Many flowers, non-uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Classic Pink (Blues)		11	12	15	14	Many flowers, non-uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Classic Scarlet (Rumba Fire)		11	10	13	15	Few flowers, non-uniform/ Flowered strongly after planting through early September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Geranium (zonal)	Classic White (Alba)		12	11	12	12	Moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Darko Cherry		16	14	19	18	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Darko Salmon		10	11	15	14	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Darko Scarlet Red		8	8	8	9	Low vigor, non-uniform, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Darko Velvet Red		7	8	9	10	Non-uniform, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Darko White		14	17	14	17	Vigorous plant, uniform, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Elanos Bright Red		13	18	17	18	Average overall appearance/ Flowered strongly after planting through the end of September
Geranium (zonal)	Elanos Lavender		10	10	10	10	Moderate flowering, smaller plants/ Flowered strongly after planting through mid-September
Geranium (zonal)	Elanos Lilac with Eye		10	17	12	17	Vigorous plant, very floriferous/ Flowered strongly after planting through the end of September
Geranium (zonal)	Elanos Pastel Orange	New	12	15	15	15	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Elanos Salmon		9	13	14	15	Many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Elanos Shocking Violet		14	11	14	16	Many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Elanos Violet		11	13	13	13	Many flowers, non-uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Elanos White		11	8	11	15	Many flowers, uniform/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.



## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Geranium (zonal)	Euro Coral Glow	New	12	14	12	17	Moderate flowering, smaller plants/ Flowered strongly after planting through mid-September
Geranium (zonal)	Fidelity Dark Red (Samba)		10	9	10	12	Moderate flowering, smaller plants/ Flowered strongly after planting through mid-September
Geranium (zonal)	Fidelity Deep Lavender	New	11	14	11	14	Average overall appearance/ Flowered strongly after planting through mid-September
Geranium (zonal)	Fidelity Salmon (Charmant)		14	15	14	15	High vigor, many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Flower Fairy Rose		7	8	7	9	Few flowers, non-uniform, smaller plants/ Flowered strongly after planting through mid-August then moderately through mid-September
Geranium (zonal)	Flower Fairy Violet		7	7	8	8	Average overall appearance/ Flowered strongly after planting through the end of September
Geranium (zonal)	Maestro Bright Scarlet		11	12	10	12	Average overall appearance/ Flowered strongly after planting through mid-September
Geranium (zonal)	Master Idols Coral		10	13	17	15	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Master Idols Pink		13	15	18	16	Vigorous plant, moderate flowering, uniform/ Flowered strongly after planting through mid-September
Geranium (zonal)	Master Idols Purple Neon		16	17	16	17	Average overall appearance/ Flowered strongly after planting through the end of September
Geranium (zonal)	Master Idols Red		14	16	14	17	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Master Idols Scarlet Red		12	12	12	13	Average overall appearance/ Flowered strongly after planting through the end of September
Geranium (zonal)	Master Idols White		13	15	14	15	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	PAC Maestro Light Pink Parfait		8	12	8	12	Vigorous plant, few flowers, non-uniform, smaller plants/ Flowered strongly after planting through mid-August then moderately through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Geranium (zonal)	Patriot Bright Violet		13	10	15	14	Average overall appearance/ Flowered strongly after planting through mid-September
Geranium (zonal)	Patroit Bright Red		17	16	21	25	Vigorous plant, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Rocky Mountain Dark Red		16	14	16	14	vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Rocky Mountain Deep Rose 09		14	17	15	17	Many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Rocky Mountain Magenta		15	13	16	16	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Rocky Mountain Pink		15	20	22	20	Vigorous plant, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Rocky Mountain Red		16	13	18	13	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Rocky Mountain Salmon		15	15	15	15	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Rocky Mountain Salmon Rose		12	11	17	11	Vigorous plant, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Rocky Mountain Violet		13	11	13	12	Average overall appearance/ Flowered strongly after planting through mid-September
Geranium (zonal)	Rocky Mountain White		12	11	15	16	Many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Savannah Blue		11	5	11	8	Low vigor, few flowers, some plants in definite decline/ Flowered strongly after planting through mid-August then moderately through mid-September
Geranium (zonal)	Savannah Coral		14	12	16	18	Average overall appearance/ Flowered strongly after planting through mid-September
Geranium (zonal)	Savannah Dark Red		13	13	17	13	Vigorous plant, many flowers, non-uniform/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Geranium (zonal)	Savannah Hot Pink Sizzle	New	10	10	10	11	Many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Savannah Lavender Splash		13	13	13	13	Average overall appearance/ Flowered strongly after planting through mid-September
Geranium (zonal)	Savannah Lilac Charme		14	16	15	17	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Savannah Merlot Sizzle 20	New	13	12	14	12	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Savannah Pink		15	16	19	16	Vigorous plant, uniform, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Savannah Pink Sizzle		16	16	22	17	Vigorous plant, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Savannah Punch		10	11	16	12	Many flowers, average plant vigor/ Flowered strongly after planting through the end of September
Geranium (zonal)	Savannah Red		16	12	16	20	Moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Savannah White Splash		12	10	12	10	Moderate flowering, smaller but healthy plants/ Flowered strongly after planting through mid-August then moderately through the end of September
Geranium (zonal)	Schone von Rheinberg Coral	New	13	17	14	17	Non-uniform, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Schone von Rheinberg Dark Red 40	New	16	15	16	15	Vigorous plant, many flowers, uniform, vibrant color/ Flowered strongly after planting through the end of September
Geranium (zonal)	Schone von Rheinberg Red	New	13	14	13	14	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Summer Idols Dark Salmon		12	10	12	14	Average overall appearance/ Flowered strongly after planting through mid-September
Geranium (zonal)	Summer Idols Hot Pink		13	15	13	15	Many flowers, uniform/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Geranium (zonal)	Summer Idols Orange		10	10	10	12	Many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Summer Idols Pink		12	11	12	12	Average overall appearance/ Flowered strongly after planting through mid-September
Geranium (zonal)	Summer Idols Red		12	11	14	19	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Summer Idols True Red		5	8	10	11	Many flowers, non-uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Summer Idols White		10	10	13	15	Many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Survivor Apple Blossom		14	19	19	19	Vigorous plant, non-uniform, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Survivor Blue		11	11	12	16	Many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Survivor Cherry Red 09		17	12	17	18	Average overall appearance/ Flowered strongly after planting through the end of September
Geranium (zonal)	Survivor Dark Red 09		14	12	15	16	Average overall appearance/ Flowered strongly after planting through mid-September
Geranium (zonal)	Survivor Fuchsia		11	11	11	14	Impressive flowering/ Flowered strongly after planting through the end of September
Geranium (zonal)	Survivor Hot Pink		8	7	8	10	Moderate flowering, average plant vigor/ Flowered strongly after planting through mid-September
Geranium (zonal)	Survivor Light Lavender		17	15	17	15	Vigorous plant, many flowers, still looks great late in season/ Flowered strongly after planting through the end of September
Geranium (zonal)	Survivor Marine		13	15	19	18	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Survivor Neon Violet		15	15	15	15	Average overall appearance/ Flowered strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Geranium (zonal)	Survivor Pink		13	13	13	13	Many flowers, average plant vigor/ Flowered strongly after planting through the end of September
Geranium (zonal)	Survivor Salmon Pink	New	16	17	16	17	Many flowers, uniform/ Flowered strongly after planting through the end of September
Geranium (zonal)	Survivor Scarlet		13	16	14	16	Non-uniform, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Survivor Soft Pink	New	16	18	19	18	Vigorous plant, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Tango Dark Red		13	11	15	11	Non-uniform, moderate flowering, smaller plants/ Flowered strongly after planting through mid-September
Geranium (zonal)	Tango Deep Pink (Eclipse)		13	10	15	14	Many flowers/ Flowered strongly after planting through the end of September
Geranium (zonal)	Tango Deep Red (Eclipse)		14	11	14	12	Many flowers, still very showy/ Flowered strongly after planting through the end of September
Geranium (zonal)	Tango Neon Purple		15	12	16	13	Non-uniform, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Tango Orange		11	10	12	10	Few flowers, non-uniform/ Flowered strongly after planting through early September
Geranium (zonal)	Tango Red 09		9	8	10	8	Non-uniform, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	Tango Rose Splash (Eclipse)		14	14	16	16	Vigorous plant, many flowers, uniform, near perfect overall/ Flowered strongly after planting through the end of September
Geranium (zonal)	Tango Salmon (Montevideo)		11	9	15	20	Low vigor, many flowers, compact/ Flowered strongly after planting through the end of September
Geranium (zonal)	Tango White 11	New	14	12	14	14	Uniform, moderate flowering/ Flowered strongly after planting through mid-September
Geranium (zonal)	TexMex Blood Red 1	New	10	8	10	10	Moderate flowering, smaller plants/ Flowered strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Heliotropium	Nautilus	New	7	10	10	15	Moderate vigor, many flowers, great scent/ Flowered moderately to strongly after planting through the end September
Heliotropium	Simply Scentsational	New	19	16	19	17	High vigor, few flowers, unique scent, very pungent in the greenhouse/ Flowered moderately to strongly after planting through mid-September
Heliotropium arborescens	Scentropia Dark Blue		16	14	17	17	High vigor, moderate flowering, great scent/ Flowered strongly after planting through mid-September
Hibiscus	Luau Peach Mai Tai		15	14	16	14	Few flowers, uniform/ Flowered moderately after planting through mid-September
Hibiscus	Luau Pink Paki		11	6	14	11	Few flowers, non-uniform/ Flowered moderately after planting through mid-September
Iberis	Absolutely Amethyst	New	9	11	9	13	Non-uniform, no flowers/ No flowers throughout the season but healthy foliage
Iberis	Snowball	New	6	8	7	12	Vigorous plant, no flowers/ Flowered weakly after planting to late June then no flowers but healthy foliage
Impatiens (double)	Fiesta Purple		14	15	21	25	High vigor, moderate flowering/ Flowered strongly after planting through mid-September
Impatiens (double)	Fiesta Sparkler Orange	New	10	12	14	14	Average overall appearance/ Flowered strongly after planting through the end of September
Impatiens (double)	Fiesta Sunrise Red	New	18	13	18	15	Low vigor, few flowers/ Flowered strongly after planting through early September
Impatiens (exotic)	Patchwork Peach Prism	New	13	12	17	22	Average overall appearance/ Flowered moderately to strongly after planting through the end of September
Impatiens (exotic)	Patchwork Pink Shades	New	9	11	11	13	Low vigor, few flowers/ Flowered moderately to strongly after planting through early September
Impatiens (New Guinea)	Celebrette Cherry Stripe		10	12	10	15	Many flowers, uniform/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Celebrette Lavender Improved		6	7	8	9	Many flowers, uniform, near perfect overall appearance/ Flowered strongly after planting through mid-August and then again mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Impatiens (New Guinea)	Celebrette Orange Stripe	New	9	14	10	17	Moderate flowering, attractive dark foliage/ Flowered strongly from early July through mid-September
Impatiens (New Guinea)	Celebrette Orchid Star Imp.	New	10	12	10	14	Vigorous plant, uniform/ Flowered strongly from mid-July through the end of September
Impatiens (New Guinea)	Celebrette Pink		11	12	14	18	High vigor, moderate flowering/ Flowered moderately to strongly after planting through the end of September
Impatiens (New Guinea)	Divine Lavender		10	9	14	19	Non-uniform, moderate flowering/ Flowered strongly after planting through mid-September
Impatiens (New Guinea)	Divine Orange Bronze Leaf	New	13	13	16	23	Vigorous plant, many flowers/ Flowered moderately to strongly after planting through the end of September
Impatiens (New Guinea)	Divine Pink		9	12	12	18	High vigor, many flowers, cute small flower/ Flowered strongly from early July through the end of September
Impatiens (New Guinea)	Divine Scarlet Red		12	16	15	19	Average overall appearance/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Divine Violet		12	13	14	18	Vigorous plant, moderate flowering/ Flowered moderately to strongly after planting through the end of September
Impatiens (New Guinea)	Magnum Blue	New	12	12	12	16	Vigorous plant, uniform, moderate flowering/ Flowered strongly after planting through mid-September
Impatiens (New Guinea)	Magnum Fire	New	9	12	14	18	Vigorous plant, many flowers, uniform, large flowers still look good/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Magnum Lavender 40	New	10	11	11	12	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Magnum Peach	New	10	11	11	15	Moderate flowering, great color/ Flowered strongly after planting through mid-September
Impatiens (New Guinea)	Magnum Salmon	New	14	15	16	19	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Magnum White Blush	New	9	11	13	14	High vigor, many flowers, great contrast between foliage and flowers/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Impatiens (New Guinea)	Nino Antonio Cherry		7	10	8	11	Uniform, moderate flowering/ Flowered moderately to strongly after planting through the end of September
Impatiens (New Guinea)	Nino Isidro White		6	8	8	10	Moderate vigor, compact growth habit/ Flowered moderately to strongly after planting through late August, then flowered poorly through the end of September.
Impatiens (New Guinea)	Nino Marisol Orange		7	9	7	12	Many flowers, uniform, bright flowers contrast well with dark leaves/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Nino Paquito Hot Pink		7	8	8	10	Sporadic flowering/ Flowered moderately to strongly after planting through the end of September
Impatiens (New Guinea)	Super Sonic Flame		14	14	16	14	Vigorous plant, uniform, exceptionally floriferous/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Super Sonic Lavender		12	11	12	11	Vigorous plant, uniform, moderate flowering/ Flowered strongly after planting through mid-September
Impatiens (New Guinea)	Super Sonic Lilac 09		12	14	14	15	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Super Sonic Magenta 08		14	13	16	16	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Super Sonic Pastel Pink		10	12	12	13	Uniform, moderate flowering/ Flowered strongly after planting through mid-September
Impatiens (New Guinea)	Super Sonic Red		11	12	14	15	Vigorous plant, uniform, exceptionally floriferous/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Super Sonic Sweet Cherry		12	14	12	14	Many flowers, uniform, good vigor/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Super Sonic White		11	10	13	11	Vigorous plant, many flowers, uniform/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Tamarinda Dark Red		10	13	13	20	Vigorous plant, moderate flowering/ Flowered moderately to strongly after planting through mid-September
Impatiens (New Guinea)	Tamarinda Dark Salmon		7	10	9	12	Many flowers, uniform/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.



## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Impatiens (New Guinea)	Tamarinda Orange 09		7	13	9	17	Many flowers, uniform/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Tamarinda Orange Orchid		11	12	12	13	Vigorous plant, uniform, moderate flowering/ Flowered strongly after planting through mid-September
Impatiens (New Guinea)	Tamarinda Pink		9	11	11	16	High vigor, few flowers/ Flowered strongly after planting through early September
Impatiens (New Guinea)	Tamarinda Purple		9	11	12	14	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Impatiens (New Guinea)	Tamarinda Purple Bi		12	11	12	13	Vigorous plant, uniform, moderate flowering/ Flowered strongly after planting through mid-September
Impatiens (New Guinea)	Tamarinda White		8	10	9	14	High vigor, many flowers/ Flowered moderately to strongly after planting through the end of September
Impatiens (seed)	Impreza Blue Pearl	New	6	9	10	16	High vigor, many flowers/ Flowered strongly after planting through the end of September
Impatiens (seed)	Impreza Cherry Splash	New	9	11	14	16	Low vigor, moderate flowering/ Flowered strongly after planting through mid-September
Impatiens (seed)	Impreza Pink Splash		10	12	11	17	Average overall appearance/ Flowered strongly after planting through mid-September
Impatiens (seed)	Impreza Red		7	10	12	13	High vigor, many flowers/ Flowered strongly after planting through the end of September
Impatiens (seed)	Impreza Rose		8	11	12	15	High vigor, many flowers/ Flowered moderately to strongly after planting through the end September
Impatiens (seed)	Impreza Salmon		10	12	15	16	High vigor, many flowers/ Flowered strongly after planting through the end of September
Impatiens (seed)	Impreza Violet	New	9	9	12	13	Low vigor, moderate flowering/ Flowered strongly after planting through mid-September
Impatiens (seed)	Impreza White		10	14	11	18	Average overall appearance/ Flowered strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Impatiens (seed)	Super Elfin XP Cherry Splash	New	10	12	11	16	Moderate vigor, few flowers/ Flowered strongly after planting through mid-September
Impatiens (seed)	Super Elfin XP Lilac	New	12	11	15	19	Low vigor, few flowers/ Flowered strongly after planting through mid-September
Impatiens (seed)	Super Elfin XP Red Starburst	New	7	8	14	17	Moderate vigor, many flowers/ Flowered strongly after planting through mid-September
Impatiens (seed)	Super Elfin XP Rose Improved		10	11	14	19	High vigor, many flowers, vibrant pink/ Flowered strongly after planting through the end of September
Impatiens (seed)	Super Elfin XP Rose Starburst	New	8	11	12	17	High vigor, moderate flowering/ Flowered strongly after planting through the end of September
Impatiens (seed)	Super Elfin XP Violet Improved	New	10	10	13	17	Low vigor, few flowers/ Flowered moderately to strongly after planting through mid-September
Impatiens (seed)	Super Elfin XP Violet Starburst	New	6	8	9	13	Moderate vigor, many flowers/ Flowered moderately to strongly after planting through the end September
Impatiens (seed)	Xtreme Violet		14	12	14	17	Average overall appearance/ Flowered strongly after planting through mid-September
Impatiens (seed)	Xtreme White		13	14	13	19	Moderate vigor, few flowers/ Flowered strongly after planting through mid-September
Impatiens (trailing)	Fanfare Fuchsia Improved		17	16	20	18	Vigorous plant, many flowers, uniform, very impressive overall/ Flowered strongly after planting through the end of September
Impatiens (trailing)	Spellbound Blackberry Star		19	16	23	26	High vigor, many flowers/ Flowered strongly after planting through the end of September
Impatiens (trailing)	Spellbound Pink Splash		17	16	24	24	High vigor, moderate flowering, lodging/ Flowered strongly after planting through mid-September
Impatiens (trailing)	Spellbound Rose		21	19	21	21	High vigor, moderate flowering, lodging/ Flowered strongly after planting through mid-September
Impatiens (trailing)	Spellbound White 10		20	14	23	22	High vigor, many flowers, uniform, looks great still/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Ipomoea	Illusion Emerald Lace		17	18	17	25	75% of plants are dead from disease/ Grown for foliage
Ipomoea	Illusion Midnight Lace		16	22	17	22	Vigorous plant, uniform/ Grown for foliage
Ipomoea	Sweet Caroline Green Yellow	New	14	11	14	22	30% of plants are dead from disease/ Grown for foliage
Ipomoea	Sweet Caroline Light Green	New	20	16	15	23	50% of plants are dead from disease/ Grown for foliage
Ipomoea	Sweet Caroline Purple	New	18	18	18	18	Vigorous plant, uniform/ Grown for foliage, flowered moderately in June but flowers were under foliage
Ipomoea	Sweet Caroline Sweetheart Light Green	New	18	15	16	23	15% of plants are dead from disease/ Grown for foliage
Ipomoea	Sweet Caroline Sweetheart Purple	New	19	18	19	21	Vigorous plant, uniform/ Grown for foliage
Ipomoea	Sweet Caroline Sweetheart Red	New	19	18	19	18	Vigorous plant, non-uniform/ Grown for foliage
Juncus	Blue Arrows		26	17	34	25	Vigorous plant, uniform/ Grown for foliage
Juncus	Blue Dart		15	10	22	20	Vigorous plant, uniform/ Grown for foliage
Lantana	Anne Marie		15	13	15	17	Vigorous plant, few flowers, uniform/ Flowered strongly after planting to mid-September
Lantana	Bandana Cherry Sunrise		16	11	18	17	Vigorous plant, few flowers, uniform/ Flowered strongly after planting then moderately from mid-August to mid-September
Lantana	Bandana Lemon Zest		13	9	18	9	Uniform, moderate flowering/ Flowered moderately to strongly from mid-July to mid-September
Lantana	Bandana Rose		18	11	18	14	Vigorous plant, few flowers/ Flowered strongly after planting to mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Lantana	Bandana Trailing Gold		19	15	32	27	Moderate flowering, leggy/ Flowered strongly from mid-July to mid-September
Lantana	Bandana White		14	11	18	20	Vigorous plant, many flowers, uniform/ Flowered strongly from mid-July to late September
Lantana	Bandito Orange Sunrise		9	10	12	11	Uniform, moderate flowering/ Flowered strongly from mid-July to mid-September
Lantana	Bandito Red		15	10	15	12	Few flowers, uniform/ Flowered moderately to strongly after planting to mid-September
Lantana	Bandito Rose		9	8	10	21	Few flowers, smaller growth habit/ Flowered moderately after planting to mid-September
Lantana	Florida Mound Fuchsia		17	14	19	17	Few flowers, uniform/ Flowered moderately to strongly after planting to mid-September
Lantana	Landmark Citrus		18	16	19	21	Few flowers, non-uniform/ Flowered strongly after planting through mid-September
Lantana	Landmark Pink Glow		20	11	25	20	Vigorous plant, few flowers/ Flowered strongly after planting to mid-September
Lantana	Landmark Rose Glow Improved		23	12	28	21	Vigorous plant, few flowers/ Flowered strongly after planting to mid-September
Lantana	Landmark Yellow		24	13	27	20	Vigorous plant, many flowers/ Flowered strongly after planting through end of September
Lantana	Lucky Pot of Gold		13	12	15	20	Average overall appearance/ Flowered strongly from mid-July to late September
Lantana	Lucky Pure Gold		14	10	20	17	Few flowers, non-uniform/ Flowered strongly from mid-July to mid-September
Lantana	Lucky Sunrise Rose		18	16	21	21	Many flowers, uniform/ Flowered strongly after planting through end of September
Lantana	Lucky White		23	16	30	26	Vigorous plant, many flowers, non-uniform/ Flowered strongly from late July to late September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Lantana	Lucky Yellow Improved		22	16	30	21	Many flowers, non-uniform/ Flowered strongly from mid-July to late September
Lantana	Ultra Yellow		8	6	9	9	Moderate flowering, smaller plants/ Flowered strongly from late July to mid-September
Laurentia	Beth's Blue		12	16	14	16	Nice plant, few flowers/ Flowered strongly after planting through mid-August then moderately through mid-September
Laurentia	Deja Blue		11	15	16	18	Nice plant, few flowers/ Flowered moderately after mid-August through mid-September
Lavender	Ellagance Snow	New	13	7	13	11	Many flowers, starting to fade but still attractive/ Flowered strongly from mid-July through the end of September
Leucanthemum	Daisy May	New	16	8	16	10	Vigorous plant, uniform, moderate flowering/ Flowered moderately to strongly after planting through mid-September
Lobelia	Big Blue		12	10	-	-	Low vigor, few flowers, 90% dead/ Flowered strongly after planting through late July then poor as plants declined
Lobelia	Hot Arctic Blue		8	12	17	14	Low vigor, moderate flowering, 50% dead/ Flowered moderately to strongly after planting through mid-September
Lobelia	Hot Arctic White		13	16	13	20	Moderate vigor, many flowers/ Flowered moderately to strongly from early July through the end of September
Lobelia	Hot Tiger		7	10	8	14	Low vigor, few flowers, 70% dead/ Flowered strongly through mid-August then poor as plants declined
Lobelia	Hot Tiger Eyes		13	12	13	14	Low vigor, few flowers, 75% dead, nice face/ Flowered strongly through end of July then poor as plants declined
Lobelia	Hot Waterblue Impr.		14	13	-	-	Low vigor, few flowers, 80% dead/ Flowered strongly through end of July then poor as plants declined
Lobelia	Lucia Dark Blue		11	9			All have died/ Flowered strongly after planting through early August then poor when plants declined
Lobelia	Lucia Lavender Blush	New	20	16	-	-	Low vigor, few flowers, 90% dead/ Flowered strongly after planting until the end of July then poor as plants declined

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Lobularia	Snow Princess		13	14	13	18	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Lysimachia	Superstition		3	13	3	13	Few flowers, not very showy/ Flowered moderately to strongly from mid-July through mid-September
Marigold (African)	Dune Gold	New	16	12	17	12	Few flowers, moderate vigor/ Flowered moderately to strongly from mid-July through mid-September
Marigold (African)	Dune Orange	New	15	11	15	14	Few flowers, moderate vigor/ Flowered moderately to strongly from mid-July through mid-September
Marigold (African)	Dune Yellow	New	20	12	21	12	Vigorous plant, few flowers, lodging/ Flowered moderately to strongly from early July through the end of September
Marigold (African)	Moonsong Deep Orange	New	15	12	15	12	Moderate flowering, good vigor/ Flowered strongly from mid-July through mid-September
Marigold (African)	Taishan Gold		13	12	13	14	Few flowers, 25% are dead/ Flowered moderately to strongly from early July through mid-September
Marigold (African)	Taishan Orange		15	12	15	12	Moderate flowering, moderate vigor/ Flowered strongly from early July through mid-September
Marigold (African)	Taishan Yellow		14	11	15	12	Vigorous plant, moderate flowering/ Flowered strongly from early July through mid-September
Marigold (American)	Babuda Deep Gold	New	32	17	39	37	Many flowers, some lodging/ Flowered strongly from end of July through the end of September
Marigold (American)	Babuda Gold	New	30	14	30	18	Some chlorosis, moderate flowering/ Flowered moderately to strongly from mid-July to mid-September
Marigold (American)	Babuda Yellow	New	30	19	30	25	Few flowers, moderate vigor/ Flowered strongly from early July through early September
Marigold (American)	Bali Gold	New	18	13	19	19	Uniform, moderate flowering/ Flowered moderately to strongly from late July through mid-September
Marigold (American)	Bali Orange	New	22	13	23	18	Many flowers, some lodging/ Flowered strongly from late July to late September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Marigold (American)	Bali Yellow	New	22	13	27	15	Moderate flowering, 20% diseased/ Flowered strongly from late July to mid-September
Marigold (American)	Christy Orange	New	25	15	25	15	Few flowers, moderate vigor/ Flowered strongly from mid-July through early September
Marigold (American)	Christy Yellow	New	17	12	17	12	All in severe decline/ Flowered moderately to strongly from mid-July to early September
Marigold (American)	Narai Orange	New	29	14	29	14	Many flowers, showy but lodging/ Flowered strongly from early July through the end of September
Marigold (American)	Narai Yellow	New	25	17	26	18	Average overall appearance/ Flowered strongly from early July through mid-September
Marigold (American)	Pagoda Yellow	New	24	14	29	21	Few flowers, non-uniform, 10% are dead/ Flowered strongly from late July to mid-September
Mecardonia	GoldDust	New	3	11	3	11	Few flowers, starting to decline/ Flowered strongly after planting through early September
Mimulus	Curious Orange		18	13	19	13	Non-uniform, moderate flowering, 30% of plants have died/ Flowered strongly after planting through mid-September
Mimulus	Curious Red		22	19	26	19	Many flowers, 20% have died, remaining are showy/ Flowered moderately to strongly after planting through the end of September
Nemesia	Enchanting Blue		12	11	14	12	Moderate flowering, good vigor/ Flowered strongly after planting through mid-September
Nemesia	Enchanting Rose		14	10	15	10	Vigorous plant, non-uniform, moderate flowering/ Flowered strongly after planting through mid-September
Nemesia	Enchanting White		12	7	13	8	Moderate flowering, good plant vigor/ Flowered moderately after planting through the end of September
Nemesia	Sunsatia Coconut Imp	New	12	11	13	11	Vigorous plant, many flowers, still showy/ Flowered strongly after planting through the end of September
Nemesia	Sunsatia Cranberry Imp	New	14	8	14	13	Moderate flowering, good plant vigor/ Flowered strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Nemesia	Sunsatia Lemon Imp	New	12	12	12	12	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Nierembergia	Augusta Blue Skies		12	17	14	17	85% have died/ Flowered moderately to strongly after planting through early September
Origanum	Kent Beauty		8	19	8	19	Vigorous plant, many flowers, blooms fading to brown/ Flowered strongly from early July through the end of September
Orthosiphon	Lilac	New	28	13	37	26	Vigorous plant, many flowers, very showy/ Flowered moderately after planting to mid-July and then again from late August through the end of September
Osteospermum	Hip Hop Ivory		11	13	11	13	Low vigor, few flowers/ Flowered moderately after planting through mid-September
Osteospermum	Hip Hop Orange		11	10	10	17	Moderate vigor, many flowers, true bright orange, unique color/ Flowered strongly after planting through the end of September
Osteospermum	Hip Hop Yellow		12	8	12	8	Low vigor, few flowers/ Flowered moderately to strongly after planting through mid-September
Osteospermum	Margarita Bronze Bi		16	12	17	15	Moderate vigor, many flowers, lodged/ Flowered moderately to strongly after planting through the end of September
Osteospermum	Margarita Caramel		10	7	12	7	Low vigor, many flowers, uniform/ Flowered moderately to strongly after planting through the end of September
Osteospermum	Margarita Dark Pink		12	10	12	10	Low vigor, few flowers, 40% diseased/ Flowered moderately to strongly after planting through mid-September
Osteospermum	Margarita Dark Pink Bi		14	8	18	12	Average overall appearance, uniform, some disease/ Flowered moderately to strongly after planting through early September
Osteospermum	Margarita Lemon		12	9	13	10	Average overall appearance, non-uniform growth habit/ Flowered moderately after planting through the end of September
Osteospermum	Margarita Lilac		16	13	16	13	Average overall appearance, some have lodged/ Flowered moderately to strongly after planting through the end of September
Osteospermum	Margarita Purple		18	13	18	18	High vigor, many flowers, lodged/ Flowered moderately to strongly from early July through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.



## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Osteospermum	Margarita Sunset		14	10	14	10	Low vigor, moderate flowering, compact/ Flowered moderately to strongly from early July through the end of September
Osteospermum	Margarita White		15	13	13	13	Low vigor, few flowers, 20% diseased/ Flowered moderately to strongly after planting through mid-September
Osteospermum	Margarita Yellow		12	13	14	13	High vigor, many flowers/ Flowered moderately to strongly after planting through the end of September
Osteospermum	Serenity Dark Purple		16	13	18	13	High vigor, many flowers, uniform dense habit/ Flowered strongly after planting through the end of September
Osteospermum	Serenity Honey Gold		12	11	16	16	Average overall appearance/ Flowered moderately after planting through the end of September
Osteospermum	Serenity Lemonade		14	12	16	12	High vigor, moderate flowering, dark green foliage/ Flowered moderately after planting through the end of September
Osteospermum	Serenity Sunset		13	11	13	14	Moderate vigor, many flowers, non-uniform/ Flowered moderately to strongly after planting through the end of September
Osteospermum	Summertime Bronze Charme 2010	New	17	14	17	18	High vigor, moderate flowering, open habit, lodged/ Flowered moderately to strongly after planting through mid-September
Osteospermum	Summertime Cranberry 2010	New	13	11	17	18	High vigor, many flowers, healthy green foliage/ Flowered moderately to strongly after planting through the end of September
Osteospermum	Summertime Hot Pink		19	14	19	15	Moderate vigor, many flowers/ Flowered moderately to strongly after planting through the end of September
Osteospermum	Summertime Red Velvet		13	12	17	12	Moderate vigor, many flowers, beautiful color/ Flowered moderately to strongly after planting through the end of September
Osteospermum	Summertime Royal Purple		17	9	18	9	High vigor, many flowers, open habit/ Flowered moderately to strongly after planting through the end of September
Osteospermum	Summertime Soft Pink		18	13	18	13	Moderate vigor, few flowers, 70% diseased/ Flowered moderately to strongly after planting through mid-September
Osteospermum	Summertime Sunset		14	14	14	14	Moderate vigor, few flowers, lodged/ Flowered moderately from early July through mid-August

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Osteospermum	Summertime Sunshine		16	12	17	14	High vigor, moderate flowering, uniform upright growth habit/ Flowered moderately after planting through the end of September
Osteospermum	Summertime Swing Royal White	New	12	16	12	24	High vigor, moderate flowering, lodged/ Flowered moderately from early July through early September
Osteospermum	Summertime Yellow 41	New	13	11	14	12	Moderate vigor, many flowers, lodged/ Flowered moderately to strongly after planting through the end of September
Osteospermum	Tradewinds Deep Purple		13	11	13	15	Low vigor, few flowers/ Flowered moderately after planting through mid-September
Osteospermum	Tradewinds Pearl White 10		14	13	19	14	Moderate vigor, few flowers/ Flowered strongly after planting through early September
Osteospermum	Tradewinds Pink		16	10	16	12	Moderate vigor, few flowers, 95% diseased/ Flowered moderately to strongly from early July through mid-August
Osteospermum	Tradewinds Purple Bicolor		18	12	18	21	High vigor, moderate flowering, open growth habit/ Flowered moderately after planting through the end of September
Osteospermum	Tradewinds White		21	11	21	18	Moderate vigor, few flowers, open habit/ Flowered moderately to strongly after planting through early September
Osteospermum	Voltage Yellow		14	12	14	12	Moderate vigor, few flowers, uniform growth habit/ Flowered moderately to strongly after planting through mid-September
Pedilanthus	Dwarf	New	7	5	9	9	Low vigor, no flowers, didn't establish/ Grown for foliage
Pennisetum	Fireworks		15	13	17	18	Uniform, moderate vigor/ Flowered strongly from early July through the end of September
Pennisetum	Graceful Grasses Vertigo	New	36	30	46	36	Vigorous plant, uniform/ Grown for foliage
Penstemon	Carillo Purple	New	14	9	24	14	High vigor, few flowers, fine texture/ Flowered strongly from early August to mid-September
Penstemon	Carillo Rose	New	16	13	16	18	Moderate vigor, few flowers, fine texture/ Flowered moderately from early August to mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Penstemon	Phoenix Lavender		20	8	25	16	High vigor, moderate flowering/ Flowered moderately to strongly after planting through the end of September
Penstemon	Phoenix Pink 09		25	13	25	16	High vigor, few flowers/ Flowered strongly since mid-July through mid-August
Penstemon	Phoenix Red		25	11	25	12	High vigor, moderate flowering/ Flowered moderately to strongly from mid-July through the end of September
Penstemon	Phoenix Violet 09		24	10	25	15	High vigor, few flowers/ Flowered strongly from mid-July through mid-August
Pereskia	Lemon Vine	New	7	6	11	13	Non-uniform, unique color, a little leggy/ Grown for foliage
Petunia (double)	Double Wave Blue		8	17	9	26	High vigor, few flowers/ Flowered moderately to strongly after planting through mid-September
Petunia (double)	Double Wave Blue Vein		9	20	11	23	High vigor, moderate flowering, some chlorosis/ Flowered strongly after planting through mid-September
Petunia (double)	Double Wave Lavender		8	18	7	21	High vigor, few flowers/ Flowered strongly after planting through early September
Petunia (double)	Double Wave Pink		12	21	12	24	High vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (double)	Double Wave Red	New	9	14	11	17	Moderate vigor, few flowers/ Flowered moderately to strongly after planting through mid-September
Petunia (double)	Double Wave White		9	18	10	31	High vigor, few flowers/ Flowered strongly after planting through mid-September
Petunia (milliflora)	Picobella Rose Morn	New	15	15	14	15	Low vigor, few flowers/ Flowered moderately to strongly after planting through mid-September
Petunia (milliflora)	Picobella Rose Star	New	10	14	12	19	Moderate vigor, many flowers, non-uniform growth habit/ Flowered strongly after planting through the end of September
Petunia (mini-double)	Soleil Purple		13	21	14	26	High vigor, moderate flowering, great double flower/ Flowered strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Petunia (mini-spreading)	Littletonia Bicolor Illusion		9	13	9	13	Low vigor, few flowers, unique color/ Flowered moderately to strongly after planting through mid-September
Petunia (mini-spreading)	Littletonia Breezy Pink		8	13	8	19	Low vigor, few flowers, some chlorosis/ Flowered moderately to strongly after planting through mid-September
Petunia (mini-spreading)	Littletonia Pink		9	17	9	22	Moderate vigor, few flowers/ Flowered strongly after planting through mid-September
Petunia (mini-spreading)	Littletonia Purple		7	10	6	15	Low vigor, moderate flowering/ Flowered moderately to strongly after planting through the end September
Petunia (mini-spreading)	Littletonia Red Energy		11	14	11	20	High vigor, many flowers, vibrant pink/ Flowered strongly after planting through the end of September
Petunia (mini-spreading)	Littletonia Red Star		10	12	10	16	Average overall appearance, nice candy stripe/ Flowered strongly after planting through the end of September
Petunia (mini-spreading)	Littletonia Rose		9	15	12	22	High vigor, moderate flowering/ Flowered strongly after planting through mid-September
Petunia (mini-spreading)	Littletonia Sweet Dark Pink		6	11	8	13	Low vigor, few flowers/ Flowered moderately to strongly after planting through mid-September
Petunia (mini-spreading)	Littletonia Sweet Pink		10	12	10	16	Low vigor, few flowers/ Flowered strongly after planting through mid-September
Petunia (mini-spreading)	Littletonia Ultra Purple		7	12	7	15	Low vigor, few flowers, some chlorosis/ Flowered moderately to strongly after planting through mid-September
Petunia (mini-spreading)	Littletonia Violet		7	14	10	18	Average overall appearance/ Flowered moderately to strongly after planting through the end September
Petunia (mini-spreading)	Littletonia White Grace		10	15	9	20	Low vigor, few flowers/ Flowered strongly after planting through mid-September
Petunia (mini-spreading)	Petitunia Cranberry Dream		7	13	7	15	Low vigor, few flowers/ Flowered moderately to strongly after planting through mid-September
Petunia (mini-spreading)	Petitunia Pink Splendor Dream		12	13	12	15	Average overall appearance, attractive bright pink color/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Petunia (mini-spreading)	Petitunia Rim Purple Dream		9	15	12	23	Average overall appearance, has improved since evaluation day/ Flowered moderately to strongly after planting through the end September
Petunia (mini-spreading)	Picnic Light Pink	New	8	16	10	22	Moderate vigor, many flowers, non-uniform/ Flowered strongly after planting through the end of September
Petunia (mini-spreading)	Picnic Red		12	16	12	23	High vigor, many flowers, uniform/ Flowered strongly after planting through the end of September
Petunia (mini-spreading)	Picnic Rose		14	14	14	22	High vigor, many flowers, uniform/ Flowered strongly after planting through the end of September
Petunia (mini-spreading)	Picnic White		11	16	11	21	High vigor, moderate flowering, non-uniform habit/ Flowered strongly after planting through mid-September
Petunia (mini-spreading)	Shock Wave Coconut	New	14	18	14	21	High vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (mini-spreading)	Supertunia Indigo Charm	New	11	16	11	24	High vigor, many flowers, uniform/ Flowered strongly after planting through the end of September
Petunia (mini-spreading)	Supertunia Sangria Charm	New	8	15	12	24	High vigor, many flowers, uniform, great plant/ Flowered strongly after planting through the end of September
Petunia (multiflora)	Hurrah Blue Veined	New	15	15	15	21	High vigor, many flowers, great color/ Flowered strongly after planting through the end of September
Petunia (multiflora)	Hurrah Plum		15	17	15	27	Moderate vigor, many flowers/ Flowered moderately to strongly after planting through the end of September
Petunia (seed spreading)	Easy Wave Mystic Pink Improved	New	11	17	11	23	Average overall appearance, non-uniform growth habit/ Flowered strongly after planting through the end of September
Petunia (seed spreading)	Easy Wave Neon Rose	New	11	17	11	18	Average overall appearance/ Flowered moderately to strongly after planting through the end of September
Petunia (seed spreading)	Easy Wave Pink Dawn	New	16	21	16	22	High vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (seed spreading)	Easy Wave Red Improved	New	15	16	14	26	High vigor, many flowers, uniform/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Petunia (seed spreading)	Garden Leader Candypops Apricot Vein		13	18	15	20	Average overall appearance, large flower, non-uniform growth habit/ Flowered strongly after planting through mid-September
Petunia (seed spreading)	Garden Leader Trailing Logro Rose		13	19	13	22	High vigor, moderate flowering, large flowers/ Flowered strongly after planting through mid-September
Petunia (seed spreading)	Opera Supreme Light Blue	New	13	15	12	25	High vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (seed spreading)	Opera Supreme Pink Morn		13	19	13	22	High vigor, moderate flowering/ Flowered strongly after planting through mid-September
Petunia (seed spreading)	Opera Supreme Raspberry Ice	New	15	20	15	23	High vigor, many flowers, non-uniform growth habit/ Flowered strongly after planting through the end of September
Petunia (seed spreading)	Plush Red		12	16	16	26	High vigor, moderate flowering/ Flowered strongly after planting through mid-September
Petunia (seed spreading)	Ramblin' Sugar Plum	New	11	20	12	24	Moderate vigor, many flowers, uniform/ Flowered moderately to strongly after planting through the end of September
Petunia (seed spreading)	Ramblin' Violet		13	19	12	21	Moderate vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (seed spreading)	Wave Purple Improved	New	10	21	10	23	High vigor, many flowers, low uniform growth/ Flowered strongly after planting through the end of September
Petunia (spreading)	Black Velvet	New	14	18	14	18	Moderate vigor, many flowers, unique color/ Flowered strongly after planting through the end of September
Petunia (spreading)	Fortunia Burgundy		10	19	10	19	High vigor, moderate flowering, great velvety color/ Flowered strongly after planting through mid-September
Petunia (spreading)	Fortunia Dark Purple		11	19	11	22	High vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (spreading)	Fortunia Hot Pink		9	13	9	18	Moderate vigor, few flowers, low growth habit/ Flowered strongly after planting through early September
Petunia (spreading)	Fortunia Pink Bicolor	New	12	20	13	20	High vigor, many flowers, non-uniform growth/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Petunia (spreading)	Fortunia Purple Vein		7	12	7	12	Low vigor, few flowers, great contrasting colors/ Flowered moderately to strongly after planting through mid-September
Petunia (spreading)	Fortunia Red		11	11	12	18	Average overall appearance/ Flowered strongly after planting through mid-September
Petunia (spreading)	Fortunia Strawberry Vein	New	12	18	12	24	High vigor, moderate flowering, wavy flower margin/ Flowered strongly after planting through mid-September
Petunia (spreading)	Fortunia White		9	14	10	14	Moderate vigor, few flowers, patches without any flowers/ Flowered strongly after planting through early September
Petunia (spreading)	Perfectunia Blue		15	18	18	26	Average overall appearance, non-uniform habit/ Flowered strongly after planting through mid-September
Petunia (spreading)	Perfectunia Purple		12	17	11	22	High vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (spreading)	Perfectunia White		10	18	10	18	Low vigor, moderate flowering/ Flowered strongly after planting through mid-September
Petunia (spreading)	Phantom	New	13	19	13	23	Moderate vigor, many flowers, non-uniform growth habit/ Flowered strongly after planting through the end of September
Petunia (spreading)	Pinstripe	New	8	21	12	23	Moderate vigor, many flowers, unique color/ Flowered strongly after planting through the end of September
Petunia (spreading)	Potunia Dark Red		10	16	13	17	Moderate vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (spreading)	Potunia Deep Purple		12	14	12	14	Low vigor, moderate flowering, deep magenta color/ Flowered strongly after planting through mid-September
Petunia (spreading)	Potunia Lemon Drop		7	13	7	15	Compact growth habit, few flowers/ Flowered strongly after planting through early September
Petunia (spreading)	Potunia Lobster		8	13	10	16	Moderate vigor, few flowers, compact/ Flowered strongly after planting through early September
Petunia (spreading)	Potunia Neon		10	13	10	20	Average overall appearance, some plants without any flowers/ Flowered strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Petunia (spreading)	Potunia Pink		9	18	9	18	Low vigor, few flowers/ Flowered strongly after planting through early September
Petunia (spreading)	Potunia Yellow	New	10	15	10	16	Average overall appearance, 5% dead/ Flowered strongly after planting through mid-September
Petunia (spreading)	Ray Candy Pink		11	15	9	20	High vigor, moderate flowering, low growing habit/ Flowered strongly after planting through mid-September
Petunia (spreading)	Ray Purple		9	18	11	18	Moderate vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (spreading)	Ray Purple Vein		11	13	11	18	Average overall appearance, uniform growth habit/ Flowered strongly after planting through mid-September
Petunia (spreading)	Ray Red		12	20	13	29	High vigor, many flowers, clean and bright appearance/ Flowered strongly after planting through the end of September
Petunia (spreading)	Ray Sunray		9	20	9	21	Low vigor, moderate flowering/ Flowered strongly after planting through mid-September
Petunia (spreading)	Rhythm and Blues	New	11	18	10	19	Moderate vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (spreading)	Sanguna Blue 11 (Jamboree)		9	17	9	18	Low vigor, moderate flowering/ Flowered strongly after planting through mid-September
Petunia (spreading)	Sanguna Lavender (Jamboree)		13	20	20	24	High vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (spreading)	Sanguna Light Blue (Jamboree)		10	21	12	26	High vigor, many flowers, great blues and lavenders/ Flowered strongly after planting through the end of September
Petunia (spreading)	Sanguna Lipstick		11	18	13	23	High vigor, many flowers, uniform/ Flowered strongly after planting through the end of September
Petunia (spreading)	Sanguna Pink Vein	New	9	16	10	17	Moderate vigor, few flowers, low growth/ Flowered strongly after planting through early September
Petunia (spreading)	Sanguna Purple		11	19	11	20	Moderate vigor, few flowers, spots without any flowers/ Flowered strongly after planting through early September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.



## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Petunia (spreading)	Sanguna Rose	New	11	18	11	24	Moderate vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (spreading)	Sanguna Scarlet (Jamboree)		15	21	15	21	Moderate vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (spreading)	Sanguna White		10	17	11	20	Average overall appearance, moderate flowering/ Flowered strongly after planting through mid-September
Petunia (spreading)	Sanguna White Pearl (Jamboree)		15	21	13	28	High vigor, moderate flowering, unique flower color/ Flowered strongly after planting through mid-September
Petunia (spreading)	Sun Spun Lavender Star	New	9	12	9	14	Average overall appearance/ Flowered strongly after planting through mid-September
Petunia (spreading)	Sun Spun White	New	10	15	10	18	Moderate vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (spreading)	Suncatcher Burgundy		13	21	15	26	High vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (spreading)	Suncatcher Midnight Blue	New	17	22	13	22	Moderate vigor, many flowers, unique velvety color/ Flowered strongly after planting through the end of September
Petunia (spreading)	Suncatcher Plum Vein		13	17	13	19	High vigor, moderate flowering/ Flowered strongly after planting through mid-September
Petunia (spreading)	Suncatcher Purple Rose		10	15	10	17	Moderate vigor, many flowers/ Flowered strongly after planting through the end of September
Petunia (spreading)	Supertunia Lavender Skies		12	16	12	23	High vigor, many flowers but not uniform coverage/ Flowered strongly after planting through the end of September
Petunia (spreading)	Supertunia Pretty Much Picasso		6	14	6	18	Average overall appearance, flower blends into foliage, unique flower color/ Flowered strongly after planting through mid-September
Petunia (spreading)	Supertunia Vista Bubblegum		21	21	21	29	High vigor, many flowers, nice mounded habit/ Flowered strongly after planting through the end of September
Petunia (spreading)	Supertunia Vista Silverberry		15	20	19	36	High vigor, many flowers, extremely uniform/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Petunia (spreading)	Surprise Mandarin Twist	New	11	14	11	16	Moderate vigor, many flowers, some fading in flower color/ Flowered strongly after planting through the end of September
Petunia (spreading)	Surprise Yellow Twist	New	9	17	9	18	Low vigor, moderate flowering/ Flowered strongly after planting through mid-September
Petunia (spreading)	Sweetunia Caramello		9	15	9	16	Moderate vigor, few flowers, unique color/ Flowered strongly after planting through early September
Petunia (spreading)	Sweetunia Soft Pink Morning		12	18	15	25	High vigor, many flowers, uniform/ Flowered strongly after planting through the end of September
Petunia (spreading)	Sweetunia Strawberry Morning		9	14	12	17	Moderate vigor, many flowers, great pink/ Flowered strongly after planting through the end of September
Petunia (spreading)	Whispers Blue		9	19	9	20	Low vigor, moderate flowering/ Flowered strongly after planting through mid- September
Petunia (spreading)	Whispers Lavender Eye	New	12	21	12	28	High vigor, moderate flowering, great contrasting dark eye/ Flowered strongly after planting through mid-September
Petunia (spreading)	Whispers Purple		11	20	12	24	Extremely vigorous, many flowers, great color/ Flowered strongly after planting through the end of September
Petunia (spreading)	Whispers Red 11	New	12	18	12	26	High vigor, many flowers, uniform habit/ Flowered strongly after planting through the end of September
Petunia (spreading)	White Ray		13	12	13	12	Average overall appearance/ Flowered strongly after planting through mid-September
Phlox	Intensia Blueberry	New	10	14	11	14	High vigor, many flowers/ Flowered strongly after planting through the end of September
Phlox	Phloxy Lady Burgundy	New	8	10	9	11	Moderate vigor, many flowers/ Flowered strongly after planting through the end of September
Phlox	Phloxy Lady Cherry Red	New	8	17	12	17	Moderate vigor, many flowers/ Flowered strongly after planting through the end of September
Phlox	Phloxy Lady White	New	8	12	11	18	High vigor, many flowers, uniform habit/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Phlox	Phoenix Red		13	26	14	26	High vigor, many flowers/ Flowered strongly after planting through the end of September
Phlox	Phoenix Sky		18	36	18	36	High vigor, many flowers, open habit/ Flowered strongly after planting through the end of September
Pseuderanthemum	Texas Tri-Star	New	16	10	18	10	Vigorous plant, uniform/ Grown for foliage
Rhodanthemum	Moondance		8	5	8	5	Low vigor, few flowers/ Flowered moderately after planting through mid-August
Rudbeckia hirta	Denver Daisy		25	14	25	18	Vigorous plant, many flowers, uniform, starting to fade but okay/ Flowered strongly after planting to late September
Salvia farinacea	Mystic Spires Blue		34	18	46	51	Vigorous plant, many flowers, extensive lodging/ Flowered strongly after planting through the end of September
Salvia farinacea	Sallyfun Blue		22	12	22	12	Vigorous plant, moderate flowering/ Flowered moderately to strongly after planting through end of September
Salvia farinacea	Sallyfun White Imp.		18	11	18	18	Vigorous plant, many flowers, still showy/ Flowered moderately to strongly after planting through end of September
Salvia farinacea	Velocity Blue		22	12	24	15	Average overall appearance/ Flowered strongly after planting through the end of September
Salvia greggii	Puebla Light Orange		29	16	34	28	Moderate flowering, not very orange, lodging/ Flowered moderately from early July through the end of September
Salvia greggii	Puebla White		17	9	20	16	Low vigor, few flowers/ Flowered strongly after planting through early September
Salvia hybrid	Mesa Rose		25	13	29	17	Few flowers, uniform/ Flowered moderately to strongly after planting through mid-September
Salvia hybrid	Mesa Scarlet		34	20	38	30	Vigorous plant, many flowers, uniform, still looks great/ Flowered strongly after planting through the end of September
Salvia splendens	Fizz Grape		13	11	15	13	Vigorous plant, many flowers, uniform, still very strong/ Flowered strongly from early July through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Salvia splendens	Fizz Strawberry		14	13	16	18	Many flowers, uniform/ Flowered strongly from early July through the end of September
Sanvitalia speciosa	Million Suns		9	13	18	16	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Scabiosa	Black		23	18	28	18	High vigor, few flowers, flowers lodged/ Flowered moderately to strongly after planting through early September
Scabiosa japonica v. alpina	Ritz Blue		8	6	8	9	Moderate vigor, few flowers/ Flowered moderately to strongly from mid-July through early September
Scabiosa japonica v. alpina	Ritz Rose		8	9	8	10	Low vigor, few flowers/ Flowered moderately to strongly from late July through early September
Scaevola	Blue Falls	New	9	13	10	16	Extremely vigorous, many flowers/ Flowered moderately to strongly after planting through the end of September
Scaevola	Bombay Dark Blue		9	12	9	13	Moderate vigor, many flowers/ Flowered strongly after planting through the end of September
Scaevola	Bombay White		6	9	10	23	Average overall appearance/ Flowered moderately to strongly after planting through mid-September
Scaevola	Scala Blue	New	13	14	13	16	Moderate vigor, many flowers/ Flowered strongly after planting through mid-September
Scaevola	Scala White	New	6	12	6	12	Low vigor, few flowers/ Flowered moderately to strongly after planting through early September
Scaevola	Topaz Pink Impr.	New	9	11	13	12	Moderate vigor, many flowers, great pink/ Flowered moderately to strongly after planting through the end of September
Scaevola aemula	Top poT Blue		9	10	9	15	High vigor, many flowers, bright blue, great dark green foliage/ Flowered moderately to strongly from early July through the end of September
Scaevola aemula	Topaz Pink Improved		11	13	15	18	High vigor, many flowers/ Flowered strongly after planting through the end of September
Senecio	German Variegata		8	15	8	15	Vigorous plant, looks fresh and bright/ Grown for foliage

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Setcreasea	Blue Sue		23	14	23	14	Uniform, same as mid-summer/ Flowered moderately to strongly from early July through the end of September
Snapdragon	Montego Rose	New	7	6	10	11	Many flowers, uniform/ Flowered strongly from mid-July through early August and strong again from early September through the end of September
Stipa tenuissima	Pony Tails ColorGrass		23	21	30	26	Average overall appearance/ Flowered strongly from mid-August through the end of September
Torenia	Summer Wave Large Blue		8	13	8	13	Low vigor, few flowers/ Flowered strongly after planting through early August then poorly as plants declined
Torenia	Summer Wave Large Violet		9	24	11	24	Low vigor, few flowers/ Flowered strongly after planting through early August then poorly as plants declined
Verbena (spreading)	Aztec Blue Velvet	New	14	16	14	16	Average overall appearance/ Flowered moderately to strongly after planting through the end of September
Verbena (spreading)	Aztec Dark Red		8	16	11	16	High vigor, moderate flowering/ Flowered moderately to strongly after planting through the end of September
Verbena (spreading)	Aztec Grape Magic		5	10	6	15	Moderate vigor, few flowers/ Flowered moderately after planting through mid-September
Verbena (spreading)	Aztec Lavender Improved		12	14	12	17	High vigor, many flowers, uniform mounded habit/ Flowered moderately to strongly after planting through the end of September
Verbena (spreading)	Aztec Pink		8	16	12	17	High vigor, many flowers/ Flowered moderately to strongly after planting through late September
Verbena (spreading)	Aztec Plum Magic		6	11	7	16	Average overall appearance/ Flowered moderately after planting through the end of September
Verbena (spreading)	Aztec Purple Magic		9	10	9	13	Moderate vigor, no flowers/ Flowered moderately to strongly after planting through early September
Verbena (spreading)	Aztec Red Velvet		10	15	15	15	High vigor, many flowers, covered in blooms still/ Flowered strongly after planting through late September
Verbena (spreading)	Aztec Silver Magic		9	17	9	17	Average overall appearance/ Flowered moderately to strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Verbena (spreading)	Aztec Violet		9	11	9	15	Moderate vigor, many flowers/ Flowered moderately to strongly after planting through the end of September
Verbena (spreading)	Donalena Pink Heart		11	14	12	24	High vigor, many flowers, some powdery mildew/ Flowered strongly after planting through the end of September
Verbena (spreading)	Donalena Red Amour		11	15	11	15	Moderate vigor, many flowers, great magenta color/ Flowered strongly after planting through the end of September
Verbena (spreading)	Donalena Red Pepper Imp.		9	15	9	15	Low vigor, moderate flowering/ Flowered moderately to strongly after planting through the end of September
Verbena (spreading)	Donalena Violet XL		8	16	12	18	High vigor, moderate flowering/ Flowered strongly after planting through mid-July and again from mid-August to mid-September
Verbena (spreading)	Double Roccoco Burgundy		10	14	10	14	Moderate vigor, few flowers, some powdery mildew/ Flowered strongly after planting through early September
Verbena (spreading)	Double Roccoco Peach		8	10	8	10	Low vigor, few flowers, some powdery mildew/ Flowered moderately after planting through mid-July and then again from early August to mid-September
Verbena (spreading)	Double Roccoco Pink		11	17	12	17	Low vigor, few flowers/ Flowered moderately to strongly after planting through early August
Verbena (spreading)	Double Roccoco Red		9	13	11	16	Low vigor, few flowers/ Flowered moderately after planting through mid-September
Verbena (spreading)	Empress Burgundy		10	15	10	15	Moderate vigor, many flowers/ Flowered moderately to strongly after planting through the end of September
Verbena (spreading)	Empress Burgundy Charme		12	13	12	21	High vigor, many flowers/ Flowered moderately to strongly after planting through late September
Verbena (spreading)	Empress Dark Red		13	18	13	18	High vigor, many flowers/ Flowered strongly after planting through the end of September
Verbena (spreading)	Empress Dark Red 40	New	12	17	15	17	High vigor, many flowers/ Flowered strongly after planting through the end of September
Verbena (spreading)	Empress Hot Pink Charme		10	17	15	23	High vigor, many flowers, some powdery mildew/ Flowered moderately to strongly after planting through late September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Verbena (spreading)	Empress Lavender		8	15	10	17	High vigor, moderate flowering, uniform growth habit/ Flowered strongly after planting through mid-September
Verbena (spreading)	Empress Lavender Blue	New	10	12	10	17	Moderate vigor, many flowers, uniform habit/ Flowered moderately to strongly after planting through the end of September
Verbena (spreading)	Empress Peach	New	8	16	9	18	High vigor, many flowers/ Flowered strongly after planting through the end of September
Verbena (spreading)	Empress Purple		12	16	12	19	High vigor, many flowers/ Flowered moderately to strongly after planting through the end of September
Verbena (spreading)	Empress Red 40	New	11	18	11	18	High vigor, many flowers/ Flowered strongly after planting through the end of September
Verbena (spreading)	Empress Soft Pink 41	New	10	14	12	18	Low vigor, few flowers/ Flowered moderately to strongly after planting through early August
Verbena (spreading)	Empress Strawberry		12	20	12	20	High vigor, many flowers/ Flowered strongly after planting through the end of September
Verbena (spreading)	Empress Violet		10	18	13	20	Moderate vigor, few flowers/ Flowered strongly after planting through early September
Verbena (spreading)	Empress White 09		14	17	10	23	High vigor, moderate flowering/ Flowered moderately after planting through the end of September
Verbena (spreading)	Estrella Merlot		10	13	7	21	Low vigor, few flowers, severe powdery mildew/ Flowered moderately to strongly after planting through early September
Verbena (spreading)	Estrella Peach		7	12	7	16	Average overall appearance, great dark green foliage/ Flowered strongly after planting through mid-September
Verbena (spreading)	Estrella Voodoo Red		9	16	9	16	High vigor, many flowers, low growth, some powdery mildew/ Flowered strongly after planting through mid-September
Verbena (spreading)	Estrella Voodoo Star		11	18	11	24	Moderate vigor, few flowers, some powdery mildew, great color combo/ Flowered moderately to strongly after planting through the end of September
Verbena (spreading)	Homestead Red		11	17	11	17	High vigor, many flowers/ Flowered strongly after planting through the end of September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Verbena (spreading)	Lanai Blue Denim		11	14	11	14	High vigor, few flowers/ Flowered strongly after planting through mid-September
Verbena (spreading)	Lanai Blush White		12	14	14	18	High vigor, few flowers/ Flowered moderately after planting through mid-September
Verbena (spreading)	Lanai Bright Eye		16	18	16	20	High vigor, moderate flowering/ Flowered strongly after planting through mid-September
Verbena (spreading)	Lanai Bright Pink		5	18	8	25	High vigor, moderate flowering, very dark green foliage/ Flowered moderately to strongly after planting through early August
Verbena (spreading)	Lanai Dark Red		13	15	13	15	High vigor, moderate flowering, some powdery mildew/ Flowered moderately to strongly after planting through the end of September
Verbena (spreading)	Lanai Lavender Star		12	18	12	18	High vigor, moderate flowering/ Flowered strongly after planting through mid-September
Verbena (spreading)	Lanai Magenta		13	23	13	23	Moderate vigor, few flowers/ Flowered strongly after planting through early August
Verbena (spreading)	Lanai Peach		8	18	8	18	Average overall appearance/ Flowered moderately to strongly after planting through the end of September
Verbena (spreading)	Lanai Strawberry and Cream	New	11	15	13	19	High vigor, many flowers, very vibrant pink/ Flowered moderately to strongly after planting through late September
Verbena (spreading)	Magelana Peach	New	6	14	6	16	High vigor, few flowers, flowers are only on edges/ Flowered moderately to strongly after planting through mid-September
Verbena (spreading)	Magelana Plum Frost	New	8	12	8	18	High vigor, many flowers, antique color/ Flowered strongly after planting through the end of September
Verbena (spreading)	Magelana Purple w/ Eye	New	7	12	7	16	High vigor, no flowers, "carpet-like" growth/ Flowered moderately to strongly after planting through early September
Verbena (spreading)	Ron Deal		8	11	8	16	High vigor, few flowers/ Flowered moderately from late July through early September
Verbena (spreading)	Superbena Royale Chambray		11	18	11	23	High vigor, moderate flowering, most flowers are on edges/ Flowered strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.



## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Verbena (spreading)	Tapien Blue Violet		8	10	7	14	High vigor, no flowers/ Flowered moderately to strongly after planting through early September
Verbena (spreading)	Tapien Purple		12	17	12	19	High vigor, few flowers, flowers are only around edge/ Flowered strongly after planting through early September
Verbena (spreading)	Temari Cherry Red		11	20	11	20	High vigor, many flowers, covered in blooms still/ Flowered strongly after planting through late September
Verbena (spreading)	Veralena Cherry		8	11	11	13	Moderate vigor, few flowers, fine texture/ Flowered moderately to strongly after planting through early September
Verbena (spreading)	Veralena Timeless Pink		8	16	10	16	High vigor, few flowers/ Flowered moderately to strongly after planting through mid-September
Verbena (spreading)	Veralena Violet		12	10	12	20	High vigor, few flowers/ Flowered strongly after planting through mid-August
Verbena (spreading)	Wildfire Dark Purple		11	13	11	18	High vigor, moderate flowering/ Flowered moderately to strongly after planting through the end of September
Verbena (upright)	Lanai Upright Purple Mosaic		11	11	13	17	High vigor, moderate flowering/ Flowered moderately to strongly after planting through the end of September
Verbena (upright)	Lanai Upright Violet		11	14	11	14	Moderate vigor, no flowers, uniform/ Flowered strongly after planting through early September
Vinca	Cobra Deep Rose	New	13	13	14	16	Average overall appearance/ Flowered moderately to strongly from mid-July to late September
Vinca	Cobra Orange	New	13	12	13	12	Average overall appearance/ Flowered moderately to strongly from mid-July to late September
Vinca	Cobra Peach Melba	New	9	13	9	14	Low vigor, few flowers/ Flowered moderately to strongly from early July through mid-September
Vinca	Cobra Purple	New	10	10	10	15	60% diseased/ Flowered strongly from early July through early September
Vinca	Cobra True Red	New	12	12	12	14	Low vigor, 40% diseased/ Flowered strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Vinca	Garden Leader Hotlik Orchid Eye		13	15	16	20	60% are diseased/ Flowered moderately to strongly after planting through early September
Vinca	Nirvana Pink Blush		11	10	12	14	Average overall appearance/ Flowered strongly from early July through mid-September
Vinca	Nirvana Red		12	9	14	15	20% are dead, moderate flowering/ Flowered strongly after planting through mid-September
Vinca	Nirvana Sky Blue		10	10	11	12	Low vigor, moderate flowering/ Flowered strongly from early July through mid-September
Vinca	Nirvana Violet		9	9	12	17	Low vigor, few flowers/ Flowered strongly after planting through mid-September
Vinca	Pacifica XP Orange	New	15	11	15	16	25% dead, moderate flowering/ Flowered moderately from early July through the end of September
Vinca	Red Mountain	New	18	14	21	22	Vigorous plant, many flowers/ Flowered strongly after planting through the end of September
Vinca	Sunstorm Deep Orchid	New	8	9	8	9	Low vigor, few flowers/ Flowered moderately from mid-July through mid-September
Vinca	Sunstorm Purple	New	7	9	7	12	Low vigor, few flowers/ Flowered moderately from mid-July through mid-September
Vinca	Titan Apricot	New	12	12	13	15	Many flowers, moderate vigor/ Flowered strongly after planting through mid-September
Vinca	Titan Dark Red	New	12	12	15	12	30% diseased, nice flower color/ Flowered strongly after planting through the end of September
Vinca	Titan Icy Pink	New	10	11	11	18	Vigorous plant, many flowers, uniform/ Flowered strongly from early July through the end of September
Viola	Thriller Primrose		9	8	9	10	Non-uniform, moderate flowering/ Flowered moderately to strongly after planting through the end of September
Viola	Thriller Red w/ Blotch		8	8	8	12	Low vigor, few flowers/ Flowered moderately to strongly after planting through mid-September

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.

## Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	8/12H*	8/12W*	9/20H*	9/20W*	Comments late September by Coordinator and Research Associate***/ Summarized Flowering Data for Entire Season
Viola	Thriller White		6	8	6	8	Non-uniform, moderate flowering, 25% of plants are dead/ Flowered moderately to strongly after planting through the end of September
Viola	Thriller Wine		8	13	9	13	Average overall appearance/ Flowered moderately to strongly after planting through the end of September
Viola	Thriller Yellow w/ Blotch		9	12	10	9	Vigorous plant, non-uniform/ Flowered moderately to strongly after planting through the end of September
Viola	Velocity Mimosa Yellow		13	18	14	18	Vigorous plants, many flowers/ Flowered strongly after planting through the end of September
Zinnia	Blackfoot	New	11	8			All have died/ Flowered strongly after planting through early August then poor when plants declined
Zinnia (Interspecific)	Double Zahara Cherry	New	20	15	20	17	60% are dead/ Flowered moderately to strongly after planting through early September
Zinnia (Interspecific)	Double Zahara Fire	New	17	14	17	14	Non-uniform, 15% are dead, moderate flowering/ Flowered moderately to strongly after planting through the end of September
Zinnia (Interspecific)	Profusion 7 Color Mix	New	13	12	13	17	50% are dead/ Flowered moderately to strongly after planting through early September
Zinnia (Interspecific)	Profusion Sunrise Mix	New	19	11	19	12	60% are dead/ Flowered moderately to strongly after planting through mid-September
Zinnia (Interspecific)	Zahara Fire		18	11	18	16	85% are dead/ Flowered moderately to strongly after planting through early September
Zinnia (Interspecific)	Zahara Scarlet		19	14	19	16	85% are dead/ Flowered strongly after planting through early September then poor as plants declined
Zinnia (Interspecific)	Zahara Yellow		14	20	16	21	95% are dead/ Flowered strongly after planting through early September then poor as plants declined
Zinnia (Interspecific)	Zahara Yellow		16	11	16	20	85% are dead/ Flowered moderately to strongly from early July through early September then poor as plants declined

\*All measurements in inches.

\*\*New for the 2010 season.

\*\*\*Comments are on first line followed by Flowering Data on second line.