

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Acalypha	Bronze/Pink		68	28	91	37	-	Large leaf size, vigorous, unique color / Primarily grown for foliage.
Acalypha	Microphilla	New	46	39	88	40	-	Nice foliage color, leaf tatter / Primarily grown for foliage.
Acalypha	White Edge	New	72	44	112	52	-	Unique leaf curl, vigorous, some leaf tatter / Primarily grown for foliage.
Achillea	Gypsy White		30	51	30	55	5/8	Still ok even with fewer flowers / Strong flowering from early August to late August.
Agastache	Bronze Foliage		88	32	90	34	6/5	Good contrast, many large flowers, unique foliage / Strong flowering from early August to first frost.
Agastache	Golden Jubilee		48	40	97	46	6/30	No impact from flowers, vigorous, lodging / Weak flowering all season.
Agastache	Purple Pygmy		25	31	77	38	6/5	Small flower size, vigorous, poor uniformity / Moderate flowering all season.
Ageratum	Aloha Blue		16	30	24	37	6/5	Low vigor, does poor in hot weather / Strong flowering from late June to early July. Moderate flowering from mid-July to September. Strong flowering from early September to first frost.
Ageratum	Patina Blue	New	23	24	27	36	4/21	Compact, many flowers, does better in cool weather / Strong flowering from late June to early July. Moderate flowering from mid-July to September. Strong flowering from early September to first frost.
Alternanthera	Brazillian Red Hot		36	43	67	51	-	Showy, vigorous, standout color / Primarily grown for foliage.
Alternanthera	Red Threads		29	31	38	52	-	Compact, unique leaf texture / Primarily grown for foliage.
Alyssum	Clear Crystals Lavender Shades	New	17	37	23	40	6/5	Compact, faded color / Strong flowering early August to mid-August.
Alyssum	Clear Crystals Purple Shades	New	13	41	17	43	6/5	Many flowers, doesn't spread well / Strong flowering early August to mid-August.
Alyssum	Clear Crystals White	New	15	36	17	42	6/5	compact, many flowers / Strong flowering early August to mid-August.
Anemone	Pink Saucer		25	35	66	51	7/14	Just starting to hit flowering peak / Strong flowering from mid-September to first frost.
Angelonia	AngelMist Purple		36	32	46	36	5/12	Very vigorous, many flowers / Strong flowering from mid-July to mid-August.
Angelonia	AngelMist Spreading Pink		17	34	20	36	5/5	Spreading habit, uniform, many flowers / Strong flowering from early August to mid-August.
Angelonia	AngelMist Spreading White		22	30	-	-	5/5	Compact, many flowers, dead after August / Strong flowering from early August to mid-August.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Angelonia	AngelMist White Cloud		35	36	44	51	5/12	Vigorous big plants, doesn't do well after August / Strong flowering from early August to mid-August.
Angelonia	Carita Deep Pink 09	New	33	32	40	42	4/30	Vigorous, many small flowers / Strong flowering from early August to mid-August.
Angelonia	Carita Lavender	New	29	34	36	37	4/21	Large flower size, faded color / Strong flowering from early July to mid-August.
Angelonia	Carita Purple 09	New	26	40	33	46	4/21	Large flower size, deep purple color / Strong flowering from early August to mid-August.
Angelonia	Carita Raspberry	New	25	32	36	36	4/28	Large flower size, good color, good uniformity / Strong flowering from early August to mid-August.
Angelonia	Carita White 09	New	23	35	37	36	4/30	Poor uniformity, many flowers / Strong flowering from early August to mid-August.
Angelonia	Serena Purple		30	29	42	32	6/5	Small flower size, many flowers / Strong flowering from early August to mid-August.
Angelonia	Serena White		29	37	37	41	6/5	Poor uniformity, small flower size / Strong flowering from late July to mid-August.
Anisodentea	Elegant Lady Impr.	New	114	43	163	91	4/10	Few flowers, takes over, very vigorous / Moderate flowering all season.
Argyranthemum	Glory White	New	32	30	34	33	3/25	Low vigor, very chlorotic, few flowers / Moderate flowering all season.
Argyranthemum	Polly	New	40	38	43	51	5/12	Flowers under foliage, very vigorous / Strong flowering from mid-July to early August.
Bacopa	Baja White	New	20	41	30	56	5/5	Vigorous, big leaf size, not many flowers / Moderate flowering all season.
Bacopa	Secrets Big Light Blue	New	22	38	28	46	3/25	Very vigorous, not many flowers / Moderate flowering all season until late August. Strong flowering from September until first frost.
Bacopa	Secrets Giant Lavender		21	39	41	60	3/25	Many flowers, great spread, uniform, very vigorous / Moderate flowering all season until late August. Strong flowering from September until first frost.
Basil	Boxwood	New	27	39	33	41	6/5	Very poor uniformity, flowering, unstable / Primarily grown for foliage but produced many flowers throughout the season.
Begonia (Wax)	Ambassador Mix		18	26	36	47	6/5	Poor uniformity, not a good mix of color / Flowered strong from late July until the first frost.
Begonia (Wax)	Emperor Mix		18	24	43	57	6/5	Terrible uniformity / Flowered strong from late July until the first frost.
Begonia (Wax)	Lotto Red	New	20	30	44	67	6/5	Vigorous, leggy, large leaf size / Flowered strong from late July until the first frost.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Begonia (Wax)	Nightlife Red		18	25	25	44	6/5	Compact habit, excellent contrast / Flowered strong from mid-July until the first frost.
Begonia (Wax)	Nightlife Rose		17	27	32	50	6/5	Compact growth habit, great contrast, covered in flowers / Flowered strong from mid-July until the first frost.
Begonia (Wax)	Sprint Pink Imp.	New	15	29	32	51	6/5	Some covered in flowers / Flowered strong from mid-July until the first frost.
Begonia (Wax)	Sprint White Imp.	New	20	29	33	53	6/5	Poor uniformity, many flowers / Flowered strong from mid-July until the first frost.
Begonia (Wax)	Vodka		23	30	32	57	6/5	Compact growth habit, great contrast, covered in flowers / Flowered strong from mid-July until the first frost.
Begonia (Wax)	Volumia Light Pink	New	23	37	41	57	6/5	Color looks dirty, many flowers, good uniformity / Flowered strong from late July until the first frost.
Begonia (Wax)	Volumia Pink	New	23	30	43	61	6/5	Poor uniformity, vigorous, great color show / Flowered strong from mid-July until the first frost.
Begonia (Wax)	Volumia Rose Bicolor	New	25	34	48	67	6/5	Vigorous, great color, poor uniformity / Flowered strong from mid-July until the first frost.
Begonia (Wax)	Volumia Scarlet	New	17	21	34	56	6/5	Good uniformity, very floriferous / Flowered strong from mid-July until the first frost.
Begonia (Wax)	Volumia White	New	23	36	43	65	6/5	Large flower size / Flowered strong from mid-July until the first frost.
Begonia boliviensis	Bellfire		34	67	43	69	4/16	Upright habit, some lodging, poor uniformity / Strong flowering from early August to mid-September.
Begonia boliviensis	Bonfire		35	42	42	72	4/16	Spreads nicely, flowers under foliage, fairly uniform / Strong flowering from late July to first frost.
Begonia hybrid	Braveheart Rose Bicolor		28	38	50	91	6/5	Vigorous, good color, many flowers, uniform / Flowered strong from late July until the first frost.
Begonia hybrid	Dragon Wing Pink		40	44	76	66	6/5	Very vigorous, many flowers, flowers under foliage / Strong flowering from late July to first frost.
Begonia hybrid	Dragon Wing Red		39	43	71	71	6/5	Vigorous, many flowers, great color, flowers under foliage / Strong flowering from late July to first frost.
Begonia x benariensis	BIG Red Bronze Leaf	New	34	48	61	48	6/5	Great color contrast, excellent foliage, large flower groups / Strong flowering from mid-July to first frost.
Begonia x benariensis	BIG Red Green Leaf	New	31	39	61	55	6/5	Large flower size, outstanding / Strong flowering from mid-July to first frost.
Begonia x benariensis	BIG Rose Bronze Leaf	New	30	46	70	52	6/5	Excellent, some lodging / Strong flowering from mid-July to first frost.
Calibrachoa	Callie Coral Pink		12	39	14	41	4/25	50% in decline / Strong flowering from late July to mid-August.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Calibrachoa	Callie Dark Blue		15	31	17	41	4/25	Uniform growth habit but not plant width / Strong flowering from early July to mid-July.
Calibrachoa	Callie Deep Yellow		25	44	23	58	4/27	Good foliage color for being in the ground / Strong flowering from late July to mid-September.
Calibrachoa	Callie Mango	New	17	32	19	38	4/29	90% of plants dead / Moderate flowering all season.
Calibrachoa	Callie Orange 08		14	36	15	48	4/26	Moderate flowering / Moderate flowering all season.
Calibrachoa	Callie Peach		13	34	13	43	4/25	Average overall / Moderate flowering all season.
Calibrachoa	Callie Scarlet Red 08		17	35	24	41	4/25	Vigorous plant, many flowers / Strong flowering from late July to mid-August.
Calibrachoa	Caloha Caramel	New	11	31	13	34	3/25	Low vigor, few flowers / Weak flowering all season.
Calibrachoa	Colorful Expressions Fire	New	23	35	23	41	4/20	Few flowers / Moderate flowering all season.
Calibrachoa	Colorful Expressions Orange	New	16	29	20	33	4/23	Only 10% still alive / Moderate flowering all season.
Calibrachoa	Colorful Expressions Red	New	18	32	21	34	4/20	Only 5% still alive / Moderate flowering all season.
Calibrachoa	Colorful Expressions Sun	New	10	38	19	44	4/24	90% of plants dead / Moderate flowering all season.
Calibrachoa	Colorful Expressions Violet	New	14	39	18	45	4/26	Significant chlorosis throughout / Moderate flowering all season.
Calibrachoa	Milky Way Light Blue Imp.		19	44	23	56	4/27	50% of plants dead / Strong flowering from early July to mid-August.
Chrysocephalum	Flambe Orange		18	40	28	74	4/10	Very uniform, many flowers, nice bright color / Flowered strong all season.
Chrysocephalum	Flambe Yellow		32	40	36	75	4/10	Not a lot of color, good foliage / Flowered strong up until September. Moderate flowering from September to first frost.
Cleome	Senorita Rosalita		97	52	131	89	4/30	Poor uniformity, good show, many flowers, tall plants / Strong flowering from late July to first frost.
Cleome	Spirit Appleblossom		91	37	140	53	4/29	Vigorous, many flowers / Strong flowering from late July to first frost.
Coleus	Black Knight	New	76	47	94	81	-	Great plant, very vigorous, beautiful, some lodging / Primarily grown for foliage.
Coleus	Candy Store		60	51	86	71	-	Vigorous color, leaves drop with cool temps, unique color / Primarily grown for foliage.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Coleus	Dark Chocolate	New	46	37	58	83	-	Some leaf scorch, leggy, many flowers / Primarily grown for foliage, but produced many flowers throughout the season.
Coleus	Defience		60	65	84	91	-	Lodging, vigorous, few flowers, bright flowers / Primarily grown for foliage.
Coleus	Electric Lime		56	48	90	71	-	Very vigorous, many flowers, bright color / Primarily grown for foliage but produced some flowers throughout the season.
Coleus	Henna	New	67	60	91	91	-	Very vigorous, some lodging, great leaf texture / Primarily grown for foliage.
Coleus	Indian Summer	New	50	41	66	46	-	Poor size uniformity, great color / Primarily grown for foliage.
Coleus	Kong Salmon Pink	New	51	37	64	60	-	Large leaf size, many flowers, beautiful leaf color, smaller plants / Primarily grown for foliage but produced many flowers throughout the season.
Coleus	Limon Blush	New	50	41	58	41	-	Many flowers, unique color, drops lower leaves with cool temps / Primarily grown for foliage but produced some flowers throughout the season.
Coleus	Merlin's Magic		36	37	43	44	-	Very compact habit, good uniformity, very petite looking / Primarily grown for foliage.
Coleus	Micanopy		44	34	66	64	-	Good uniformity, stable color, smaller plants / Primarily grown for foliage.
Coleus	Mint Mocha	New	43	40	76	56	-	Poor uniformity, vigorous, very unique clefted leaves / Primarily grown for foliage.
Coleus	Mississippi Summer		74	49	91	79	-	Falls over, very vigorous, color unstable / Primarily grown for foliage but produced some flowers throughout the season.
Colocasia	Coffee Cups	New	62	52	80	91	-	Leaf scorch, does better in cool weather / Primarily grown for foliage.
Cosmos	Sensation Purity		123	91	131	113	6/20	Lodging, poor flowering / Moderate flowering all season.
Cosmos	White		119	82	124	91	6/20	Poor habit, lodging takes over / Strong flowering from mid-July to late July.
Cuphea	Rico Red		38	37	44	41	4/30	Long lasting show / Strong flowering all season.
Cuphea	Totally Tempted 07-08		22	28	28	43	4/10	Vigorous plant, many flowers / Strong flowering all season.
Dahlia	Balloon Apricot		32	25	36	43	5/5	Large flower size, some lodging, mildew / Strong flowering all season.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Dahlia	Balloon Deep Red		40	36	58	50	5/8	Very poor uniformity, excellent color, large flowers / Strong flowering from June to early September.
Dahlia	Balloon Yellow		34	39	56	48	5/5	Some lodging, large flower, healthy foliage / Strong flowering from late June to mid-August.
Dahlia	Dahlinova Alabama		27	34	32	43	4/29	Bright color stands out, compact plants, some flowers / Strong flowering from late June to mid-August.
Dahlia	Dahlinova Carolina		22	37	23	44	4/29	Compact, bright color, flowers under foliage / Strong flowering from June to mid-August.
Dahlia	Dahlinova Carolina Burgundy		21	27	81	46	4/30	Crowded out by Mystic Illusion, very compact / Strong flowering from June to late July. No bloom after mid-August.
Dahlia	Dahlinova Carolina Orange		30	40	33	41	4/29	Flowers fade, flowers under foliage / Strong flowering from June to early September.
Dahlia	Dahlinova Lisa Burgundy		25	27	25	30	4/21	Compact plants, small flowers, deep flower color / Strong flowering from June to mid-August.
Dahlia	Dahlinova Lisa Dark Pink		26	32	29	36	4/26	Compact, small flowers / Strong flowering from June to early September.
Dahlia	Dahlinova Montana		27	34	33	36	4/29	Faded look, petal shatter, compact / Strong flowering from late June to mid-August.
Dahlia	Dahlinova Oregon		26	34	30	41	4/29	Small flower size, poor uniformity, compact / Strong flowering from June to mid-August.
Dahlia	Dark Angel Dragon Ball		41	33	51	48	6/17	Excellent uniformity, unique foliage color, great contrast / Strong flowering from mid-July to early September.
Dahlia	Dark Angel Pretty Woman		36	31	37	34	6/20	Very small flowers, lodging, good contrast / Strong flowering from mid-July to early September.
Dahlia	DECO Mix	New	37	46	58	46	6/5	Terrible uniformity, good mix of colors / Strong flowering from mid-July to mid-August.
Dahlia	Happy Date		77	39	88	48	6/17	Mildew problems early, good second flush in foliage / Strong flowering from mid-July to late July. No bloom after mid-August.
Dahlia	Happy Kiss		55	34	56	43	6/21	Severe mildew, no blooms after August / Strong flowering from mid-July to late July. No bloom after mid-August.
Dahlia	Maxi Colina	New	38	31	41	46	5/24	No flowers late, vigorous, large flower size / Strong flowering from June to mid-August.
Dahlia	Maxi Magdalena		51	34	54	43	5/15	Some mildew, large flower, good color, vigorous / Strong flowering from June to mid-August.
Dahlia	Maxi Tampico	New	39	32	58	64	5/20	Poor uniformity, vigorous, large flower size, unique color / Strong flowering from June to mid-August.
Dahlia	Mystic Illusion	New	76	57	94	60	6/3	Vigorous, tall, bright flower color, mildew, lodging / Strong flowering from late July to mid-August.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Dahlia	Starsister Bronze		29	42	34	44	5/15	Small flowers, some mildew, many flowers / Strong flowering from June to early September.
Dahlia	Starsister Lt. Pink Picotee		36	34	38	37	5/5	Severe mildew, poor uniformity, some lodging / Strong flowering from June to mid-August.
Dahlia	Starsister Purple Picotee		34	36	36	53	5/12	Poor uniformity, few flowers, mildew / Strong flowering from June to mid-August.
Dahlia	Starsister Red & White		36	37	38	47	5/8	Severe mildew, few flowers late / Strong flowering from June to late July.
Dahlia	Starsister Rose & White		36	34	37	43	5/12	No flowers late, poor uniformity / Strong flowering from June to late July. No bloom after mid-August.
Dahlia	Starsister Scarlet & Yellow Imp.		32	37	32	42	5/12	Very severe mildew, no flowers after August / Strong flowering from June to late July. No bloom after mid-August.
Dahlia	Starsister White		29	32	41	36	5/8	Great uniformity, many flowers, not much mildew / Strong flowering from late June to mid-August.
Dahlia	Starsister Yellow		33	34	34	37	5/12	Very small flower size, poor uniformity / Strong flowering from late June to mid-August.
Dianthus	Diana Blueberry	New	22	23	29	29	6/5	Large flowers showy even though not at peak / Strong flowering from mid-July to mid-August.
Dianthus	Elegance Pink		56	41	57	48	6/5	Strong flowering late in season / Strong flowering from mid-July to mid-September.
Dianthus	Garden Spice Coral		41	40	42	46	5/5	Moderate flowering / Strong flowering from mid-July to mid-August.
Dianthus	Garden Spice Fuschia		27	32	33	32	5/7	Looks good overall, uniform, vigorous, compact / Strong flowering from early July to early August.
Dianthus	Garden Spice Pink Bicolor	New	27	25	30	30	5/5	Few flowers but uniform plants / Strong flowering from early July to mid-August.
Dianthus	Garden Spice Pink Imp.	New	36	34	38	39	5/5	Moderate flowering / Strong flowering from late July to mid-August.
Dianthus	Grace Double Pink		25	23	30	27	6/5	Average overall / Moderate flowering all season.
Dianthus	Pizzazz Pink	New	41	38	53	44	5/2	Good color, good uniformity / Strong flowering mid-July to late July.
Dianthus	Pizzazz Purple	New	34	51	44	55	5/5	Poor vigor, peaks early / Strong flowering mid-July to late July.
Dianthus	Polar Mix		32	30	36	34	6/5	Still one of the best dianthus / Strong flowering from mid-July to mid-August.
Dianthus	Super Parfait Red Peppermint	New	17	15	27	27	6/5	Still very attractive and uniform / Moderate flowering all season.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Dianthus	Supra Crimson		24	30	36	30	6/5	Moderate flowering / Strong flowering from mid-July to early August.
Dianthus	Supra White		25	20	32	29	6/5	Moderate to good flowering / Strong flowering from mid-July to mid-August.
Diascia	Morning Mist Clear White		32	29	37	34	3/25	Moderate flowering / Strong flowering from early August to late August.
Diascia	Morning Mist Dark Coral		29	44	43	47	3/25	Some lodging but looks good / Strong flowering from early August to late August.
Digitalis	Virtuoso Mix		52	43	80	47	7/14	Good mix, many flowers / Moderate flowering until late July. Strong flowering from late July to mid-August, then moderate flowering to first frost.
Digitalis	Virtuoso Red		77	48	102	51	6/30	Uniform, puts on quite a show / Moderate flowering until late July. Strong flowering from late July to mid-August, then moderate flowering to first frost.
Digitalis	Virtuoso Rose		46	48	112	50	7/7	Faded color, uniform, many flowers / Moderate flowering until late July. Strong flowering from late July to September.
Digitalis	Virtuoso White		43	42	86	43	7/14	Many flowers, old heads detract / Moderate flowering until late July. Strong flowering from late July to September.
Draceana	Cordylena Bloodstone	New	48	52	55	81	-	Compact uniform, unique / Primarily grown for foliage.
Duranta	Gold Edge		46	62	94	67	-	Very vigorous, foliage color stands out / Primarily grown for foliage.
Echinacea	Deep Rose		16	32	74	36	8/25	Compact growth, could use more color, color doesn't fade / Strong flowering mid-September to first frost.
Echinacea	Magnus		32	27	91	28	9/1	Very vigorous, tall non-uniform, large flowers, some lodging / Strong flowering mid-September to first frost.
Echinacea	Prarie Splendor		24	19	91	23	7/28	Excellent late show, vigorous, many flowers, outstanding / Strong flowering mid-September to first frost.
Echinacea	Prarie Splendor Deep Rose		34	39	105	42	8/25	10% of plants lodging / Flowered strong from mid-September to mid-October.
Echinacea	Primadonna Deep Rose		59	29	97	46	8/25	Crowded out by cosmos, large flower size / Moderate flowering from mid-August to first frost.
Eragrostis	Wind Dancer		82	90	87	254	-	Poor habit, falling over / Primarily grown for foliage.
Erysimum	Charity Cream Yellow		18	19	41	52	6/5	Very floriferous, small, not uniform / Moderate flowering throughout the summer. Never reached full bloom.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Erysimum	Charity Yellow		19	20	20	25	6/5	Crowded out / Moderate flowering until late July. Strong bloom for one week in late July, then moderate flowering until first frost.
Euphorbia	Diamond Frost		32	32	46	81	4/10	Poor uniformity, covered with flowers / Flowered strong all season.
Euphorbia	Silver Fog	New	32	31	47	69	4/10	Very uniform, many flowers, outstanding / Flowered strong all season.
Euphorbia	Silver Shadow	New	30	29	48	79	4/10	Poor uniformity, covered with flowers / Flowered strong all season.
Gaillardia	Apricot Shades		26	30	64	41	6/30	Plant size varies, lots of flowers, first to die out / Moderate flowering from late June to mid-August. No bloom after late August.
Gaillardia	Arizona Sun		31	36	44	38	6/30	Poor uniformity, color stands out, great colors / Moderate flowering from late June to September.
Gaillardia	F1 Yellow		33	35	48	37	7/14	Compact growth habit, poor uniformity / Moderate flowering from mid-July to September.
Gaillardia	Golden Goblin		34	31	51	56	7/21	Severe lodging, vigorous, poor uniformity, rich yellow color / Moderate flowering from mid-July to September.
Gaillardia	Granada		30	32	36	51	6/30	Some plants never flowered, very poor uniformity / Moderate flowering from late June to September.
Gaillardia	Maxima Aurea		40	48	43	55	7/14	Severe lodging, vigorous, leggy, poor uniformity / Moderate flowering from mid-July to September.
Gaillardia	Sunburst Scarlet Halo		34	29	39	35	4/30	Flowering slowly but still ok / Flowered strong from June to August. Moderate flowering from August to first frost.
Gaillardia	Sunburst Tangerine		49	39	51	40	5/5	Almost no flowering and looking poor / Flowered strong from mid-July to mid-August. Moderate flowering from mid-August to first frost.
Gaillardia	Galileo		27	39	34	41	5/12	Still looks fairly strong / Flowered strong from mid-July to mid-August. Moderate flowering from mid-August to first frost.
Gazania	F1 Daybreak Red Stripe		17	28	29	28	6/5	Bright color, many flowers, poor uniformity / Strong flowering from early August to late August.
Gazania	F1 Daybreak Rose Stripe		17	26	-	-	6/5	Low vigor, dead early September / Strong flowering from early August to late August.
Gazania	F1 Kiss Rose		39	27	41	34	6/5	Faded color, uniform, not a compliment / Strong flowering from early August to late August.
Gazania	F1 Kiss Yellow Flame		17	29	24	36	6/5	Compact habit, not too showy / Strong flowering from early August to late August.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Gazania	F1 Kontiki Stars & Stripes Mix		18	29	37	29	6/5	Poor uniformity, good mix of colors / Strong flowering from early August to late August.
Gazania	F1 Kontiki Yellow		20	29	29	41	6/5	Poor uniformity, great color / Strong flowering from early August to late August.
Gazania	F1 White w Rose Stripe		24	32	34	39	6/5	Vigorous, large flower size / Strong flowering from early August to late August.
Gazania	F1 Yellow w Red Stripe		20	30	36	39	6/5	Vigorous, many flowers, large flower size / Strong flowering from early August to late August.
Gazania	Kiss Golden Yellow		20	24	28	33	6/5	Rainy period in August causing increase in disease and decline / Strong flowering from early August to mid-September.
Gazania	Kiss Orange Flame	New	22	32	30	33	6/5	Rainy period in August causing increase in disease and decline / Strong flowering from early August to mid-September.
Gazania	Kontiki Violet Picotee	New	19	22	25	29	6/5	Rainy period in August causing increase in disease and decline / Strong flowering from early August to mid-September.
Gazania	Talent Orange		24	32	34	38	6/5	Rainy period in August causing increase in disease and decline / Strong flowering from early August to mid-September.
Gazania	Talent Rose Shades		23	24	27	36	6/5	Rainy period in August causing increase in disease and decline / Strong flowering from early August to mid-September.
Geranium (Compact Zonal)	Eclipse Confetti Salmon 09	New	25	32	30	71	4/20	Poor uniformity, large flower, unstable color / Flowered strong all season.
Geranium (Compact Zonal)	Eclipse Dark Red		22	34	30	67	4/20	Spotty flowering, poor uniformity / Flowered strong all season.
Geranium (Compact Zonal)	Eclipse Lt Salmon II		28	38	38	85	4/25	Poor uniformity, some plants are huge / Flowered strong all season.
Geranium (Compact Zonal)	Eclipse Rose		23	30	33	75	4/25	Good color contrast, large flower size / Flowered strong all season.
Geranium (Compact Zonal)	Eclipse Rose Mega Splash	New	17	29	27	66	4/23	Good uniformity, small flower size, floriferous / Flowered strong all season.
Geranium (Compact Zonal)	Eclipse Velvet Red	New	32	34	44	85	4/23	Great contrast, excellent color, stands out / Flowered strong all season.
Geranium (Compact Zonal)	Eclipse White		24	27	33	72	4/23	Small flower size, lots of brown / Flowered strong all season.
Geranium (Exotic)	Crystal Palace Gem		41	49	58	109	4/30	Unique foliage color, flower size small / Flowered strong all season.
Geranium (Interspecific)	Caliente Coral		42	39	48	119	4/20	Bright color, vigorous / Flowered strong all season.
Geranium (Interspecific)	Caliente Deep Red		30	38	44	114	4/25	Not enough color, tiny flowers / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Geranium (Interspecific)	Caliente Rose		37	45	42	91	4/25	Very vigorous, many flowers / Flowered strong all season.
Geranium (Ivy)	Dancing Idols Orange	New	27	53	30	110	4/28	Vigorous plants, not enough color / Flowered strong all season.
Geranium (Ivy)	Dancing Idols Red	New	28	47	32	117	4/30	Poor flowering, plants vigorous / Flowered strong all season.
Geranium (Ivy)	Dancing Idols White	New	20	22	24	62	4/30	Low vigor, poor showing / Flowered strong all season.
Geranium (Zonal)	Americana Cherry Rose		33	37	43	72	4/24	Nice bright color, somewhat uniform / Flowered strong all season.
Geranium (Zonal)	Americana Coral		20	29	36	70	4/25	Bright color, terrible uniformity / Flowered strong all season.
Geranium (Zonal)	Americana Cranberry Red	New	24	38	42	80	4/24	Great contrast bright color / Flowered strong all season.
Geranium (Zonal)	Americana Dark Red		28	38	44	72	4/25	Great color, good contrast, large plant size / Flowered strong all season.
Geranium (Zonal)	Americana Pink		26	29	33	65	4/19	Nice dark pink color, large flower heads / Flowered strong all season.
Geranium (Zonal)	Americana Red		23	33	44	72	4/20	Poor uniformity, large plant size / Flowered strong all season.
Geranium (Zonal)	Americana Rose Mega Splash	New	14	29	32	77	4/25	Excellent uniformity, unique small flower size / Flowered strong all season.
Geranium (Zonal)	Americana Salmon 09	New	20	27	33	75	4/25	Poor uniformity, good color / Flowered strong all season.
Geranium (Zonal)	Americana Violet		30	41	43	86	4/23	Very floriferous, bright color stands out / Flowered strong all season.
Geranium (Zonal)	Americana White 09	New	30	39	41	89	4/20	Poor uniformity, vigorous, small flower size, dead flowers / Flowered strong all season.
Geranium (Zonal)	Americana White Splash 09	New	22	29	28	75	4/25	Low vigor, small flower size, stands out / Flowered strong all season.
Geranium (Zonal)	Avenida Mosaic Purple		27	23	30	67	4/20	Unstable color, unique plant size / Flowered strong all season.
Geranium (Zonal)	Bullseye Cherry		42	44	44	94	6/3	Good contrast, great color and foliage / Flowered strong all season.
Geranium (Zonal)	Bullseye Light Pink		46	44	52	97	5/15	Great color contrast, very floriferous, vigorous / Flowered strong all season.
Geranium (Zonal)	Bullseye Salmon		36	44	43	77	5/20	Lots of color, poor uniformity / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Geranium (Zonal)	Bullseye Scarlet		33	34	50	77	6/3	Good color contrast, small flowers, / Flowered strong all season.
Geranium (Zonal)	Calliope	New	33	42	44	97	4/23	Excellent color, large flower heads, vigorous growth / Flowered strong all season.
Geranium (Zonal)	Countryside Cherry Red	New	27	37	39	58	4/25	Good color, poor uniformity / Flowered strong all season.
Geranium (Zonal)	Countryside Pink	New	30	43	42	90	4/21	Petal shatter, huge flowers, flower umbel very open / Flowered strong all season.
Geranium (Zonal)	Countryside Soft Pink	New	27	25	29	66	4/22	Plants are compact, floriferous, some petal shatter / Flowered strong all season.
Geranium (Zonal)	Dolce Vita		23	25	32	60	4/23	Old flowers detract from appearance / Flowered strong all season.
Geranium (Zonal)	Maverick Confetti Orchid	New	37	51	56	108	6/3	Unstable color, unique color, large flowers / Flowered strong all season.
Geranium (Zonal)	Maverick Scarlet		42	34	60	94	6/3	Vigorous plants, very floriferous / Flowered strong all season.
Geranium (Zonal)	Meridonna		19	20	24	48	4/24	Low vigor, poor uniformity, poor showing / Flowered strong all season.
Geranium (Zonal)	Merifire		25	27	37	62	4/24	Good color contrast, bright color / Flowered strong all season.
Geranium (Zonal)	Meriflame		25	27	34	60	4/24	Very floriferous, poor plant size / Flowered strong all season.
Geranium (Zonal)	Merineon		18	23	23	56	4/20	Small plants, small flower size, poor overall / Flowered strong all season.
Geranium (Zonal)	Meripino		28	23	33	55	4/24	Small compact plants, good color / Flowered strong all season.
Geranium (Zonal)	Merisnow		15	32	32	64	4/21	Many flowers, small flower size, petal shatter / Flowered strong all season.
Geranium (Zonal)	Moonlight Dark Fuchsia		23	44	38	75	4/15	Small flower size, bright color, good color contrast / Flowered strong all season.
Geranium (Zonal)	Moonlight Dark Red		25	32	37	65	4/29	Dark foliage, good contrast / Flowered strong all season.
Geranium (Zonal)	Moonlight Raspberry Blush		29	29	33	61	4/29	Nice bright color, poor uniformity, soil problems / Flowered strong all season.
Geranium (Zonal)	Moonlight Strawberry Blush		25	29	28	62	4/25	Beautiful color, flower size small / Flowered strong all season.
Geranium (Zonal)	Moonlight Violet		36	34	48	81	4/29	Dark green foliage / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Geranium (Zonal)	Noblesse		33	30	42	91	4/21	Great uniformity, great color, floriferous / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Coral		25	32	34	83	4/23	Poor uniformity, large flower heads / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Dark Red		34	41	39	80	4/23	Excellent color, vigorous / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Deep Rose 09	New	32	37	43	77	4/19	Very uniform, very floriferous, beautiful color / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Magenta		30	32	42	83	4/25	Plant size very uniform, good contrast / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Pink		36	33	41	83	4/19	Very floriferous, poor uniformity / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Red		25	33	36	60	4/25	Large flower heads, vigorous plants, could be more flowers / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Salmon 08		33	41	38	88	4/25	Great uniformity, attractive color, many flowers / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Salmon Rose		32	36	46	90	4/25	Very vigorous, needs more color / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Scarlet		33	38	46	85	4/23	Poor uniformity, attractive foliage / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Violet		29	28	43	65	4/23	Very floriferous, great uniformity, bright color / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. White		44	48	44	75	4/19	Very floriferous, uniform, good white / Flowered strong all season.
Geranium (Zonal)	Schoene Helena 09	New	24	25	42	72	4/25	Awful uniformity, not a stand out / Flowered strong all season.
Geranium (Zonal)	Summer Idols Dark Red	New	24	37	25	56	4/20	Compact growth, uniformity ok / Flowered strong all season.
Geranium (Zonal)	Summer Idols Dark Salmon		23	25	32	57	4/22	Good uniformity, small flower size / Flowered strong all season.
Geranium (Zonal)	Summer Idols Orange		18	28	25	61	4/24	Small flower size, low vigor, poor showing, poor / Flowered strong all season.
Geranium (Zonal)	Summer Idols Pink		22	33	30	67	4/25	Lots of petal shatter, floriferous, poor uniformity / Flowered strong all season.
Geranium (Zonal)	Summer Idols Red		25	30	38	77	4/20	Very floriferous, flower size small / Flowered strong all season.
Geranium (Zonal)	Summer Idols Rose w/eye	New	24	28	33	52	4/24	Not very floriferous, low vigor / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Geranium (Zonal)	Summer Idols White		20	34	39	75	4/21	Small flower size, lots of dead flowers / Flowered strong all season.
Geranium (Zonal)	Sunrise Brilliant Red		25	34	26	53	4/29	Great uniformity, lots of color / Flowered strong all season.
Geranium (Zonal)	Sunrise Brilliant White		42	44	53	97	4/20	Great white, very vigorous huge plants / Flowered strong all season.
Geranium (Zonal)	Sunrise Dark Pink + Eye	New	26	32	28	60	5/5	Small compact plants, poor flowering, small flowers / Flowered strong all season.
Geranium (Zonal)	Sunrise Firestorm		28	36	44	86	4/29	Good red color, poor uniformity / Flowered strong all season.
Geranium (Zonal)	Sunrise Light Salmon	New	33	33	37	83	5/5	Not a stand out color, vigorous plants / Flowered strong all season.
Geranium (Zonal)	Sunrise Red		23	28	43	83	4/25	Great uniformity, lots of color / Flowered strong all season.
Geranium (Zonal)	Tango 09	New	25	33	28	64	4/23	More compact growth, excellent foliage / Flowered strong all season.
Geranium (Zonal)	Tango Coral		22	29	30	55	4/19	Poor uniformity, , low vigor, color fades / Flowered strong all season.
Geranium (Zonal)	Tango Fire		30	36	39	71	4/25	Good vigor, nice contrast, great dark green foliage / Flowered strong all season.
Geranium (Zonal)	Tango Light Salmon		25	24	29	60	4/23	Low vigor, compact plants / Flowered strong all season.
Geranium (Zonal)	Tango Neon Purple		33	33	47	75	4/25	Good contrast, non-uniform, excellent dark green foliage / Flowered strong all season.
Geranium (Zonal)	Tango White		24	26	29	46	4/23	Not many flowers, low vigor, struggling / Flowered strong all season.
Heliopsis	Tuscan Sun	New	43	25	46	33	4/28	Showy flowering / Strong flowering from early August to mid-September.
Hemigraphis	Imp. Moonlight		20	30	34	42	-	Poor vigor, not much spread / Primarily grown for foliage, but produced some flowers throughout the season.
Heuchera	Dale's Strain		13	20	18	28	-	Poor uniformity, stable leaf pattern / Primarily grown for foliage.
Heuchera	Green w Veins		12	17	15	27	-	Unstable leaf vein, compact, uniform / Primarily grown for foliage.
Impatiens (Double)	Fanciful Moonlight Rose Mix	New	18	37	51	61	6/5	Very floriferous, not mixed enough / Strong flowering from late July to first frost.
Impatiens (Double)	Fanciful Stardust Mix		21	43	47	64	6/5	Not much difference in mixed colors, vigorous / Strong flowering from late July to first frost.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Impatiens (Double)	Fanciful Sweetheart Mix		14	34	44	51	6/5	Dainty looking mix, poor uniformity / Strong flowering from late July to first frost.
Impatiens (Double)	Fanciful Tropical Mix		26	43	53	60	6/5	Poor uniformity, excellent color quality / Strong flowering from late July to first frost.
Impatiens (Double)	Musica Mix		24	44	41	47	5/30	Poor uniformity, floriferous, some flowers under foliage / Strong flowering from mid-July to first frost.
Impatiens (Double)	Musica Spicy Red		15	31	36	58	6/12	Flowers under foliage, large flower size, very uniform / Strong flowering from mid-July to first frost.
Impatiens (Mini)	Firefly Pink Blush		25	29	53	36	4/21	Flowers under foliage, not very showy / Moderate flowering all season.
Impatiens (Mini)	Firefly Watermelon		26	30	49	32	4/20	Many flower, eye catching, compact growth / Moderate flowering until the beginning of August. Strong flowering for the entire month of August. Moderate flowering in September.
Impatiens (New Guinea)	Infinity Crimson Impr.		21	32	22	33	4/29	Not very floriferous, good color / Strong flowering from late August to mid-September.
Impatiens (New Guinea)	Infinity Lavender Impr.		19	36	22	39	4/29	Color stands out, excellent color / Strong flowering from mid-July to mid-August.
Impatiens (New Guinea)	Infinity Salmon Impr.		14	29	22	30	4/27	Looks good into September, vigorous and uniform / Strong flowering from mid-July to mid-September.
Impatiens (New Guinea)	Infinity White Impr.		15	32	17	36	4/30	Poor uniformity, not much color, small plants / Strong flowering from late July to early August.
Impatiens (New Guinea)	Riviera Blue Imp.		22	34	24	36	4/30	Flowers under foliage, not blue, poor uniformity / Strong flowering from late July to mid-August.
Impatiens (New Guinea)	Riviera Bright Red		21	35	25	38	4/29	Fairly uniform, strong bloom in August / Strong flowering from mid-July to mid-August.
Impatiens (New Guinea)	Riviera Lavender		19	34	23	39	4/29	Excellent uniformity, few flowers, flowers under foliage / Strong flowering from mid-July to mid-August.
Impatiens (New Guinea)	Riviera Orange		19	29	19	33	4/30	No September color, very strong bloom in August / Strong flowering from mid-July to mid-August.
Impatiens (New Guinea)	Riviera Pink		20	36	34	39	5/5	Very few flowers late, healthy foliage / Strong flowering from mid-July to mid-August.
Impatiens (New Guinea)	Riviera White Eye		22	27	25	36	4/30	Excellent uniformity, lots of color into September / Strong flowering from mid-July to mid-September.
Impatiens (New Guinea)	Super Sonic Deep Purple		23	33	43	34	6/30	Uniform, flowers under foliage / Moderate flowering all season.
Impatiens (New Guinea)	Super Sonic Lavender 08		21	34	29	36	4/25	Compact growth, lots of flowers / Moderate flowering until late August. Strong flowering late August to mid September.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Impatiens (New Guinea)	Super Sonic Lilac 09	New	18	29	33	35	4/23	Small plants, huge flowers / Moderate flowering until late August. Strong flowering late August to mid September.
Impatiens (New Guinea)	Super Sonic Magenta 08		25	37	46	46	4/30	Large flower size, flowers under foliage / Moderate flowering until late August. Strong flowering late August to mid September.
Impatiens (New Guinea)	Super Sonic Pastel Pink		13	23	28	30	4/23	Compact, many flowers / Moderate flowering all season.
Impatiens (New Guinea)	Super Sonic White		17	24	67	30	4/25	Compact, uniform, flowers under foliage / Moderate flowering all season.
Impatiens (New Guinea)	Tamarinda Amethyst	New	15	25	22	32	4/20	Blooms into September, large flowers / Strong flowering from late August to mid-September.
Impatiens (New Guinea)	Tamarinda Dark Red	New	17	33	20	33	5/5	Not enough color, good plant size, flowers under foliage / Moderate flowering all season.
Impatiens (New Guinea)	Tamarinda Dark Salmon		15	23	20	27	5/6	Perfectly uniform, not a lot of color, flowers shimmer / Strong flowering from late July to mid-August.
Impatiens (New Guinea)	Tamarinda Orange Orchid		17	23	24	33	5/5	Good color, very few flowers / Strong flowering from late June to mid-August.
Impatiens (New Guinea)	Tamarinda Purple Bicolor Imp.	New	16	23	20	28	5/5	Low vigor, some non-uniform, not many flowers / Moderate flowering all season.
Impatiens (New Guinea)	Tamarinda Purple Imp.	New	16	30	23	30	5/6	Nice deep purple, uniform plants, healthy foliage / Strong flowering from mid-July to mid-August.
Impatiens (New Guinea)	Tamarinda Shocking Pink	New	16	22	17	32	5/7	Small plants, few flowers, flowers under foliage / Strong flowering from mid-July to mid-August.
Impatiens (New Guinea)	Tamarinda Violet		17	24	23	33	5/5	Spotty color, good uniformity / Strong flowering from late June to mid-August.
Impatiens (New Guinea)	Tamarinda White Imp.		16	29	18	32	5/5	Low vigor, few flowers, flowers under foliage / Strong flowering from mid-July to late July.
Impatiens (Seed)	Accent Orange Star		12	34	38	46	6/5	Very unstable color pattern, poor uniformity, very floriferous / Strong flowering from early August to first frost.
Impatiens (Seed)	Accent Pink		20	39	48	55	6/5	Very leggy, lots color, very upright growth / Strong flowering from late July to first frost.
Impatiens (Seed)	Accent Scarlet		16	29	55	69	6/5	Poor uniformity, many flowers / Strong flowering from early August to first frost.
Impatiens (Seed)	Accent Violet Star		15	36	46	61	6/5	Color unstable, poor uniformity / Strong flowering from late July to first frost.
Impatiens (Seed)	Compact Violet	New	11	25	51	58	6/5	Poor uniformity, not enough color, some stretch / Strong flowering from early August to first frost.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Impatiens (Seed)	Super Elfin Blue Pearl XP		14	37	30	46	6/5	Compact plants, very floriferous, excellent uniformity, great color / Strong flowering from late July to first frost.
Impatiens (Seed)	Super Elfin Coral XP		13	29	42	47	6/5	Good uniformity, great color, color unstable / Strong flowering from late July to first frost.
Impatiens (Seed)	Super Elfin Deep Pink XP		17	30	36	48	6/5	Poor uniformity, lots of color / Strong flowering from late July to first frost.
Impatiens (Seed)	Super Elfin Melon XP		17	34	41	48	6/5	Very poor uniformity, color unstable / Strong flowering from late July to first frost.
Impatiens (Seed)	Super Elfin Mix XP		11	20	29	44	6/5	Compact series, good mix, poor uniformity / Strong flowering from late July to first frost.
Impatiens (Seed)	Super Elfin Pink XP		18	39	44	51	6/5	Poor uniformity, many flowers, some stretch / Strong flowering from late July to first frost.
Impatiens (Seed)	Super Elfin Punch XP		13	30	25	38	6/5	Bright color, old flowers fade, small plants / Strong flowering from early August to first frost.
Impatiens (Seed)	Super Elfin Red XP		19	34	37	46	6/5	Some thrip damage, good color, lots of blooms / Strong flowering from early August to first frost.
Impatiens (Seed)	Super Elfin Rose XP		22	36	46	57	6/5	Very uniform, covered in flowers, good vigor, good color / Strong flowering from late July to first frost.
Impatiens (Seed)	Super Elfin Salmon XP		16	31	38	46	6/5	Poor uniformity, very floriferous / Strong flowering from late July to first frost.
Impatiens (Seed)	Super Elfin Scarlet XP		18	29	53	51	6/5	Very vigorous, poor uniformity, many flowers / Strong flowering from late July to first frost.
Impatiens (Seed)	Super Elfin Star Cherry XP		13	29	29	37	6/5	Poor uniformity, good stable bi-color / Strong flowering from early August to first frost.
Impatiens (Seed)	Super Elfin Star Salmon XP		15	27	44	51	6/5	Poor uniformity, vigorous, stable bi-color pattern / Strong flowering from late July to first frost.
Impatiens (Seed)	Super Elfin Violet XP		14	29	41	43	6/5	Poor uniformity, small flowers / Strong flowering from early August to first frost.
Impatiens (Seed)	Super Elfin White XP		14	35	37	42	6/5	Compact plants, good number of flowers / Strong flowering from mid-July to first frost.
Impatiens (Seed)	Sweetie Lavender	New	17	29	46	58	6/5	Not many flowers late, vigorous, good uniformity / Strong flowering from late July to first frost.
Impatiens (Seed)	Sweetie Melon	New	15	37	56	74	6/5	Poor uniformity, very vigorous / Strong flowering from late July to first frost.
Impatiens (Seed)	Sweetie Mix		20	36	38	58	6/5	Poor uniformity, very leggy / Strong flowering from late July to first frost.
Impatiens (Seed)	Sweetie Orange	New	19	30	47	48	6/5	Poor uniformity, lots of color, / Strong flowering from late July to first frost.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Impatiens (Seed)	Sweetie Red	New	20	42	46	51	6/5	Very vigorous, nice bright red, poor uniformity / Strong flowering from late July to first frost.
Impatiens (Seed)	Sweetie Rose	New	20	35	50	51	6/5	Very vigorous, many flowers, ok uniformity / Strong flowering from late July to first frost.
Impatiens (Seed)	Sweetie Soft Pink	New	17	30	39	53	6/5	Leggy, not a showy color / Strong flowering from early August to first frost.
Impatiens (Seed)	Sweetie White	New	20	37	47	50	6/5	Good uniformity, nice mound of color / Strong flowering from mid-July to first frost.
Impatiens (Seed)	Xtreme Mix		13	30	39	61	6/5	Good mix of color, poor uniformity / Strong flowering from late July to first frost.
Impatiens (Seed)	Xtreme Salmon		18	32	48	61	6/5	Vigorous, unstable color, many flowers / Strong flowering from late July to first frost.
Impatiens (Trailing)	Fanfare Bright Coral		34	45	62	47	5/5	Bright color, vigorous, uniform / Strong flowering late July to September.
Impatiens (Trailing)	Fanfare Fuchsia Imp.		34	62	61	67	5/5	Vigorous growth, many flowers, uniform / Moderate flowering until mid-August. Strong flowering mid-August to September.
Impatiens (Trailing)	Fanfare Orange		32	46	71	58	5/5	Very vigorous, bright color, uniform / Moderate flowering until mid-August. Strong flowering mid-August to September.
Impatiens (Trailing)	Fanfare Orchid Imp.		34	41	60	55	4/15	Large flower size, very uniform / Strong flowering late July to September.
Impatiens (Trailing)	Spellbound Blackberry Star		40	39	65	55	4/21	Poor uniformity, leggy, many flowers / Moderate flowering until the beginning of August. Strong flowering for the entire month of August. Moderate flowering in September.
Impatiens (Trailing)	Spellbound Strawberry Star		36	43	61	57	4/20	Mounding habit, unstable color, many flowers, stops flowering in September / Moderate flowering until the beginning of August. Strong flowering for the entire month of August. Moderate flowering in September.
Iresine	Aureo Lime Green		55	44	81	46	-	Compact growth, nice color contrast from green leaves and pink stem / Primarily grown for foliage.
Iresine	Blazin Lime		72	66	145	94	-	Very vigorous, out of control growth / Primarily grown for foliage.
Iresine	Blazin Rose		107	78	119	119	-	Severe lodging, beautiful foliage, very vigorous / Primarily grown for foliage.
Ismelia carinata	Tricolor Daisy Vestidos Red	New	69	36	74	36	5/5	Significant lodging problems / Strong flowering from late June to late July.
Ismelia carinata	Tricolor Daisy Vestidos Yellow	New	64	44	67	51	5/9	Minor lodging / Strong flowering from late June to late July.
Jamesbrittaina	Britney Deep Coral	New	23	40	25	46	6/20	Looks great even late / Strong flowering from mid-July to mid-September.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Jamesbrittaina	Britney Deep Pink Imp.	New	22	34	25	38	6/20	Moderate flowering / Strong flowering from late July to mid-September.
Jamesbrittaina	Grand Pink		18	27	30	33	6/30	Low vigor, few flowers / Moderate flowering all season.
Juncus	Blue Arrows		61	44	86	108	-	Very uniform, some brown tips / Primarily grown for foliage.
Juncus	Blue Dart	New	43	44	61	80	-	Compact plants, nice blue, very uniform / Primarily grown for foliage.
Juncus	Javelin		88	80	119	229	-	Vigorous, large plant / Primarily grown for foliage.
Koeleria	Blue Sprite		44	31	50	65	-	Uniform and compact, nice grass / Primarily grown for foliage.
Lantana	Ann Marie		22	30	38	33	4/11	Moderate flowering / Strong flowering from late July to mid-August.
Lantana	Bandana Cherry		26	32	43	34	4/29	Moderate flowering / Strong flowering from mid-August to September.
Lantana	Bandana Pink 09	New	28	23	53	44	4/28	Still looks great in late September / Flowered strong all season.
Lantana	Bandana Red 09	New	37	33	51	47	4/30	Still very showy / Strong flowering from August to mid-August.
Lantana	Bandana Trailing Gold	New	34	38	67	39	4/29	A little leggy / Flowered strong all season.
Lantana	Lake Brantly	New	36	38	74	39	4/11	Very leggy / Flowered strong from late June to mid-July. Moderate flowering from mid-July to August. Strong flowering from August to mid-August.
Lantana	Landmark Blaze		43	37	80	58	5/12	Moderate flowering, looking leggy / Moderate flowering until August. Strong flowering from August to mid-August. Moderate flowering from mid-August to first frost.
Lantana	Landmark Citrus		29	34	51	46	5/5	Strong flowering from mid-July to mid-September.
Lantana	Landmark Pink Glow	New	30	43	57	50	5/15	Strong flowering from mid-July to mid-September.
Lantana	Landmark Rose Glow Imp.		34	40	63	48	5/14	Average overall appearance / Moderate flowering all season.
Lantana	Landmark Sunrise Rose		32	31	48	34	5/15	Smaller plant / Strong flowering from mid-July to mid-August.
Lantana	Lucky Honey Blush		34	31	57	39	5/12	Moderate flowering all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Lantana	Lucky Pot of Gold		24	32	46	36	5/12	Strong flowering from mid-July to mid-September.
Lantana	Luscious Grape 07-08		30	42	39	46	4/10	Not much color / Moderate flowering all season.
Lantana	Luscious Lemonade 07-08		43	39	81	47	4/10	Very leggy / Moderate flowering all season.
Lantana	Sonset		31	35	55	51	4/11	Too leggy / Strong flowering from mid-July to mid-August.
Lantana	Tropical Fruit		23	42	61	43	4/10	Average overall appearance / Moderate flowering all season.
Lavender	Blue Scent		14	11	41	31	6/30	Few flowers, uniform / Moderate flowering all season.
Lavender	Compact Blue	New	19	22	37	25	5/12	All plant no flowering / Strong flowering mid-June to late June.
Lavender	Ellegance Purple	New	31	23	39	33	6/5	Vigorous plant, many flowers, uniform / Strong flowering early September to first frost.
Lavender	Lavender Mix		25	25	34	32	6/30	Few flowers, non-uniform / Moderate flowering all season.
Lavender	Long Flag		25	16	29	23	6/30	No flowers, some chlorosis / Weak flowering from late June to September.
Lavender	Purple Ribbon		23	15	36	28	7/14	No flowers, very chlorotic / Weak flowering from mid-July to September.
Lavender	Sancho Panza		22	15	44	24	7/21	No uniformity, no flowers, some chlorosis / Weak flowering from mid-July to September.
Lobelia	Arcade Dark Blue		22	31	-	-	5/5	Die back, poor in heat / Strong flowering mid-July until beginning of August. Weak flowering after mid-August..
Lobelia	Laguna Sky Blue		27	39	28	42	4/10	Mostly dead from heat / Strong flowering from the beginning of July to mid-July. No flowers after mid-August.
Lobelia	Techno Heat Dark Blue	New	37	46	38	97	5/5	Good spread, die back in heat / Strong flowering mid-July until August. Weak flowering after mid-August.
Lobelia	Techno Heat Electric Blue	New	35	39	40	46	5/6	Very vigorous, nice bright color, die back in heat / Strong flowering mid-July until beginning of August. Weak flowering after mid-August..
Lobelia	Techno Heat Upright Dark Blue	New	30	39	31	70	5/5	Bright large flowers, does poorly in heat, die back / Strong flowering mid-July until August. Weak flowering after mid-August.
Lobelia	Techno Heat Upright Light Blue	New	34	43	51	58	4/20	Does ok in heat, nice lobelia, vigorous upright growth / Strong flowering mid-July until August. Weak flowering after mid-August.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Marigold	Deep Orange		36	34	44	48	6/30	Excellent until September, huge flower size / Strong flowering from late July to mid-August. No bloom after late August.
Marigold	Garden Leader Amerifrench Daisy Red & Yellow		44	47	52	62	6/5	Not uniform, many flowers, bright color / Strong flowering late July to early September.
Muhlenbergia	Garden Leader Muhly Blue		42	53	74	58	-	Nothing very interesting to mention / Primarily grown for foliage.
Nemesia fruticans	Honey Metallic Blue	New	29	31	33	46	3/25	Looks impressive / Strong flowering from mid-July to mid-September.
Nemesia interspecific	Spicy Pink Peach	New	15	30	66	51	3/25	All dead / Weak flowering all season. No bloom after mid-August.
Ornamental Pepper	Calico	New	27	26	46	99	8/18	Poor uniformity, unique fruit under foliage / Flowering/fruit began in August and was strong the remainder of the season.
Ornamental Pepper	Explosive Blast		15	27	19	58	8/4	Puts on peppers early, compact, uniform / Flowering/fruit began in August and was strong the remainder of the season.
Ornamental Pepper	Explosive Ember		22	29	32	69	8/18	Poor uniformity, takes a while to set fruit / Flowering/fruit began in August and was strong the remainder of the season.
Ornamental Pepper	Purple Flash	New	19	19	41	77	8/4	Poor uniformity, excellent foliage color, sets fruit late / Flowering/fruit began in August and was strong the remainder of the season.
Ornamental Pepper	Sangria	New	26	34	39	69	8/4	Poor uniformity, not showy / Flowering/fruit began in August and was strong the remainder of the season.
Osteospermum	Asti Lavender Shades		29	28	47	37	6/30	Flowered strong early, poor uniformity / Strong flowering from early August to mid-August.
Osteospermum	Asti Purple		29	27	53	42	6/5	Poor uniformity, good color, / Strong flowering from early August to mid-August.
Osteospermum	Asti White		34	33	37	39	6/5	Poor uniformity, sparse flowering, large flower size / Strong flowering from early August to mid-August.
Osteospermum	Astra Peach Ice	New	28	32	36	41	5/26	Unique color, compact growth / Moderate flowering all season.
Osteospermum	Astra Yellow	New	36	41	-	-	5/19	Died in August, very leggy, poor uniformity / Strong flowering from mid-July to late July.
Osteospermum	Blazing Daisy Moonfire Yellow	New	30	40	-	-	5/19	Dead in August, leggy, bright color / Strong flowering from mid-July to late July.
Osteospermum	Blazing Daisy Sunset Orange	New	37	53	-	-	5/19	Dead in August, leggy, bright color, vigorous / Moderate flowering all season. No bloom after early August.
Osteospermum	Margarita Dark Pink		37	47	39	53	5/12	Poor uniformity, many flowers, purple color / Strong flowering from mid-July to late July.
Osteospermum	Margarita Helena		42	23	60	33	5/13	Vigorous, open in center, not many flowers / Strong flowering from mid-July to late July.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Osteospermum	Margarita Lemon Imp (5-613)	New	29	30	46	37	4/20	Uniform, many flowers, small flower size / Strong flowering from early September to mid-September.
Osteospermum	Margarita Mix		29	40	60	41	5/12	Poor uniformity, vigorous / Moderate flowering all season.
Osteospermum	Margarita Pink Bicolor		30	34	33	39	5/13	Disease problems, few flowers, compact growth / Strong flowering from late July to early August.
Osteospermum	Margarita Purple (4-831)	New	34	40	41	42	5/15	poor uniformity, weak flowering / Strong flowering from mid-July to late July.
Osteospermum	Margarita White	New	41	33	45	36	5/8	Compact, good uniformity, had some good moments / Moderate flowering all season.
Osteospermum	Margarita Yellow Imp. (5-653)	New	36	42	41	48	4/20	Vigorous, not many flowers, rich yellow color, no disease / Moderate flowering all season.
Osteospermum	Oro Farms Mix		34	35	42	42	5/26	Poor uniformity, many flowers late / Strong flowering from early September to mid-September.
Osteospermum	Summertime Mix		47	35	56	41	5/19	Poor uniformity, very vigorous, good color mix / Moderate flowering all season.
Osteospermum	Tradewinds Deep Purple		42	37	51	47	5/1	Open in center, great color, poor uniformity / Moderate flowering all season.
Osteospermum	Tradewinds Pearl White		44	32	50	43	5/5	Flowered strong throughout summer, fairly uniform / Strong flowering from mid-July to mid-August.
Osteospermum	Tradewinds Purple Bicolor		30	30	41	33	5/2	Great color, many flowers late / Strong flowering from early August to mid-August.
Osteospermum	Tradewinds Trailing Deep Purple	New	28	32	32	32	5/5	Vigorous spreading habit, disease problems / Strong flowering for one week in mid-July.
Osteospermum	Tradewinds Trailing Light Purple	New	36	39	43	42	5/2	Hardly any flowers, vigorous, spreading habit / Strong flowering from mid-July to early August.
Osteospermum	Tradewinds Yellow Bicolor		41	55	50	57	5/1	Vigorous, open in center, flowered in spurts, not many leaves / Strong flowering from mid-July to late July.
Pennisetum	Fireworks	New	44	43	114	45	-	80% have seed heads / Primarily grown for foliage.
Penstemon	Phoenix Lavender	New	57	25	58	38	6/30	Vigorous plant, few flowers / Moderate flowering all season.
Pentas	Graffiti Lipstick		28	29	38	29	6/5	Very attractive / Strong flowering from early August to mid-September.
Pentas	Kaleidoscope Appleblossom		29	31	38	43	6/5	Average overall / Moderate flowering all season.
Pentas	Kaleidoscope Deep Red		22	26	41	32	6/5	Flower fading / Strong flowering from early August to mid-September.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Pentas	Kaleidoscope Deep Rose	New	26	27	36	30	6/5	Uniform, many flowers / Strong flowering from early August to mid-September.
Pentas	Kaleidoscope Lilac		25	26	46	33	6/5	Moderate flowering / Strong flowering from early August to mid-September.
Pentas	Kaleidoscope Pink	New	30	32	48	48	6/5	Looks good / Strong flowering from early August to mid-September.
Pentas	Northern Lights Lavender		28	30	48	34	6/5	Still looks fresh and near perfect / Strong flowering from early August to mid-September.
Pentas	Petite Pink		21	23	28	30	4/11	Vigorous plant, few flowers / Moderate flowering all season.
Pentas	Petite Scarlet		27	24	33	66	4/11	Few flowers / Strong flowering from early July to mid-July.
Pentas	Rio Purple		22	26	30	28	4/11	Few flowers, uniform plants / Strong flowering from early July to mid-August.
Pentas	Rio Rose		23	23	27	30	4/11	No flowers / Moderate flowering all season.
Pentas	Starla Appleblossom	New	23	27	46	42	6/5	No flowers, all plants declining / Moderate flowering all season.
Pentas	Starla Lavender Shades	New	27	29	43	38	6/5	Many flowers but non-uniform plants / Strong flowering from early August to mid-September.
Pentas	Starla Red	New	25	32	38	33	6/5	Flower fading / Strong flowering from early August to mid-September.
Perilla	Magilla Purple		65	51	90	149	-	Very vigorous, standout, awesome leaf color / Primarily grown for foliage.
Petunia (double)	Cherry Ripple	New	19	37	25	42	5/5	Still looks good in September / Moderate flowering all season.
Petunia (double)	Double Wave Blue		14	44	20	57	4/20	Moderate flowering all season.
Petunia (double)	Double Wave Blue Vein		17	55	24	62	4/20	Severe chlorosis, looks poor / Moderate flowering all season.
Petunia (double)	Double Wave Lavender		10	48	20	65	4/23	Looks good overall / Moderate flowering all season.
Petunia (double)	Double Wave Pink		23	72	25	75	4/23	Looked amazing through the entire year / Moderate flowering until mid-August. Strong flowering mid-August to mid-September.
Petunia (double)	Double Wave Purple		25	57	25	65	4/23	40-50% had died / Moderate flowering all season.
Petunia (double)	Double Wave Rose		16	53	22	64	4/20	Starting to decline / Moderate flowering all season.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Petunia (double)	Double Wave White		27	58	29	72	4/20	Looks poor / Moderate flowering all season.
Petunia (double)	Glow Double Pink		10	39	18	51	5/5	Looks poor / Moderate flowering all season except for one week in mid-July when flowering was notably strong.
Petunia (grandiflora)	Dreams Fuchsia	New	37	56	42	58	6/5	Moderate flowering / Strong flowering from early August to mid-September.
Petunia (grandiflora)	Dreams Rose Morn		37	60	38	62	6/5	Moderate flowering / Strong flowering from mid-July to mid-August.
Petunia (grandiflora)	Limbo Peach	New	18	37	22	41	6/5	Grows into clumps, doesn't spread, 15% dead / Strong flowering from mid-July to mid-August.
Petunia (grandiflora)	Limbo Red Veined	New	24	39	25	51	6/5	Strong flowering from mid-July to mid-August.
Petunia (grandiflora)	Limbo Rose Morn	New	19	31	24	41	6/5	70% dead / Strong flowering from mid-July to mid-August.
Petunia (grandiflora)	Tango Burgundy		29	40	33	62	6/5	Looks good overall / Strong flowering from mid-July to mid-September.
Petunia (milliflora)	Fantasy Blue		27	43	33	51	6/5	Looks great but starting to decline / Strong flowering from mid-July to first frost.
Petunia (milliflora)	Fantasy Carmine		23	39	36	52	6/5	Strong flowering from early July to first frost.
Petunia (milliflora)	Fantasy Mix		20	36	30	48	6/5	Average overall appearance / Strong flowering from mid-July to September.
Petunia (milliflora)	Fantasy Rose		21	34	28	48	6/5	20% dead / Strong flowering from mid-July to mid-August.
Petunia (milliflora)	Fantasy White		17	30	24	41	6/5	15% dead, still flowering / Strong flowering from mid-July to first frost.
Petunia (mini spreading)	Littletonia Breezy Pink	New	17	40	23	57	6/12	Still looks good overall, not really pink / Strong flowering from mid-July to mid-August.
Petunia (mini spreading)	Littletonia Pink		21	47	23	64	6/12	85% dead / Strong flowering from mid-July to early September.
Petunia (mini spreading)	Littletonia Red	New	22	43	36	58	6/10	Average overall / Strong flowering from mid-July to first frost.
Petunia (mini spreading)	Littletonia Red Star	New	20	39	27	52	6/8	Not as vibrant color / Strong flowering from mid-July to first frost.
Petunia (mini spreading)	Littletonia Rose		16	48	27	61	6/8	Still very showy / Strong flowering from mid-July to first frost.
Petunia (mini spreading)	Littletonia Sweet Pink	New	16	41	20	47	6/8	85% dead / Strong flowering from mid-July to mid-August.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Petunia (mini spreading)	Mini-Me Lilac Vein	New	22	38	23	44	3/25	Strong flowering all season.
Petunia (mini spreading)	Mini-Me Mix		11	30	19	42	4/30	In decline / Strong flowering from late July to mid-August.
Petunia (mini spreading)	Mini-Me Nir	New	20	35	23	53	3/25	50% dead / Strong flowering from late June to late July.
Petunia (mini spreading)	Mini-Me Pink Velvet	New	16	29	18	36	3/25	In decline / Moderate flowering all season.
Petunia (mini spreading)	Mini-Me Purple	New	21	37	23	48	3/25	Looks poor / Strong flowering for one week in early July. Moderate flowering for the rest of the season.
Petunia (mini spreading)	Petitunia Mix		23	37	34	46	6/5	30-40% dead / Strong flowering from mid-July to mid-August.
Petunia (mini spreading)	Shock Wave Ivory		15	41	37	64	6/5	15% in decline / Strong flowering from late July to September.
Petunia (mini spreading)	Shock Wave Purple		19	59	25	66	6/5	75% dead / Strong flowering from early August to mid-August.
Petunia (mini spreading)	Shock Wave Rose		16	44	31	55	6/5	50% in steep decline / Strong flowering from mid-July to mid-August.
Petunia (mini spreading)	Whispers Blue		25	51	35	75	4/30	Still going strong / Strong flowering from mid-July to first frost.
Petunia (mini spreading)	Whispers Bright Pink		14	31	15	52	4/29	Strong flowering all season.
Petunia (mini spreading)	Whispers Rose Vein		30	44	35	69	4/27	Strong flowering from mid-July to mid-August.
Petunia (mini spreading)	Whispers Scarlet		22	46	35	62	4/25	Average overall / Strong flowering from mid-July to first frost.
Petunia (mini spreading)	Whispers White		24	44	30	48	4/29	Average overall / Strong flowering from late June to mid-August.
Petunia (multiflora)	Madness Plum Crazy Imp.	New	29	45	39	65	6/5	10% dead but most plants dark green / Strong flowering from early to mid-July. Moderate flowering mid-July to September. Strong flowering September to first frost.
Petunia (multiflora)	Madness Yellow Imp.	New	27	44	38	51	6/5	25% dead but rest looks good / Strong flowering from mid-July to mid-August.
Petunia (multiflora)	Mambo White		22	31	30	37	6/5	80% dead / Strong flowering from mid-July to mid-August.
Petunia (multiflora)	Symphony Deep Salmon		18	50	29	56	6/5	Moderate flowering / Strong flowering from mid-July to mid-September.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Petunia (spreading)	Cascadias Mix		32	37	33	46	6/3	80% dead / Strong flowering from mid-July to mid-August.
Petunia (spreading)	Easy Wave Blue		28	74	32	92	6/5	Slight decline but ok overall / Strong flowering from mid-July to mid-August.
Petunia (spreading)	Easy Wave Coral Reef		24	60	27	79	6/5	40% are dead / Strong flowering from late July to mid-August.
Petunia (spreading)	Easy Wave Pink Marble Mix	New	20	46	33	61	6/5	Looks average overall / Strong flowering from mid-July to first frost.
Petunia (spreading)	Easy Wave Rosy Dawn		25	55	28	71	6/5	Strong flowering from mid-July to first frost.
Petunia (spreading)	Easy Wave White		20	41	20	59	6/5	20% dead / Strong flowering from mid-July to mid-September.
Petunia (spreading)	Fortunia Blue Imp.		22	50	28	57	4/20	Average overall / Flowered strong from June to September. Moderate flowering from September to first frost.
Petunia (spreading)	Fortunia Burgundy		26	65	26	98	4/20	Moderate flowering, still very nice / Moderate flowering until late July. Strong flowering from late July to first frost.
Petunia (spreading)	Fortunia Burgundy Picotee		24	50	25	51	4/22	Plants are in decline / Strong flowering from June to mid-August. Moderate flowering from mid-August to first frost.
Petunia (spreading)	Fortunia Dark Purple		20	47	24	64	4/20	Moderate flowering / Flowered strong all season.
Petunia (spreading)	Fortunia Hot Pink		29	66	34	68	4/23	Moderate flowering / Flowered strong from mid-July to mid-September.
Petunia (spreading)	Fortunia Mini Lilac		14	44	23	54	4/20	Strong flowering from mid-July to first frost.
Petunia (spreading)	Fortunia Pink		26	44	27	61	4/19	Still very showy / Flowered strong all season.
Petunia (spreading)	Fortunia Pink Vein		27	58	29	81	4/20	Looks very good late season / Strong flowering from mid-July to mid-September.
Petunia (spreading)	Fortunia Purple Picotee		45	79	48	105	4/29	Exceptional plant vigor / Flowered strong all season.
Petunia (spreading)	Fortunia Red		33	42	34	46	4/25	Inferior growth habit, open and irregular / Strong flowering from mid-July to first frost.
Petunia (spreading)	Fortunia White		17	42	23	55	4/20	Flowered strong from mid-July to September.
Petunia (spreading)	Fortunia Yellow		27	44	32	48	4/20	Has significant chlorosis in late September / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Petunia (spreading)	Glow Amethyst	New	22	47	29	60	5/5	Average overall appearance / Flowered strong from June until mid-July. Moderate flowering from mid-July to September. Strong flowering from September to first frost.
Petunia (spreading)	Glow Flour Rose		29	63	30	64	5/5	Looks very good late season / Flowered strong all season.
Petunia (spreading)	Glow Hot Pink		27	56	32	62	5/5	Moderate flowering / Flowered strong from mid-July to mid-September.
Petunia (spreading)	Glow Pink Vein	New	30	58	32	64	5/5	Still looks good / Strong flowering from mid-July to mid-September.
Petunia (spreading)	Glow White/Red Veins Imp.		29	50	31	62	5/5	Many flowers, still looks good / Strong flowering from mid-July to mid-September.
Petunia (spreading)	Jamboree Blue		27	67	37	68	4/30	Flowered strong from mid-July to first frost.
Petunia (spreading)	Jamboree Hot Pink		29	52	31	64	4/29	Flowered strong from mid-July to first frost.
Petunia (spreading)	Jamboree Lavender II		28	57	34	90	4/25	Plants are getting fairly chlorotic / Strong flowering from mid-July to first frost.
Petunia (spreading)	Jamboree Light Blue		39	69	41	100	4/27	Flowered strong all season.
Petunia (spreading)	Plush Blue		25	47	32	66	6/5	Looks very healthy / Strong flowering from mid-July to first frost.
Petunia (spreading)	Plush Deep Pink		27	46	29	50	6/5	Looks good overall / Strong flowering from mid-July to mid-August.
Petunia (spreading)	Plush Deep Purple	New	20	30	34	51	6/5	Strong flowering from mid-July to first frost.
Petunia (spreading)	Plush Lilac Pearl		32	55	34	70	6/5	50-60% of plants died / Strong flowering from late July to mid-August.
Petunia (spreading)	Plush Purple		25	54	31	67	6/5	Strong flowering from mid-July to first frost.
Petunia (spreading)	Plush Red		30	44	39	62	6/5	Disease starting to cause decline / Strong flowering from late July to mid-August.
Petunia (spreading)	Plush Salmon		27	48	29	55	6/5	50% in decline / Strong flowering from early July to mid-August.
Petunia (spreading)	Plush White		25	47	44	53	6/5	Strong flowering from early July to mid-September.
Petunia (spreading)	Potunia Mix		17	34	27	52	5/5	10% dead / Strong flowering from mid-July to September.
Petunia (spreading)	Ray Candy Pink	New	35	58	36	60	6/8	Looks fair to poor overall / Flowered strong from mid-July to mid-August.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Petunia (spreading)	Ray Purple	New	25	54	31	58	6/5	Flowered strong all season.
Petunia (spreading)	Ray Purple Vein	New	32	46	38	59	6/3	Looks very good late season / Strong flowering from mid-July to first frost.
Petunia (spreading)	Ray Red	New	32	60	38	66	6/3	Average overall appearance / Strong flowering from late July to first frost.
Petunia (spreading)	Ray White		38	65	43	70	6/3	Best white color / Flowered strong all season.
Petunia (spreading)	Sanguna Atomic Blue		41	63	42	67	4/29	Moderate flowering but still showy / Flowered strong from July to first frost.
Petunia (spreading)	Sanguna Electric Burgundy		32	55	35	67	4/30	Moderate flowering / Flowered strong from mid-July to first frost.
Petunia (spreading)	Sanguna Lavender Vein		42	77	43	97	4/27	Average flowering / Strong flowering from mid-July to first frost.
Petunia (spreading)	Sanguna Lipstick		33	57	34	69	4/29	Looks great late September / Flowered strong all season.
Petunia (spreading)	Sanguna Pastel Yellow		30	62	32	69	4/25	Has significant chlorosis / Flowered strong all season.
Petunia (spreading)	Sanguna Red	New	25	59	34	64	4/27	Average overall appearance / Strong flowering from mid-July to mid-August. Moderate flowering after mid-August until first frost.
Petunia (spreading)	Sanguna Vanilla	New	29	56	30	57	4/27	Flowered strong all season.
Petunia (spreading)	Soprano Red	New	50	64	55	98	6/5	Strong flowering from mid-July to first frost.
Petunia (spreading)	Soprano Rose	New	41	72	50	91	6/5	Moderate flowering / Strong flowering from mid-July to first frost.
Petunia (spreading)	Soprano Rose Pink	New	42	66	57	77	6/5	Strong flowering from mid-July to first frost.
Petunia (spreading)	Soprano Salmon Pink	New	52	70	53	91	6/5	Strong flowering from mid-July to first frost.
Petunia (spreading)	Sunray (Yellow)		31	51	39	53	6/5	Decline in late September / Flowered strong from mid-July to mid-August.
Petunia (spreading)	Supertunia Raspberry Blast		27	70	28	77	4/25	Moderate blooming / Flowered strong from late July to September.
Petunia (spreading)	Supertunia Vista Bubblegum		55	62	59	75	4/10	Still impressive in late September / Flowered strong all season.
Petunia (spreading)	Supertunia Vista Fuchsia		39	90	43	93	4/30	Looks strong / Flowered strong from mid-July to first frost.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Petunia (spreading)	Surprise Neon	New	23	42	29	51	4/10	Fewer flowers but ok / Flowered strong from mid-July to first frost.
Petunia (spreading)	Surprise Red 08	New	32	48	34	61	4/10	Still looks very good / Strong flowering from mid-July to first frost.
Petunia (spreading)	Surprise White Ice	New	34	62	36	72	4/10	Plants are declining, moderate flowering / Strong flowering from June to mid-August. Moderate flowering from mid-August to first frost.
Petunia (spreading)	Surprise White Imp.	New	25	43	27	54	4/10	In decline, 25% of plants dead / Flowered strong from June to September.
Petunia (spreading)	Sweetunia Hot Pink	New	27	46	34	56	4/10	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Sweetunia Hot Pink Morning	New	36	55	39	66	4/10	Still looks ok / Flowered strong from mid-July to mid-August.
Petunia (spreading)	Sweetunia Purple Vein Imp.	New	19	40	20	40	4/10	Strong flowering from June to mid-September.
Petunia (spreading)	Sweetunia Royal Cream	New	25	43	27	54	4/30	Flowered strong from mid-July to first frost.
Petunia (spreading)	Sweetunia Soft Pink Morning	New	36	57	39	64	4/10	Moderate flowering, looks good / Flowered strong all season.
Petunia (spreading)	Tidal Wave Hot Pink		45	79	56	95	6/5	Still looks great in late September / Strong flowering from mid-July to first frost.
Petunia (spreading)	Tidal Wave Silver		38	81	41	94	6/5	60% of plants died / Strong flowering from late July to mid-August.
Petunia (spreading)	Wave Lavender		18	41	19	65	6/5	Average overall appearance / Strong flowering from mid-July to September.
Petunia (spreading)	Wave Pink		18	55	20	85	6/5	Average overall appearance / Strong flowering from mid-July to mid-August.
Petunia (spreading)	Wave Purple		25	58	27	89	6/5	Strong flowering from mid-July to first frost.
Phlox	Astoria Blue		17	29	34	41	4/16	Good color, poor growth / Strong flowering mid-July to late July.
Phlox	Astoria Cherry Blossom		22	39	28	39	4/16	Poor vigor, not a standout / Weak flowering all season.
Phlox	Astoria Lavender		24	35	25	47	4/16	No vigor, faded color / Weak flowering all season.
Phlox	Astoria Magenta		21	35	32	36	4/16	Good color, poor vigor / Weak flowering all season.
Phlox	Astoria Pink		22	39	23	41	4/16	No vigor, mostly dead / Weak flowering all season.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Phlox	Astoria Pink White Star		17	33	28	36	4/16	Small flower size, poor growth / Weak flowering all season.
Phlox	Astoria Red		18	38	25	39	4/16	Good color, poor growth / Strong flowering mid-July to late July.
Phlox	Astoria Silver		19	26	20	29	4/16	Never was established, poor color / Weak flowering all season.
Phlox	Astoria White		34	42	45	57	4/16	Many flowers, large flowers, vigorous / Flowered strong all season.
Plectranthus	Mona Lavender		53	43	75	58	-	Excellent uniformity, needs more flowers / Primarily grown for foliage, but produced some flowers throughout the season.
Pseuderanthemum	Black Varnish		49	32	64	36	-	Large leaf, leaf tatter, prone to damage / Primarily grown for foliage.
Ptilotus	Joey	New	32	25	43	30	6/5	Still looks great / Strong flowering from late July to first frost.
Purslane (Portulaca)	Rio Orange		17	37	18	38	4/15	Still looks good in September / Moderate flowering all season.
Purslane (Portulaca)	Rio Scarlet		19	36	20	41	4/29	Still looks good in September / Moderate flowering all season.
Purslane (Portulaca)	Rio Yellow		23	29	24	36	4/26	A little more leggy than others / Flowered strong September to first frost.
Purslane (Portulaca)	Wake-Up Dark Shocking Pink	New	25	43	27	55	3/25	Still looks good late / Moderate flowering all season.
Rheoe	Tri-Color		23	23	27	28	-	Poor growth, poor uniformity, poor performance / Primarily grown for foliage.
Rudbeckia	Autumn Colors		35	35	81	64	7/7	Slight lodging, huge flowers / Strong flowering from late August to first frost.
Rudbeckia	Cordoba		28	27	43	46	6/25	25% getting a lot of mildew / Strong flowering from early August to mid-September.
Rudbeckia	Corona		32	30	48	33	6/25	Looks poor, most plants in decline / Strong flowering from early August to mid-September.
Rudbeckia	Denver Daisy	New	55	39	71	46	6/30	Significant lodging problems / Strong flowering from early August to first frost.
Rudbeckia	Prairie Sun		54	30	91	66	6/30	Color fading but still very showy / Strong flowering from early August to first frost.
Rudbeckia	Sonora		41	30	51	41	6/30	Significant lodging problems / Strong flowering from early August to mid-September.
Rudbeckia	Tiger Eye Gold	New	44	32	47	46	6/5	Lost 10-20% plants / Strong flowering from early August to first frost.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Salvia	Cardona		65	27	86	43	5/15	Would look better with deadheading / Moderate flowering all season.
Salvia coccinea	Sallynia Compact Red		57	30	117	51	6/20	Very showy / Strong flowering from early August to first frost.
Salvia coccinea	Sallynia Coral		51	34	89	36	6/30	Many flowers, unique color / Strong flowering from early August to first frost.
Salvia coccinea	Sallynia Coral Touch		53	32	107	46	6/30	Vigorous plant, many flowers, uniform / Moderate flowering all season.
Salvia coccinea	Sallynia Red		79	37	142	56	6/30	Very showy / Strong flowering from early August to first frost.
Salvia coccinea	Sallynia Salmon		57	37	114	56	7/7	10% of plants in decline, no lodging / Strong flowering from early August to first frost.
Salvia coccinea ccSalvia coccinea	Sallynia White		63	39	104	46	7/7	80% of plants died / Moderate flowering all season. No bloom after mid-September.
Salvia farinacea	Saga Blue	New	38	30	69	46	6/30	Vigorous plants, many flowers / Strong flowering from early August to first frost.
Salvia farinacea	Sallyfun Blue		47	32	53	34	6/21	Looks good / Strong flowering from mid-July to first frost.
Salvia farinacea	Sallyfun Blue Emotion		59	39	84	47	6/30	Some lodging / Strong flowering from early August to first frost.
Salvia farinacea	Sallyfun White		37	32	42	33	6/25	20% of plants declining / Strong flowering from mid-July to first frost.
Salvia hybrida	Mesa Azure	New	56	39	86	48	4/14	Vigorous plants, many flowers / Strong flowering from early July to first frost.
Salvia hybrida	Mesa Purple	New	58	33	89	47	4/20	Moderate flowering but looks good / Strong flowering from early August to first frost.
Salvia hybrida	Mesa Rose	New	48	48	66	50	4/14	25% of plants fading / Strong flowering from late July to late August.
Salvia hybrida	Mesa Scarlet	New	57	34	74	46	4/15	Vigorous plants, many flowers, uniform / Strong flowering from early July to first frost.
Salvia hybrida	Mystic Spires Blue		55	37	91	48	4/29	No lodging despite height / Strong flowering from early August to first frost.
Salvia patens	Oceana Blue		81	39	102	53	4/18	Large flowers but more sporadic, some lodging / Strong flowering from early August to early September.
Salvia splendens	Bloody Mary		32	24	37	36	6/5	Most buried by aggressive neighbor / Strong flowering from late July to mid-September.
Salvia splendens	Dancing Flame		65	60	112	91	5/26	Attractive foliage, non-uniform variegation / Moderate flowering all season.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Salvia splendens	Fizz Cream	New	30	26	36	39	6/5	Moderate flowering declined significantly after last judging / Strong flowering from late July to early September.
Salvia splendens	Fizz Grape	New	23	18	41	38	6/5	Lost 40% of plants and non-uniform flowering / Strong flowering from late July to late August.
Salvia splendens	Fizz Peach	New	32	25	36	41	6/5	Looks poor late season / Strong flowering from late July to late August.
Salvia splendens	Fizz Raspberry	New	29	24	38	36	6/5	Looks poor in September, 30-40% dead / Strong flowering from late July to late August.
Salvia splendens	Picante Purple		32	23	53	51	6/5	Strong flowering but lost 15% of plants / Strong flowering from late July to mid-September.
Salvia splendens	Picante Scarlet		31	27	43	42	6/5	40% dead but remaining are showy / Strong flowering from late July to mid-September.
Salvia splendens	Red Alert		27	23	48	42	6/5	35% dead but rest are showy / Strong flowering from late July to mid-September.
Salvia splendens	Reddy Bright Red		25	23	41	41	6/5	Smaller plants with good flowering / Strong flowering from late July to mid-September.
Salvia splendens	Reddy Nero Mix	New	22	23	33	34	6/5	Looks great / Strong flowering from mid-August to mid-September.
Salvia splendens	Reddy White Surprise		23	21	30	28	6/5	Declined significantly after last judging / Strong flowering from late July to late August.
Salvia x superba	Adora Blue		32	32	34	36	6/5	Virtually no flowering later in season / Strong flowering from mid-July to early August.
Sanchezia	Ellen		25	24	27	28	-	Too much necrosis on foliage to look good / Primarily grown for foliage.
Scaevola	Bombay Blue		37	54	39	57	4/20	Not attractive / Moderate flowering all season.
Scaevola	Bombay Lavender	New	30	34	32	39	4/20	Looks poor dying / Strong flowering from late July to early August.
Scaevola	Bombay White	New	37	45	38	48	4/22	Starting to slow down / Strong flowering from late July to early August.
Scaevola	Topaz Pink		20	34	20	36	5/12	1/3 looks good / Moderate flowering all season.
Scutellaria	Purple Fountain	New	32	28	51	46	5/8	Vigorous plant, few flowers / Moderate flowering all season.
Scutellaria	Red Flamingo	New	36	30	58	41	5/5	Vigorous plant, few flowers / Moderate flowering all season.
Snapdragon	Palette Orange & White	New	12	15	19	33	6/5	Not showy until September, bright color, many flowers / Moderate flowering until mid September. Strong flowering from mid-September to first frost.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Snapdragon	Palette Purple & White	New	22	20	23	27	6/5	Very small plants, looks good late / Moderate flowering until mid September. Strong flowering from mid-September to first frost.
Snapdragon	Palette Red & White	New	13	18	24	23	6/5	Small plants, poor vigor / Moderate flowering until mid September. Strong flowering from mid-September to first frost.
Snapdragon	Snappy Lavender Bicolor		18	22	24	36	6/5	Small, good show late / Moderate flowering until mid September. Strong flowering from mid-September to first frost.
Snapdragon	Snappy Orchid		20	25	27	29	6/5	Spotty color, compact plants / Moderate flowering until mid September. Strong flowering from mid-September to first frost.
Stipa	Capriccio		52	39	53	41	-	Nice texture / Primarily grown for foliage.
Stipa	Sirocco		60	47	72	48	-	Virtually all green at least Aug-September / Primarily grown for foliage.
Sunflower	Sunrich Orange Summer		131	35	-	-	7/14	All dead / Strong flowering from late July to early August. No bloom after late August.
Verbena (seed)	Tuscany Burgundy w/Eye		26	47	34	48	6/5	Moderate flowering 20% of plants have mildew / Moderate flowering all season.
Verbena (seed)	Tuscany Mix		19	34	29	34	6/5	Getting mildew on almost all plants / Moderate flowering all season.
Verbena (seed)	Tuscany Orchid Frost	New	20	40	22	43	6/5	Moderate flowering only minor mildew / Moderate flowering all season.
Verbena (seed)	Tuscany Peach		22	33	27	34	6/5	A lot of mildew few flowers / Moderate flowering all season.
Verbena (seed)	Tuscany Scarlet		33	37	39	38	6/5	A lot of mildew few flowers / Moderate flowering all season.
Verbena (seed)	Tuscany White		21	35	32	37	6/5	Looks average overall / Moderate flowering all season.
Verbena (spreading)	Lanai Blue 09	New	27	60	47	69	4/20	Looks almost as good as early August / Strong flowering from late July to mid-September.
Verbena (spreading)	Lanai Dark Red	New	24	41	34	53	4/27	50% look excellent, 50% look ok / Moderate flowering all season.
Verbena (spreading)	Lanai Magenta	New	18	40	27	43	4/26	Moderate flowering / Moderate flowering all season.
Verbena (spreading)	Vegas Appleblossom		22	41	46	50	5/14	Average overall / Strong flowering from mid-July to late July.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Verbena (spreading)	Vegas Coral Pink		22	48	29	51	5/14	Becoming less uniform / Strong flowering from mid-July to late July. Moderate flowering in August. Strong flowering from early September to mid-September.
Verbena (spreading)	Vegas Lilac		25	46	29	50	5/14	Average overall / Strong flowering from mid-July to late July.
Verbena (spreading)	Vegas Peach		17	48	22	56	5/12	Vigorous plant, many flowers, uniform / Strong flowering from mid-July to late July. Moderate flowering in August. Strong flowering from early September to mid-September.
Verbena (spreading)	Vegas Purple		18	48	28	64	5/5	Still looks showy / Moderate flowering all season.
Verbena (spreading)	Vegas Scarlet		23	47	36	64	5/12	Very showy but less uniform / Strong flowering from mid-July to late July. Moderate flowering in August. Strong flowering from early September to mid-September.
Verbena (spreading)	Vegas Violet		13	44	22	50	5/12	Vigorous plant, many flowers, uniform / Strong flowering from mid-July to late July. Moderate flowering in August. Strong flowering from early September to mid-September.
Verbena (spreading)	Vegas White		20	49	27	56	5/13	Still very showy / Strong flowering from early September to mid-September.
Verbena (spreading)	Veralena Dark Pink		12	44	22	46	5/8	Uniform plants / Moderate flowering all season.
Verbena (spreading)	Versace Purple		14	37	14	43	5/5	Flower color fading / Strong flowering from late August to mid-September.
Verbena (upright)	Corsage Cerise	New	15	29	19	41	3/25	Moderate flowering, getting mildew, declining / Weak flowering all season.
Verbena (upright)	Corsage Purple	New	27	41	33	62	3/25	Accumulating too many old brown flowers / Strong flowering from mid-August to mid-September.
Verbena (upright)	Lanai Upright Bright Rose	New	31	41	39	56	4/20	Looks near perfect even late / Strong flowering from mid-July to mid-September.
Verbena (upright)	Tiara Bicolor Orange/Red	New	23	37	36	56	3/25	Still very showy / Strong flowering from late July to mid-September.
Vinca	Cora Apricot		26	29	30	32	6/5	Still looks good in late September / Strong flowering from early August to mid-September.
Vinca	Cora Burgundy		20	24	38	39	6/5	80% look good / Strong flowering from early August to early September.
Vinca	Cora Deep Lavender		22	36	34	39	6/5	Looks almost as good as early August / Strong flowering from early August to early September.
Vinca	Cora Lavender		25	34	41	38	6/5	Mostly very good except for 10% / Strong flowering from early August to mid-September.
Vinca	Cora Mix		26	34	33	40	6/5	Looks average for this time of year / Strong flowering from early August to mid-September.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Vinca	Cora Pink	New	32	32	39	34	6/5	3/4 still look ok / Strong flowering from early August to early September.
Vinca	Cora Punch	New	29	29	38	30	6/5	85% of plants look ok / Strong flowering from early August to early September.
Vinca	Cora Violet		30	29	41	41	6/5	90% still look showy / Strong flowering from early August to early September.
Vinca	Cora White		29	35	33	36	6/5	Average for late season / Strong flowering from early August to early September.
Vinca	Nirvana Apricot Splash	New	22	34	28	41	4/15	Plants ok but no flowering / Strong flowering from late July to mid-August.
Vinca	Nirvana Pink Blush		27	34	30	42	4/20	50% are alive and have many flowers / Strong flowering from late June to mid-August.
Vinca	Nirvana Red		27	39	38	46	4/19	80-90% look ok / Strong flowering from late June to early September.
Vinca	Nirvana Rose		32	34	36	43	4/24	Still large and showy but has 10% of plants in decline / Strong flowering from late June to mid-September.
Vinca	Nirvana White 09	New	29	32	39	36	4/20	Still looks very showy / Strong flowering from late June to mid-August.
Vinca	Pacifica Burgundy Halo		25	23	34	36	6/5	All still look showy / Strong flowering from early August to early September.
Vinca	Pacifica Burgundy XP	New	19	23	33	32	6/5	Only 20% remain showy / Strong flowering from early August to early September.
Vinca	Pacifica Deep Orchid XP	New	22	24	27	30	6/5	Smaller plants / Strong flowering from early August to early September.
Vinca	Pacifica Magenta Halo XP	New	25	27	30	34	6/5	20% are declining / Moderate flowering all season.
Vinca	Pacifica Mix		23	22	33	33	6/5	Only one dead plant and the remainder look ok / Moderate flowering all season.
Vinca	Pacifica Raspberry XP	New	23	27	25	29	6/5	10% in decline / Strong flowering from early August to early September.
Vinca	Pacifica Really Red XP	New	24	23	38	30	6/5	80-90% look ok / Strong flowering from early August to early September.
Vinca	Pacifica White XP	New	22	23	28	25	6/5	20-30% dead and rest are still flowering / Moderate flowering all season.
Vinca	Solar Blueberry		22	29	33	39	6/5	Still showy / Strong flowering from early August to early September.
Vinca	Titan Burgundy		23	22	30	32	6/5	All look ok / Strong flowering from early August to early September.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Vinca	Titan Lavender Blue Halo		32	37	32	42	6/5	Many flowers but not uniform / Strong flowering from early August to early September.
Vinca	Titan Lilac		25	23	32	42	6/5	20% have died / Strong flowering from early August to early September.
Vinca	Titan Mix		23	31	34	36	6/5	About 15% of plants in decline / Strong flowering from early August to mid-September.
Vinca	Titan Polka Dot		24	28	33	32	6/5	All still look very showy / Strong flowering from early August to mid-September.
Vinca	Titan Pure White		26	30	30	32	6/5	Still looks very showy / Strong flowering from early August to mid-September.
Vinca	Titan Rose		26	32	36	39	6/5	95% still showy / Strong flowering from early August to early September.
Vinca	Victory Lt. Pink w Red Eye		20	30	27	30	6/5	85% still look showy / Moderate flowering all season.
Viola	Penny Denim Jump-Up	New	17	36	28	38	6/5	Filled in, many flowers, good show / Strong flowering from mid-July to first frost.
Viola	Penny Mickey	New	17	31	28	32	6/5	Not many flowers, some scorch / Strong flowering from mid-July to first frost.
Viola	Penny Primrose Bicolor	New	20	23	25	33	6/5	Poor uniformity, great color / Strong flowering from mid-July to first frost.
Zinnia	Profusion Double Fire	New	39	34	56	36	6/25	80% dead / Strong flowering from early August to early September.
Zinnia	Profusion Double Golden	New	37	34	41	46	6/25	70% dead / Strong flowering from early August to mid-September.
Zinnia	Profusion Double White	New	43	43	61	46	6/30	80% dead / Strong flowering from early August to mid-September.
Zinnia	Profusion Knee High Red		50	47	51	51	6/25	50% dead / Strong flowering from early August to early September.
Zinnia	Profusion Knee High White		51	36	66	48	6/25	20% dead / Strong flowering from early August to mid-September.
Zinnia	Solcito		18	28	48	30	7/7	40% dead / Strong flowering from late August to mid-September.
Zinnia	Zahara Coral Rose	New	39	32	44	38	6/30	85% dead / Strong flowering from early August to mid-August.
Zinnia	Zahara Double Cherry		39	44	53	56	6/30	Severe lodging, old flowers detract, open in center / Strong flowering from early August to September.
Zinnia	Zahara Double Orange		37	46	59	51	6/25	Severe lodging after rain, excellent colors, vigorous / Strong flowering from early August to September.

*All measurements in cm.

**New for the 2008 season.

■

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate
								Summarized Flowering Data for Entire Season
Zinnia	Zahara Double Orange		40	40	44	46	6/25	50% dead /
Zinnia	Zahara Scarlet	New	30	31	51	38	6/30	90% dead / Strong flowering from early August to early September.
Zinnia	Zahara White	New	32	25	47	46	6/30	20% dead / Strong flowering from early August to early September.
Zinnia	Zahara Yellow	New	36	34	57	42	6/25	75% dead / Strong flowering from early August to early September.

*All measurements in cm.

**New for the 2008 season.

