

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Achillea	Gypsy White		33	90	34	97	4/29	Some brown dead heads / Flowered strong from late June to early September.
Anagallis	Angie Blue		29	85	30	114	5/5	Flowered strong from early July to mid-September.
Anagallis	Angie Orange		29	79	32	114	4/30	Flowered strong from early July to mid-September.
Angelonia	Alonia Dark Blue		55	67	56	86	6/25	Still perfect, many flowers, vigorous plant, uniform / Flowered strong from mid-July to mid-September.
Angelonia	Alonia Lavender	New	29	53	41	77	6/29	Compact size and habit / Flowered strong from late July to mid-August.
Angelonia	Alonia Pastel Pink		32	77	41	81	6/20	Vigorous plant, many flowers, uniform / Flowered strong from late July to mid-September.
Angelonia	Alonia Pink		30	73	36	90	6/30	Vigorous plant, many flowers, uniform / Flowered strong from early August to mid-September.
Angelonia	Alonia Purple	New	30	75	43	79	6/28	Smaller plant / Flowered strong from mid-July to mid-September.
Angelonia	Alonia White		24	57	36	71	6/30	Many flowers, uniform / Flowered strong from late July to mid-September.
Angelonia	AngelMist Purple		37	74	51	95	5/12	Looks perfect / Flowered strong from mid-July to mid-September.
Angelonia	AngelMist Spreading Pink		20	71	20	84	5/5	Good spreading habit, moderate flowering / Flowered strong from early August to mid-September.
Angelonia	AngelMist Spreading White		25	62	28	76	5/5	Color shows nice with spreading habit / Flowered strong from early August to mid-September.
Angelonia	AngelMist White Cloud		46	80	50	94	5/12	Vigorous plant, many flowers, uniform / Flowered strong from early August to mid-September.
Angelonia	Carita Deep Pink 09	New	41	86	46	97	4/30	Moderate flowering / Flowered strong from early August to mid-August.
Angelonia	Carita Lavender	New	34	69	42	83	4/21	Vigorous plant, many flowers / Flowered strong from late June to mid-August.
Angelonia	Carita Purple 09	New	34	72	41	86	4/21	Vigorous plant, many flowers, non-uniform / Flowered strong from early July to early September.
Angelonia	Carita Raspberry	New	36	70	38	89	4/28	One dead plant, moderate flowering / Flowered strong from late June to mid-August.
Angelonia	Carita White 09	New	34	84	53	88	4/30	One of five plants died, rest look good / Flowered strong from early August to early September,
Angelonia cscd	Carita Cascade White 09	New	28	76	28	84	4/20	Vigorous plant, many flowers, uniform / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /		
								Summarized Flowering Data for Entire Season		
Angelonia	cscd		Carita Cascade Lavender	New	22	75	27	91	4/30	Moderate flowering / Flowered strong from late June to mid-August.
Argyranthemum			LaRita Dark Pink	New	32	74	47	97	5/5	Flowered strong from late June to September.
Argyranthemum			LaRita Double Lemon	New	41	79	60	94	5/9	Very showy / Flowered strong from late June to mid-August.
Argyranthemum			LaRita Lavender	New	46	90	51	107	5/5	Flowered strong from late June to mid-August.
Argyranthemum			Madeira Crested Pearl		39	103	51	112	5/12	Moderate flowering / Flowered strong from late June to mid-August.
Argyranthemum			Madeira Crested Violet		32	83	48	102	5/12	Moderate flowering / Flowered strong from late June to late August.
Argyranthemum			Mars	New	30	79	52	102	6/25	Flowered strong from early July to late August.
Argyranthemum			Reflection Pink	New	38	97	53	109	6/30	Looked great even in late September / Flowered strong all season.
Argyranthemum			Sassy White 09	New	38	83	43	84	5/6	25% dead / Flowered strong from late June to early July. Moderate flowering the rest of the season.
Argyranthemum			Shere Maggy White	New	43	84	62	91	5/5	Looks perfect / Flowered strong from late June to early July. Moderate flowering the rest of the season.
Argyranthemum			Shere Monroe Scarlet Carmine	New	43	98	48	107	5/8	Flowered strong all season.
Argyranthemum			Yellow Cream	New	44	83	57	112	6/30	Flowered strong from early July to mid-September.
Bacopa			Abunda Giant White		18	121	44	142	5/5	Flowered strong from early July to September.
Bacopa			Abunda Pink	New	20	81	24	97	5/15	No flowers / Flowered strong from late June to late July.
Bacopa			Calypso Jumbo Lavender	New	22	86	30	137	4/20	No flowers / Flowered strong from late June to mid-August.
Bacopa			Calypso Jumbo White 09	New	15	93	17	124	4/20	Moderate flowering / Flowered strong from early July to mid-September.
Bacopa			Cloud 9 Hot White		16	100	19	127	4/20	Flowered strong from mid-July to late July.
Bacopa			Great Blue Imp.	New	19	91	20	117	6/5	Flowered strong from early July to early August.
Bacopa			Great Deep Violet	New	23	85	24	107	6/5	No flowers / Flowered strong from late June to mid-August.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	Size Data					First Bloom	Comments mid-September by Coordinator and Research Associate / Summarized Flowering Data for Entire Season
			7/30H*	7/30W*	9/9H*	9/9W*			
Bacopa	Great Regal Blue	New	22	86	43	128	6/10	Flowered strong from early July to September.	
Bacopa	Great White Imp.		18	90	22	168	6/30	Moderate flowering all season.	
Bacopa	Gulliver Blue Sensation	New	22	57	29	117	6/12	Flowered strong from early July to mid-September.	
Bacopa	Gulliver Lilac		22	97	23	132	6/12	Flowered strong all season.	
Bacopa	Gulliver Snow		22	98	25	130	6/12	Moderate flowering / Flowered strong from early July to late July. Moderate flowering in August. Strong flowering in September.	
Bacopa	Gulliver White		16	85	25	130	6/12	Flowered strong from early July to late July. Moderate flowering in August. Strong flowering in September.	
Begonia boliviensis	Bellagio Apricot		18	44	-	-	4/30	Did not survive cool weather, died out early / Flowered strong from late June until mid-July.	
Begonia boliviensis	Bellagio Blush		16	67	-	-	6/30	Chlorotic, poor vigor, struggling, 4 plants died out / Moderate flowering all season.	
Begonia boliviensis	Bellagio Pink		22	46	-	-	5/20	Poor vigor, never was established / Moderate flowering all season.	
Begonia boliviensis	Bellfire		37	100	42	109	4/16	Vigorous, upright growth, good contrast / Flowered strong from mid-August until the first frost.	
Begonia boliviensis	Bonfire		27	109	41	117	4/16	Vigorous, uniform, flowers under foliage / Flowered strong from late July until the first frost.	
Begonia boliviensis	Mandalay Flamingo		4	6	-	-	5/18	Never was established / Moderate flowering all season.	
Begonia boliviensis	Mandalay Mandarin		37	60	38	97	6/30	Poor uniformity, good vigor, stand out color / Moderate flowering all season.	
Begonia boliviensis	Mandalay Pearl		23	67	33	97	5/14	Poor uniformity, good flowering late / Moderate flowering all season.	
Begonia hybrid	Dragon Wing Pink		30	93	53	104	6/5	Vigorous, flowers under foliage / Flowered strong from late July until the first frost.	
Begonia hybrid	Dragon Wing Red		34	97	46	104	6/5	Many flowers, vigorous, stand out color / Flowered strong from late July until the first frost.	
Bidens	Mexican Gold Gold		39	116	51	160	4/30	Flowered strong all season.	
Bidens	Namid Compact Yellow		30	101	43	137	5/6	Flowered strong all season.	
Bidens	Peters Surprise	New	16	43	25	91	6/30	Flowered strong from mid-August to first frost.	

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Bidens	Yellow Charm	New	28	71	42	99	6/14	Flowered strong all season.
Bidens	Yellow Crown	New	30	105	46	163	6/20	Moderate flowering / Flowered strong from mid-July to first frost.
Bracteantha	Mohave Autumn Bronze		32	67	32	76	4/21	Moderate flowering / Flowered strong from late June to late August.
Bracteantha	Mohave Fire	New	32	69	33	79	4/21	Flowered strong from late June to mid-September.
Bracteantha	Mohave Yellow	New	39	72	43	84	4/16	Flowered strong from late June to mid-September.
Bracteantha	Strawburst Yellow		40	67	48	76	4/21	Flowered strong from late June to mid-September.
Calibrachoa	Aloha Blue Sky	New	25	84	27	99	4/16	Moderate flowering / Flowered strong from mid-July to mid-August.
Calibrachoa	Aloha Bright Red	New	18	88	24	109	4/28	Average overall appearance / Flowered strong from mid-July to early September.
Calibrachoa	Aloha Hot Pink 21	New	16	83	20	117	4/16	Average overall appearance / Flowered strong from early August to mid-August.
Calibrachoa	Aloha Neon	New	23	90	27	122	4/16	Flowered strong from mid-July to mid-August.
Calibrachoa	Aloha Orange	New	29	110	32	112	4/22	30% dead / Flowered strong from mid-July to mid-August.
Calibrachoa	Aloha Purple	New	19	95	20	99	4/16	Average overall appearance/ Flowered strong from mid-July to early September.
Calibrachoa	Aloha Purple Sky	New	21	62	22	102	4/16	Flowered strong from mid-July to early September.
Calibrachoa	Aloha Red	New	17	91	22	122	4/29	Flowered strong from late June to mid-September.
Calibrachoa	Aloha Soft Pink 21	New	15	74	22	107	4/22	Average overall appearance / Flowered strong from mid-July to mid-August.
Calibrachoa	Aloha Tiki Gold	New	25	88	28	112	4/25	Flowered strong from mid-July to early September.
Calibrachoa	Aloha Tiki Orange	New	13	52	-	-	4/22	All dead / Flowered strong from mid-July to late July.
Calibrachoa	Aloha Tiki Orange 21	New	20	89	20	102	4/16	Flowered strong from mid-July to mid-August.
Calibrachoa	Aloha Tiki Pink	New	22	86	23	122	4/16	Moderate flowering / Flowered strong from mid-July to early September.
Calibrachoa	Aloha Tiki Salmon	New	12	83	13	112	4/16	No flowers / Flowered strong from mid-July to early September.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Calibrachoa	Aloha Tiki Strawberry	New	17	97	19	109	4/16	Moderate flowering / Flowered strong from late June to early September.
Calibrachoa	Aloha Yellow	New	20	95	20	107	4/22	Looks poor, no flowers / Flowered strong from late June to mid-August.
Calibrachoa	Cabaret Hot Pink		20	93	20	116	5/12	Moderate flowering / Flowered strong from mid-July to mid-September.
Calibrachoa	Cabaret Purple		18	72	19	109	5/5	Flowered strong from mid-July to mid-September.
Calibrachoa	Cabaret Red		17	88	18	117	5/5	Moderate flowering / Flowered strong from early August to mid-August.
Calibrachoa	Cabaret Scarlet		20	90	20	107	5/5	Flowered strong from mid-July to mid-August.
Calibrachoa	Cabaret White		22	97	25	147	5/5	Best calibrachoa in late September / Flowered strong from mid-July to mid-September.
Calibrachoa	Callie Bright Red		37	105	37	114	4/27	Flowered strong from mid-July to mid-August.
Calibrachoa	Callie Coral Pink		20	88	20	109	4/25	Average overall / Flowered strong from late June to early August.
Calibrachoa	Callie Dark Blue		24	101	25	104	4/25	Moderate flowering / Flowered strong from early August to early September.
Calibrachoa	Callie Deep Yellow		24	94	26	122	4/27	Flowered strong from early July to early September.
Calibrachoa	Callie Light Blue		21	93	22	102	4/25	Average overall appearance / Flowered strong from mid-July to early September.
Calibrachoa	Callie Mango	New	26	81	-	-	4/29	All dead / Moderate flowering all season. No bloom after September.
Calibrachoa	Callie Orange 08		14	120	20	152	4/26	Flowered strong from late August to early September.
Calibrachoa	Callie Painted Coral		22	102	22	124	4/29	Flowered strong from late June to mid-August.
Calibrachoa	Callie Peach		18	84	18	112	4/25	Moderate flowering all season.
Calibrachoa	Callie Purple 07		17	74	17	117	4/25	Average overall appearance / Flowered strong from mid-July to mid-September.
Calibrachoa	Callie Rose		17	74	18	116	4/20	Average overall appearance / Flowered strong from late June to mid-September.
Calibrachoa	Callie Scarlet Red 08		26	97	28	119	4/25	Average overall appearance / Flowered strong from late July to mid-August.
Calibrachoa	Callie Yellow		24	93	25	117	4/25	Flowered strong from mid-July to early September.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Calibrachoa	Colorful Expressions Fire	New	26	95	27	122	4/20	Average overall appearance / Flowered strong from early August to mid-September.
Calibrachoa	Colorful Expressions Orange	New	24	84	27	124	4/23	Flowered strong from early August to early September.
Calibrachoa	Colorful Expressions Red	New	19	97	20	103	4/20	Moderate flowering all season.
Calibrachoa	Colorful Expressions Sun	New	22	93	-	-	4/24	70% dead / Flowered strong from late July to mid-August.
Calibrachoa	Colorful Expressions Violet	New	25	114	25	124	4/26	Moderate flowering / Flowered strong from early August to early September.
Calibrachoa	Milky Way Light Blue Imp.		15	113	-	-	4/27	All dead / Flowered strong from early July to early September.
Calibrachoa	Million Bells Apricot		20	64	22	76	5/5	Flowered strong from mid-July to mid-August.
Calibrachoa	Million Bells Brilliant Pink	New	32	79	36	119	4/10	Moderate flowering / Flowered strong from late July to mid-August.
Calibrachoa	Million Bells Cherry Pink Imp.		25	95	30	132	4/16	Flowered strong from mid-July to mid-September.
Calibrachoa	Million Bells Chiffon	New	23	84	25	135	4/10	Flowered strong from mid-July to late September.
Calibrachoa	Million Bells Neon Yellow	New	23	95	24	127	4/10	Moderate flowering / Flowered strong from mid-July to early September.
Calibrachoa	Million Bells Peaches n' Cream		20	83	20	122	5/2	Moderate flowering / Flowered strong from mid-July to mid-August.
Calibrachoa	Million Bells Plum	New	23	83	30	107	4/14	Flowered from mid-July to mid-September.
Calibrachoa	Million Bells Trailing Blue 09	New	16	90	18	104	4/15	Still very uniform / Flowered strong from early August to mid-September.
Calibrachoa	Million Bells Trailing Yellow	New	13	84	18	142	4/12	Moderate flowering / Flowered strong from late July to mid-September.
Calibrachoa	MiniFamous Compact Coral		20	100	20	117	4/16	Average overall / Flowered strong from mid-July to early September.
Calibrachoa	MiniFamous Compact Safran		17	83	22	102	4/16	In severe decline / Flowered strong from mid-July to mid-September.
Calibrachoa	MiniFamous Compact Watermelon		28	88	29	117	4/16	Flowered strong from mid-July to mid-September.
Calibrachoa	MiniFamous Compact White Evol.		20	83	25	109	5/6	Flowered strong from mid-July to early September.
Calibrachoa	MiniFamous Compact Yellow Red Eye		25	90	25	107	4/16	Moderate flowering / Flowered strong from mid-July to mid-August.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Calibrachoa	MiniFamous Dark Blue Evol.	New	20	88	-	-	4/16	85% dead / Flowered strong from mid-July to mid-August.
Calibrachoa	MiniFamous Double Blue		17	92	18	130	4/16	Average overall appearance / Flowered strong from early August to early September.
Calibrachoa	MiniFamous Double Blush Pink	New	17	81	18	124	4/16	Average overall / Flowered strong from early August to early September.
Calibrachoa	MiniFamous Double Dark Pink		24	84	24	132	4/16	Flowered strong from early August to mid-August.
Calibrachoa	MiniFamous Double Yellow	New	15	62	18	97	4/16	Average overall / Flowered strong from late July to mid-September.
Calibrachoa	MiniFamous Lavender Blue Evol.	New	17	103	17	124	4/16	Average overall appearance/ Flowered strong from mid-July to early September.
Calibrachoa	MiniFamous Lemon Evol.	New	24	81	27	114	4/16	Flowered strong from mid-July to early September.
Calibrachoa	MiniFamous Peach Evol.		19	80	19	107	4/16	Flowered strong from mid-July to early September.
Calibrachoa	MiniFamous Perfect White		20	84	22	112	4/16	Moderate flowering / Flowered strong from late June to mid-August.
Calibrachoa	MiniFamous Royal Blue		16	80	17	84	4/16	Average overall appearance / Flowered strong from mid-July to mid-August.
Calibrachoa	MiniFamous Scarlet	New	22	98	23	112	4/16	Flowered strong from mid-July to mid-August.
Calibrachoa	MiniFamous Tangerine	New	18	84	23	117	4/16	Moderate flowering / Flowered strong from late July to early September.
Calibrachoa	MiniFamous Vampire Evol.	New	17	84	17	112	4/16	Average overall appearance / Flowered strong from mid-July to mid-August.
Calibrachoa	Noa Amber Star		26	109	28	119	6/14	Flowered strong from mid-July to September.
Calibrachoa	Noa Blue Legend		17	90	17	94	6/20	Average overall appearance / Flowered strong from mid-July to mid-August.
Calibrachoa	Noa Magenta		18	104	19	107	6/20	Flowered strong from mid-July to mid-August.
Calibrachoa	Noa Mango Eye		20	91	20	114	6/20	Average overall / Flowered strong from late July to mid-August.
Calibrachoa	Noa Mega Magenta	New	17	97	18	122	6/20	Flowered strong from mid-July to early September.
Calibrachoa	Noa Mega Pink	New	24	77	25	127	6/20	Moderate flowering / Flowered strong from mid-July to mid-September.
Calibrachoa	Noa Orange Eye		18	89	25	137	6/20	Flowered strong from mid-July to mid-August.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Calibrachoa	Noa Pink		20	90	27	112	6/20	Flowered strong from mid-July to early September.
Calibrachoa	Noa Red		23	79	23	124	6/20	Flowered strong from late July to mid-August.
Calibrachoa	Noa Ultimate Pink		18	75	18	122	6/20	Moderate flowering / Flowered strong from mid-July to early September.
Calibrachoa	Noa Ultra Purple		15	95	18	114	6/25	Flowered strong from mid-July to mid-August.
Calibrachoa	Noa White		18	101	20	127	6/25	Flowered strong from late July to mid-August.
Calibrachoa	Noa Yellow		20	93	25	119	6/14	Flowered strong from late June to mid-September.
Coleus	Chocolate Mint		66	95	77	97		Many flowers, dropped many leaves / Primarily grown for foliage, but many flowers produced throughout the season.
Coleus	Dark Chocolate	New	52	93	89	107	-	Primarily grown for foliage, but many flowers produced throughout the season.
Coleus	Electric Lime		67	101	84	142	-	Very vigorous, some flowers / Primarily grown for foliage, but some flowers produced throughout the season.
Coleus	Henna	New	70	119	102	137	-	Very vigorous, unique leaf texture and color, outstanding / Primarily grown for foliage.
Coleus	Indian Summer	New	51	104	71	107	-	Vigorous, good leaf texture / Primarily grown for foliage.
Coleus	Kong Salmon Pink	New	44	76	53	77	-	Great leaf color, large leaf size, some flowers / Primarily grown for foliage, but produced many flowers throughout the season.
Coleus	Mariposa	New	55	108	58	109		Leaf color fades, drops leaves in cool weather / Primarily grown for foliage.
Coleus	Mint Mocha	New	64	95	89	114	-	Poor uniformity, good vigor, color unstable / Primarily grown for foliage.
Coleus	Red Hot Rio	New	44	99	69	114		Vigorous, unique leaf size, good leaf color / Primarily grown for foliage.
Coreopsis	Corey Yellow		62	105	63	107	5/12	Severe mildew / Flowered strong from late June to mid-August.
Cuphea	Rico Red		36	51	38	124	4/30	Flowered strong all season.
Deschampsia	Zephyr	New	32	72	56	77		Few plumes and they flop / Primarily grown for foliage.
Diascia	Darla Appleblossom	New	37	75	38	99	4/28	Flowered strong from mid-July to first frost.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Diascia	Darla Deep Salmon		23	58	29	91	4/30	Best Diascia in late September / Flowered strong from mid-July to first frost.
Diascia	Darla Light Pink		30	65	34	99	5/1	Flowered strong from mid-July to first frost.
Diascia	Darla Rose 08		36	75	41	113	4/30	Flowered strong from mid-July to mid-September.
Diascia	Flirtation Pink		23	80	25	117	5/5	Flowered strong from late July to first frost.
Diascia	Whisper Cranberry Red		34	91	41	122	4/20	All plants-no color / Moderate flowering all season.
Diascia	Wink Pink Imp.		25	65	27	91	5/5	Flowered strong from early July to first frost.
Dipladenia	Rio Hot Pink	New	30	51	33	60	5/20	More red than pink, still strong / Flowered strong from mid-July to mid-August.
Dipladenia	Rio Red	New	26	55	36	70	5/12	Flowered strong from mid-July to mid-August.
Dorotheanthus	Mezoo Trailing Red		11	113	13	130	6/30	Virtually no flowers / Primarily grown for foliage, but some flowers produced throughout the season.
Fuchsia	Angel Earrings Double Red	New	42	142	74	152	4/30	Vigorous, large showy flowers, poor uniformity / Flowered strong for one week in mid-July.
Fuchsia	Angel Earrings White	New	23	62	36	76	5/2	Low vigor, not too showy / Moderate flowering all season.
Fuchsia	Angel Earrings Preciosa		50	84	56	91	5/2	Poor uniformity, not many flowers / Moderate flowering all season.
Fuchsia	Angel Earrings Snowfire		53	95	74	97	5/2	Vigorous, small flowers, poor uniformity / Moderate flowering all season.
Gaura	Belleza White Evol.	New	98	114	102	118	5/26	Quit flowering / Flowered strong from early August to mid-September.
Geranium (Compact Zonal)	Eclipse Confetti Salmon 09	New	32	48	35	66	4/20	Poor uniformity, unique color patterns, compact / Flowered strong all season.
Geranium (Compact Zonal)	Eclipse Rose Mega Splash	New	29	56	29	74	4/23	Compact, uniform, lots of flowers / Flowered strong all season.
Geranium (Compact Zonal)	Eclipse Velvet Red	New	37	62	37	75	4/23	Great contrast, strong flowering, compact, outstanding / Flowered strong all season.
Geranium (Compact Zonal)	Showcase Bright Red		29	59	37	65	4/29	Very compact, huge flower heads / Flowered strong all season.
Geranium (Compact Zonal)	Showcase Deep Scarlet		41	93	41	94	4/20	Hot color, compact, poor uniformity / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Geranium (Compact Zonal)	Showcase Pink		24	69	31	70	4/20	Very compact, good contrast / Flowered strong all season.
Geranium (Compact Zonal)	Showcase Rose Sizzle		32	65	34	77	4/20	Large flower heads, compact / Flowered strong all season.
Geranium (Compact Zonal)	Showcase White		37	68	38	69	4/29	Old flowers make it look dirty, poor uniformity, compact / Flowered strong all season.
Geranium (Exotic)	Crystal Palace Gem		44	93	56	109	4/30	Vigorous, great contrast, unique foliage color / Flowered strong all season.
Geranium (Exotic)	Graffiti Double Red		32	57	32	69	4/28	Not many flowers, compact / Flowered strong all season.
Geranium (Exotic)	Graffiti Double Salmon		29	57	37	70	4/24	Compact growth, unique flower texture / Flowered strong all season.
Geranium (Exotic)	Graffiti Violet	New	30	83	41	85	4/24	Many flowers, great contrast, bright / Flowered strong all season.
Geranium (Interspecific)	Caliente Coral		34	76	44	100	4/20	Outstanding flowering, vigorous, bright color / Flowered strong all season.
Geranium (Interspecific)	Caliente Deep Red		29	61	38	85	4/25	Small flower size, good red color / Flowered strong all season.
Geranium (Interspecific)	Caliente Rose		34	71	37	91	4/25	Vigorous, many flowers, bright / Flowered strong all season.
Geranium (Interspecific)	Galleria Bright Violet		37	81	37	90	4/20	Great contrast, healthy looking dark foliage / Flowered strong all season.
Geranium (Interspecific)	Galleria Pink Punch		30	75	34	76	4/25	Many flowers, petal shatter, large flower size / Flowered strong all season.
Geranium (Ivy)	Acapulco Compact Cascade		34	57	36	113	4/25	Good mounding, bight color, unique foliage / Flowered strong all season.
Geranium (Ivy)	Atlantic Dark Red		29	59	33	83	4/25	Great dark red color, many flowers / Flowered strong all season.
Geranium (Ivy)	Burgundy Compact Blizzard		26	64	37	84	4/25	Small flower heads, wonderful almost black color / Flowered strong all season.
Geranium (Ivy)	Colorcade Burgundy Imp.		24	66	27	81	4/25	Many flowers, good uniformity / Flowered strong all season.
Geranium (Ivy)	Colorcade Purple Imp.	New	25	65	25	78	5/5	Low vigor, poor uniformity / Flowered strong all season.
Geranium (Ivy)	Colorcade Red Imp.		21	64	34	88	4/20	Vigorous, loaded with flowers / Flowered strong all season.
Geranium (Ivy)	Freestyle Artic Red		24	62	30	81	4/25	Poor uniformity, strong flowering / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Geranium (Ivy)	Freestyle Cherry Rose II		24	56	28	86	4/25	Bright color, uniform / Flowered strong all season.
Geranium (Ivy)	Freestyle Pink II		29	74	32	107	4/25	Vigorous, flower color fades / Flowered strong all season.
Geranium (Ivy)	Freestyle White		23	70	37	84	4/25	Good flowering, petal shatter, vigorous, fairly uniform / Flowered strong all season.
Geranium (Ivy)	Marimba 09	New	20	59	29	75	4/23	Poor uniformity, small flower size / Flowered strong all season.
Geranium (Ivy)	Pacific Red Star	New	22	51	32	77	4/20	Uniform, unique bi-color / Flowered strong all season.
Geranium (Ivy)	Pacific Violet Imp.		27	65	28	84	4/20	Bright color, uniform / Flowered strong all season.
Geranium (Ivy)	Picasso		30	62	33	83	4/23	Low vigor, color unstable, unique color / Flowered strong all season.
Geranium (Ivy)	Pink Blizzard		24	64	39	81	4/20	Low vigor, many flowers / Flowered strong all season.
Geranium (Ivy)	Red Blizzard 09	New	27	77	37	93	4/19	Vigorous, poor uniformity, many flowers / Flowered strong all season.
Geranium (Ivy)	Royal Hot Pink		22	59	30	65	4/30	Very low vigor, few flowers, bright color / Flowered strong all season.
Geranium (Ivy)	Shiva		32	74	36	80	4/23	Vigorous, many flowers, outstanding / Flowered strong all season.
Geranium (Ivy)	Summer Rose Dark Red	New	26	76	27	77	4/25	Low vigor plants, unique double flower / Flowered strong all season.
Geranium (Zonal)	Allure Hot Coral		37	62	51	83	4/20	Large flower heads, vigorous, deep color / Flowered strong all season.
Geranium (Zonal)	Allure Light Pink		29	62	41	76	4/20	Uniform, many flowers, large flower heads / Flowered strong all season.
Geranium (Zonal)	Allure Salmon	New	36	67	42	91	5/5	Vigorous, color fades, strong flowering / Flowered strong all season.
Geranium (Zonal)	Allure Scarlet	New	34	56	37	74	5/5	Uniform, bold color / Flowered strong all season.
Geranium (Zonal)	Allure Tangerine		39	79	41	94	4/20	Very vigorous, long flower stalks, many flowers / Flowered strong all season.
Geranium (Zonal)	Allure Violet		34	74	43	88	4/20	Vigorous, old flowers detract / Flowered strong all season.
Geranium (Zonal)	Americana Cranberry Red	New	33	73	46	79	4/24	Poor uniformity, large flower size / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Geranium (Zonal)	Americana Pink		29	58	34	76	4/19	Non-uniform flowering, large flower heads, bright / Flowered strong all season.
Geranium (Zonal)	Americana Red		32	67	37	69	4/20	Poor uniformity, weak flowering late / Flowered strong all season.
Geranium (Zonal)	Americana Rose Mega Splash	New	23	53	34	71	4/25	Very uniform, large flowers / Flowered strong all season.
Geranium (Zonal)	Americana White 09	New	27	56	42	81	4/20	Vigorous, uniform, many flowers / Flowered strong all season.
Geranium (Zonal)	Americana White Splash 09	New	27	64	28	75	4/25	Uniform, lots of color / Flowered strong all season.
Geranium (Zonal)	Calliope	New	39	72	43	92	4/23	Vigorous, uniform, large flower heads, great color / Flowered strong all season.
Geranium (Zonal)	Designer Bright Red Imp		28	70	30	72	4/26	Poor vigor, small flowers, poor uniformity / Flowered strong all season.
Geranium (Zonal)	Designer Dark Red		32	62	34	66	4/26	Poor uniformity, good contrast / Flowered strong all season.
Geranium (Zonal)	Designer Hot Pink		30	83	34	84	4/26	Nice bright color, good contrast, uniform / Flowered strong all season.
Geranium (Zonal)	Designer Light Pink Sizzle		22	58	27	65	4/20	Poor flowering late, uniform, compact / Flowered strong all season.
Geranium (Zonal)	Designer Peppermint Twist		38	75	41	80	4/26	Vigorous, weak flowering, huge flower heads / Flowered strong all season.
Geranium (Zonal)	Designer Salmon		34	64	46	74	4/29	Vigorous, poor uniformity, not enough color / Flowered strong all season.
Geranium (Zonal)	Fantasia Cardinal Red Imp		29	55	37	67	4/20	Vigorous, great contrast / Flowered strong all season.
Geranium (Zonal)	Fantasia Strawberry Sizzle		36	62	36	67	4/20	Poor uniformity, excellent flower size and color / Flowered strong all season.
Geranium (Zonal)	Fantasia Violet Imp.		32	74	44	80	4/20	Hot color, many large blooms, outstanding foliage / Flowered strong all season.
Geranium (Zonal)	Fantasia White		29	66	36	70	4/20	Good dark foliage, poor uniformity, many flowers / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Coral		37	58	38	71	4/23	Vigorous, not a late bloomer / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Dark Red		36	65	42	79	4/23	Vigorous, long flower stalks, large flowers / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Deep Rose 09	New	32	64	42	89	4/19	Very strong flowering all season, vigorous, bright / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Geranium (Zonal)	Rocky Mtn. Salmon Rose		41	70	51	86	4/25	Vigorous, not uniform, good contrast / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. Scarlet		44	60	46	88	4/23	Vigorous, many flowers, poor uniformity / Flowered strong all season.
Geranium (Zonal)	Rocky Mtn. White		28	48	38	74	4/19	Uniform, petal shatter, dying flowers detract / Flowered strong all season.
Geranium (Zonal)	Savannah Blue	New	36	65	36	77	4/29	Not blue, poor uniformity, bright pink color / Flowered strong all season.
Geranium (Zonal)	Savannah Dark Red	New	28	70	32	71	4/29	Compact, great contrast / Flowered strong all season.
Geranium (Zonal)	Savannah Lavender Splash	New	32	57	33	66	4/29	Poor uniformity, good foliage, non-uniform flowering / Flowered strong all season.
Geranium (Zonal)	Savannah Pink	New	29	65	29	66	4/21	Good contrast, many flowers, compact / Flowered strong all season.
Geranium (Zonal)	Savannah Punch	New	32	55	34	57	4/21	Uniform, good contrast, nice foliage / Flowered strong all season.
Geranium (Zonal)	Savannah Red	New	31	62	32	66	4/21	Uniform, good contrast, dark foliage / Flowered strong all season.
Geranium (Zonal)	Savannah TexMex	New	30	62	44	81	4/26	Vigorous, poor uniformity, many flowers / Flowered strong all season.
Geranium (Zonal)	Savannah White	New	30	72	38	80	4/21	Very poor uniformity, looks leggy, many flowers / Flowered strong all season.
Geranium (Zonal)	Savannah White Splash Imp.	New	29	65	29	71	4/21	Compact, uniform, dirty color / Flowered strong all season.
Geranium (Zonal)	Summer Idols Dark Red	New	25	58	30	58	4/20	Compact, poor flowering late / Flowered strong all season.
Geranium (Zonal)	Summer Idols Dark Salmon		28	48	29	60	4/22	Compact, good contrast, dark green foliage / Flowered strong all season.
Geranium (Zonal)	Summer Idols Orange		29	58	29	67	4/24	Compact, weak flowering late / Flowered strong all season.
Geranium (Zonal)	Summer Idols Pink		33	58	37	74	4/25	Strong color, many flowers / Flowered strong all season.
Geranium (Zonal)	Summer Idols Red		33	54	41	75	4/20	Uniform, flower heads small, many flowers / Flowered strong all season.
Geranium (Zonal)	Summer Idols Rose w/eye	New	27	51	28	57	4/24	Compact, uniform, weak flowering late / Flowered strong all season.
Geranium (Zonal)	Summer Idols White		32	58	32	69	4/21	Poor vigor, few flowers / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Geranium (Zonal)	Sunrise Raspberry Eye		41	76	42	77	4/29	Poor flowering late, uniform / Flowered strong all season.
Geranium (Zonal)	Sunrise Strawberry Blush	New	37	64	37	72	5/5	Poor uniformity, weak flowering late / Flowered strong all season.
Geranium (Zonal)	Survivor Apple Blossom	New	29	70	29	79	4/29	Poor uniformity, many flowers, nice soft color / Flowered strong all season.
Geranium (Zonal)	Survivor Coral		35	64	36	67	4/28	Excellent rich coral color, compact / Flowered strong all season.
Geranium (Zonal)	Survivor Dark Red 13	New	32	60	38	79	4/29	Uneven flowering, standout color / Flowered strong all season.
Geranium (Zonal)	Survivor Fuchsia	New	31	59	32	61	4/29	Bright color, good contrast, compact / Flowered strong all season.
Geranium (Zonal)	Survivor Lilac Charme 1	New	40	75	41	76	4/29	Vigorous, excellent color, healthy foliage / Flowered strong all season.
Geranium (Zonal)	Survivor Plum	New	36	77	41	77	4/29	Vigorous, large flower size / Flowered strong all season.
Geranium (Zonal)	Tango 09	New	30	53	39	75	4/23	Compact, large flower heads, poor uniformity / Flowered strong all season.
Geranium (Zonal)	Tango Fire		30	67	48	75	4/25	Good contrast, bright bold color / Flowered strong all season.
Geranium (Zonal)	Tango White		28	57	33	67	4/23	Compact, poor uniformity / Flowered strong all season.
Heliotrope	Marino Blue		29	29	41	88	4/16	Looked fantastic all year / Flowered strong from mid-July to mid-September.
Impatiens (Double)	Fanciful Moonlight Rose Mix	New	25	65	42	107	6/5	Moderate flowering / Flowered strong from mid-August until the end of the season.
Impatiens (Double)	Fanciful Stardust Mix		28	60	38	84	6/5	Moderate flowering / Flowered strong from late July until the end of the season.
Impatiens (Double)	Fanciful Sweetheart Mix		23	53	41	107	6/5	Vigorous plant, many flowers, uniform / Flowered strong from mid-August until the end of the season.
Impatiens (Double)	Fanciful Tropical Mix		26	60	42	97	6/5	Vigorous plant, many flowers, uniform / Flowered strong from late July until the end of the season.
Impatiens (Double)	Fiesta Apple Blossom		23	65	32	81	4/20	Vigorous, ok green foliage, many flowers under foliage / Flowered strong from early July until late July. Moderate flowering in August. Flowered strong again in September.
Impatiens (Double)	Fiesta Burgundy		27	88	43	89	5/5	Vigorous, flowers under foliage / Flowered strong from late July until the end of the season.
Impatiens (Double)	Fiesta Ole Cherry		21	62	28	79	5/5	Compact, not many flowers through the season / Flowered strong from early August until the end of the season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Impatiens (Double)	Fiesta Ole Frost		19	48	23	64	5/5	Compact, few flowers / Flowered strong from late July until late August.
Impatiens (Double)	Fiesta Ole Peach Sorbet	New	19	64	25	76	4/15	Poor uniformity, not a strong show / Flowered strong from early August until late August.
Impatiens (Double)	Fiesta Ole Peppermint		18	59	28	69	4/15	Compact, small flowers, unique foliage, foliage unstable / Flowered strong from late July until late August.
Impatiens (Double)	Fiesta Ole Purple		27	65	38	81	5/5	Strong flowering throughout the season / Flowered strong from early September until the end of the season.
Impatiens (Double)	Fiesta Ole Purple Stripe		22	57	33	79	5/5	Good foliage, few flowers late / Moderate flowering all season.
Impatiens (Double)	Fiesta Salsa Red Imp.		29	72	34	84	5/5	Vigorous, small flowers, good contrast / Flowered strong from late July until mid-September.
Impatiens (Double)	Fiesta Sparkler Cherry		36	80	48	89	4/21	Vigorous, many flowers, great contrast, outstanding / Flowered strong from mid-July until the end of the season.
Impatiens (Double)	Fiesta Sparkler Hot Pink		28	84	46	99	4/15	Very vigorous, unique color / Flowered strong from early August until the end of the season.
Impatiens (Double)	Musica Bicolor Dark Red	New	25	70	38	94	6/12	Vigorous, great contrast, color stands out / Flowered strong from mid-July until the end of the season.
Impatiens (Double)	Musica Coral	New	20	74	30	89	6/30	Vigorous, flowers fade / Flowered strong from mid-July until August.
Impatiens (Double)	Musica Pastel Salmon	New	17	52	22	69	6/20	Compact, many flowers / Flowered strong from early July until late July. Moderate flowering in August. Flowered strong again in September.
Impatiens (Double)	Musica Pearl		18	57	24	69	6/12	Compact, dead flowers detract / Flowered strong from late July until mid-September.
Impatiens (Double)	Musica Pink Aroma		31	72	34	86	6/15	Vigorous, many spent flowers / Flowered strong from mid-July until the end of the season.
Impatiens (Double)	Musica Pink Energy		21	65	30	79	6/12	Large flower size / Flowered strong from early July until late July. Moderate flowering in August. Flowered strong again in September.
Impatiens (Double)	Musica Ruby Red		20	61	27	94	6/30	Large flower size, some flowers under foliage / Flowered strong from early August until the end of the season.
Impatiens (Double)	Musica Spicy Orange		25	69	33	91	6/12	Vigorous, nice dark foliage, color unstable / Flowered strong from mid-July until early August.
Impatiens (Double)	Silhouette Cherry Red 09	New	23	60	41	84	4/21	Poor uniformity, large flowers / Flowered strong from early August until late August.
Impatiens (Double)	Silhouette Orange Star		27	57	41	86	4/7	Vigorous, holds flowers above foliage well / Flowered strong from early August until the end of the season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Impatiens (Double)	Silhouette Pink		17	71	152	84	4/15	Vigorous, flowers under foliage / Flowered strong from early August until late August.
Impatiens (Double)	Silhouette Purple		18	53	30	79	6/30	Poor uniformity, large flower size / Flowered strong from early September until the end of the season.
Impatiens (Double)	Silhouette Red Star		16	48	23	74	4/7	Compact, bright color / Flowered strong from late July until the end of the season.
Impatiens (Double)	Silhouette Rose		19	60	20	71	4/10	Compact, light green foliage detracts / Flowered strong from mid-August until the end of the season.
Impatiens (Double)	Silhouette Salmon 09	New	19	64	30	81	4/20	Vigorous, uniform, large flower size, good contrast / Flowered strong from mid-August until the end of the season.
Impatiens (Double)	Silhouette White	New	18	64	25	81	4/10	Uniform, some chlorosis / Flowered strong from mid-August until the end of the season.
Impatiens (Exotic)	Fusion Glow Imp.		42	90	84	157	5/5	Very vigorous, many flowers, holds flowers well above foliage / Flowered strong from late July until the end of the season.
Impatiens (Exotic)	Fusion Peach Frost		27	90	41	89	4/21	Poor uniformity, unique foliage / Flowered strong from mid-July until the end of the season.
Impatiens (Mini)	Firefly Pink Blush		31	34	52	91	4/21	Not showy / Flowered strong from early August to mid-September.
Impatiens (Mini)	Firefly Watermelon		28	32	46	102	4/20	Flowered strong from early August to mid-September.
Impatiens (New Guinea)	Celebration Apricot		19	62	29	76	4/26	Vigorous plant, many flowers, uniform / Flowered strong from late June until late July.
Impatiens (New Guinea)	Celebration Deep Red		14	57	28	71	4/29	Average overall / Flowered strong from late July until mid-August.
Impatiens (New Guinea)	Celebration Lavender Glow		20	60	29	76	5/5	Vigorous plant, few flowers / Moderate flowering all season.
Impatiens (New Guinea)	Celebration Pink Imp.		22	61	36	76	4/26	Moderate flowering / Moderate flowering all season.
Impatiens (New Guinea)	Celebration Sangria Imp.		18	51	25	69	4/26	Canopy is more open / Flowered strong from late July until mid-August.
Impatiens (New Guinea)	Celebration White Imp.		17	49	23	58	4/21	Plant looks healthy but small / Flowered strong from early August until late August.
Impatiens (New Guinea)	Celebrette Apple Blossom		17	55	23	56	4/26	Flowers fighting with foliage for space / Moderate flowering all season.
Impatiens (New Guinea)	Celebrette Frost		13	56	28	58	4/26	Average overall / Moderate flowering all season.
Impatiens (New Guinea)	Celebrette Grape Crush Imp.		17	57	23	64	4/26	Average overall / Flowered strong from early August until late August.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Impatiens (New Guinea)	Celebrette Hot Pink		19	58	25	79	4/26	Average overall / Moderate flowering all season.
Impatiens (New Guinea)	Celebrette Icy Blue	New	23	61	24	76	4/10	Vigorous plant, many flowers, uniform / Moderate flowering all season.
Impatiens (New Guinea)	Celebrette Lavender		20	62	28	81	4/26	Moderate flowering / Moderate flowering all season.
Impatiens (New Guinea)	Celebrette Orange Crush		19	59	25	71	4/26	Vigorous plant, many flowers / Flowered strong from late July until mid-September.
Impatiens (New Guinea)	Celebrette Red		18	52	19	58	4/26	Low vigor, few flowers / Flowered strong from late June until late July.
Impatiens (New Guinea)	Fanfare Lavender		27	77	48	97	4/15	Moderate flowering / Flowered strong from late June until mid-August.
Impatiens (New Guinea)	Infinity Crimson Impr.		18	47	20	66	4/29	Plants less vigorous / Moderate flowering all season.
Impatiens (New Guinea)	Infinity Salmon Impr.		20	55	25	71	4/27	Vigorous plant, many flowers / Moderate flowering all season.
Impatiens (New Guinea)	Infinity White Impr.		17	52	20	71	4/30	Average overall / Flowered strong from mid-July until mid-August.
Impatiens (New Guinea)	Sonic Amethyst		18	55	23	66	4/30	Average overall / Flowered strong from late June until mid-July.
Impatiens (New Guinea)	Sonic Deep Red 08		18	60	27	71	6/30	Vigorous plant, many flowers / Flowered strong from early August until late August.
Impatiens (New Guinea)	Sonic Hot Rose on Gold		17	55	19	58	4/25	Smaller plant size moderate flowering / Moderate flowering all season.
Impatiens (New Guinea)	Sonic Lilac		22	55	22	61	4/23	Large flowers, moderate plant vigor / Flowered strong from late July until mid-August.
Impatiens (New Guinea)	Sonic Magic Pink		15	55	18	61	4/30	Large flowers / Moderate flowering all season.
Impatiens (New Guinea)	Sonic Mango		18	65	23	74	4/25	Vigorous plant, many flowers / Flowered strong from early August until mid-August.
Impatiens (New Guinea)	Sonic Orange 08		13	52	23	69	4/25	Moderate flowering / Flowered strong from late July until mid-August.
Impatiens (New Guinea)	Sonic Pink		14	58	19	61	4/23	Moderate plant vigor / Flowered strong from late July until mid-August.
Impatiens (New Guinea)	Sonic Scarlet 09	New	16	61	33	79	4/30	Moderate flowering / Flowered strong from early August until mid-August.
Impatiens (New Guinea)	Sonic Sweet Cherry		19	51	24	66	4/23	Vigorous plant, many flowers, non-uniform / Flowered strong from late July until mid-August.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Impatiens (New Guinea)	Sonic Sweet Orange 09	New	16	54	23	61	4/22	Average overall / Flowered strong from early August until mid-August.
Impatiens (New Guinea)	Sonic Sweet Purple 09	New	13	47	15	53	4/26	Low vigor, few flowers / Flowered strong from late July until mid-August.
Impatiens (New Guinea)	Super Sonic Deep Purple		19	61	30	79	6/30	Vigorous plant, few flowers / Moderate flowering all season.
Impatiens (New Guinea)	Super Sonic Lavender 08		15	50	23	69	4/25	Vigorous plant, few flowers / Moderate flowering all season. No bloom after September.
Impatiens (New Guinea)	Super Sonic Lilac 09	New	15	48	25	76	4/23	Moderate vigor and flowering / Moderate flowering all season.
Impatiens (New Guinea)	Super Sonic Magenta 08		22	62	38	81	4/30	Vigorous plant, many flowers / Moderate flowering all season.
Impatiens (New Guinea)	Super Sonic Pastel Pink		15	53	28	61	4/23	Large flowers on top small plant / Flowered strong from late June until mid-July.
Impatiens (New Guinea)	Super Sonic White		21	47	33	64	4/25	Vigorous plant, many flowers / Flowered strong from early September until the end of the season.
Impatiens (New Guinea)	Tamarinda Amethyst	New	20	49	28	64	4/20	Vigorous plant, many flowers, uniform / Moderate flowering all season.
Impatiens (New Guinea)	Tamarinda Dark Red	New	17	54	25	71	5/5	Vigorous plant, few flowers / Moderate flowering all season.
Impatiens (New Guinea)	Tamarinda Dark Salmon		17	53	22	66	5/6	Moderate plant vigor / Flowered strong from early July until mid-August.
Impatiens (New Guinea)	Tamarinda Orange Orchid		18	44	20	61	5/5	Very large flowers / Flowered strong from early July until mid-August.
Impatiens (New Guinea)	Tamarinda Violet		20	62	24	71	5/5	Moderate flowering / Flowered strong from mid-July until mid-August.
Impatiens (New Guinea)	Tamarinda White Imp.		17	49	20	66	5/5	Average overall / Flowered strong from late July until mid-August.
Impatiens (Trailing)	Butterfly Cherry		28	70	43	119	4/15	Vigorous plant, many flowers / Flowered strong from early August until the end of the season.
Impatiens (Trailing)	Butterfly Orange	New	17	59	43	109	4/21	Vigorous plant, many flowers / Flowered strong from early September until the end of the season.
Impatiens (Trailing)	Spellbound Blackberry Star		38	46	52	132	4/21	Flowered strong from early August to mid-September.
Impatiens (Trailing)	Spellbound Strawberry Star		41	47	60	137	4/20	Flowered strong from early August to mid-September.
Ipomoea	Cameo Elegance		12	34	18	70		Primarily grown for foliage.
Ipomoea	Ipomoea Bronze	New	49	130	51	152		Primarily grown for foliage.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Ipomoea	Ipomoea Compact Red	New	34	231	37	259		Compact / Primarily grown for foliage, but some flowers produced throughout the season.
Ipomoea	Ipomoea Lime	New	39	264	41	300		Starting to show slight decline / Primarily grown for foliage.
Ipomoea	Ipomoea Maple	New	57	157	60	183		Some fading leaves / Primarily grown for foliage.
Ipomoea	Sidekick Black	New	44	107	46	127		Some fading leaves / Primarily grown for foliage.
Ipomoea	Sidekick Black Heart	New	43	175	44	335		Shape of leaf stands out nice / Primarily grown for foliage.
Ipomoea	Sidekick Lime	New	37	202	39	204		Starting to show slight decline / Primarily grown for foliage.
Ismelia carinata	Tricolor Daisy Vestidos Red	New	55	81	56	90	5/5	Poor habit / Flowered strong from late June to late July.
Ismelia carinata	Tricolor Daisy Vestidos Yellow	New	48	67	57	107	5/9	Petals droopy, not too showy / Flowered strong from late June to late July.
Isolepis	Live Wire		31	77	24	86		Might need more sun / Primarily grown for foliage.
Juncus	Blue Dart	New	40	65	58	80	-	Uniform overall / Primarily grown for foliage.
Juncus	QuikMix Twisted Arrows	New	70	80	86	94		Not twisted at all / Primarily grown for foliage.
Juncus	Twister	New	42	74	48	80		Amount of twisting not uniform / Primarily grown for foliage.
Lantana	Bandana Cherry		42	79	56	94	4/29	Vigorous plant, many flowers, uniform / Flowered strong from early August to mid-September.
Lantana	Bandana Cherry Sunrise		37	109	43	109	4/21	Moderate flowering / Flowered strong from late June to mid-August.
Lantana	Bandana Pink 07		40	88	41	90	4/29	Less flowers but habit looks good / Flowered strong from late July to mid-August.
Lantana	Bandana Pink 09	New	57	88	57	117	4/28	Looks perfect, one large round ball of flowers / Flowered strong from mid-July to first frost.
Lantana	Bandana Red 09	New	39	96	56	98	4/30	Vigorous plant, many flowers, uniform / Flowered strong from early August to mid-September.
Lantana	Bandana Rose		27	72	58	103	4/27	Moderate flowering / Flowered strong from late July to first frost.
Lantana	Bandana Trailing Gold	New	31	108	36	140	4/29	Vigorous plant, many flowers, non-uniform / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Lantana	Landmark Pink Glow	New	35	112	38	127	5/15	Pink faded yellow dominates / Flowered strong from mid-July to first frost.
Lobelia	Anabel Bicolor Blue	New	33	86	34	93	6/18	Looks poor overall / Flowered strong from late June to mid-August.
Lobelia	Anabel Blue River	New	31	94	37	103	6/12	Growth habit in decline / Flowered strong from mid-July to early August. Moderate flowering in August. Flowered strong in September.
Lobelia	Anabel Blue Romance		41	83	41	84	6/12	Flowered strong from June to early September.
Lobelia	Anabel Brilliant Blue	New	39	84	42	88	6/16	Getting leggy / Flowered strong from late June to mid-September.
Lobelia	Anabel Dark Lilac	New	36	83	38	122	6/12	Starting to look leggy / Flowered strong from mid-July to mid-September.
Lobelia	Anabel Superior Blue	New	36	80	-	-	6/14	No flowers, looks poor / Flowered strong from mid-July to late July.
Lobelia	Arcade Dark Blue		33	80	34	84	5/5	In decline / Flowered strong from mid-July to August.
Lobelia	Magadi Basket Purple + Eye	New	38	86	42	91	4/23	Moderate flowering / Flowered strong from late June to mid-August.
Lobelia	Magadi Blue		38	74	39	81	4/16	Flowered strong from late June to mid-September.
Lobelia	Magadi Blue White Eye		38	88	38	89	5/8	Looks good / Flowered strong from late June to late July.
Lobelia	Magadi Light Blue		32	77	39	89	4/16	Flowered strong from late June to mid-September.
Lobelia	Magadi Ocean Blue	New	39	87	41	89	4/16	Still very showy / Flowered strong from late June to mid-September.
Lobelia	Magadi White Evol.	New	30	65	38	84	4/16	Flowered strong from late June to mid-September.
Lobelia	Techno Blue		19	64	25	76	5/5	Average overall / Flowered strong from late June to mid-August.
Lobelia	Techno Heat Dark Blue	New	39	75	39	102	5/5	Flowered strong from June to early September.
Lobelia	Techno Heat Electric Blue	New	28	42	29	70	5/6	Moderate flowering / Flowered strong from June to early September.
Lobelia	Techno Heat Light Blue		37	87	38	91	5/9	Flowered strong from late June to mid-August.
Lobelia	Techno Heat Upright Blue		33	75	34	79	5/10	Flowered strong from late June to mid-August.
Lobelia	Techno Heat Upright Dark Blue	New	29	53	29	76	5/5	Flowered strong from late July to mid-September.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Lobelia	Techno Heat Upright Light Blue	New	36	37	38	94	4/20	Moderate flowering / Flowered strong from mid-July to mid-August.
Lobelia	Techno Heat Violet	New	42	85	44	102	5/6	Flowered strong from late June to late July.
Lobelia	Techno Heat White		34	98	44	104	5/5	Starting to decline / Flowered strong from late June to mid-September.
Lobelia	Waterfall Light Lavender		36	89	43	107	5/5	Flowered strong from mid-July to mid-August.
Lophospermum	Lofos Summer Cream		20	144	20	206		No flowers, all green vine / Primarily grown for foliage. Flowered periodically throughout the season.
Mercardonia	Prima Bright Yellow		13	55	14	74	4/10	Flowered strong from late June to late July. Moderate flowering in August. Flowered strong again in September to first frost.
Nemesia (fruticans)	Confection Blue	New	27	52	27	79	4/3	Looks great overall / Flowered strong from early July to mid-August.
Nemesia (fruticans)	Confection Pink	New	30	70	33	91	4/12	Vigorous plant, many flowers / Flowered strong from early July to mid-August.
Nemesia (fruticans)	Confection White	New	32	75	33	81	4/14	Few flowers / Flowered strong from early July to mid-August.
Nemesia (fruticans)	Nesia Dark Blue	New	36	72	38	91	6/11	Moderate flowering / Flowered strong from late June to mid-August.
Nemesia (fruticans)	Nesia Fantasy	New	42	77	44	109	6/12	Slight lodging, many flowers, unique color / Flowered strong all season.
Nemesia (fruticans)	Nesia Lavender	New	41	77	55	97	6/14	Slight lodging, vigorous plant, many flowers / Flowered strong from early July to first frost.
Nemesia (fruticans)	Nesia Purple	New	32	72	32	76	6/12	Very showy in September / Flowered strong from late June to mid-August.
Nemesia (interspecific)	Aromatica Violet Ice	New	36	60	38	85	5/15	Leggy, many flowers, non-uniform / Flowered strong from late June to mid-August.
Nemesia (interspecific)	Aromatica White Imp.	New	31	62	41	88	6/30	A large white cloud of flowers in September / Flowered strong from early July to mid-August.
Nemesia (interspecific)	Elph White		34	71	36	88	5/14	Few flowers, non-uniform / Flowered strong for one week in mid-July.
Nemesia (interspecific)	Serengeti Upright Cream		43	67	44	89	5/14	Many flowers, non-uniform / Flowered strong from mid-July to mid-August.
Nemesia (interspecific)	Serengeti Upright Purple	New	39	75	49	107	5/19	Relatively large flowers, showy / Flowered strong from late June to mid-August.
Nemesia (interspecific)	Serengeti Upright Violet		44	67	56	122	4/29	Vigorous plant, few flowers / Flowered strong from late July to mid-August.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Nemesia (interspecific)	Serengeti Upright Violet + White	New	33	60	43	84	5/19	Moderate flowering / Flowered strong from late June to mid-August.
Nemesia (interspecific)	Supernesia Pink	New	47	64	48	67	6/11	Relatively large flowers / Flowered strong from late June to mid-July.
Nemesia (interspecific)	Supernesia White Gold	New	32	44	33	50	6/11	In decline, low vigor, few flowers / Flowered strong from late June to mid-August.
Nierembergia	Lara Dark Blue		24	90	25	95	4/16	One brown spot on canopy otherwise looks excellent / Flowered strong from late July to mid-August.
Nierembergia	Lara White	New	14	51	14	57	4/16	Moderate flowering / Flowered strong from mid-July to mid-August.
Nierembergia	Summer Splash Light Blue	New	28	79	30	81	4/14	Still going strong / Flowered strong from late June to mid-August.
Nierembergia	Summer Splash White	New	23	72	24	84	4/15	Still looks great in late September / Flowered strong from late June to mid-August.
Osteospermum	Serenity Dark Purple	New	42	91	43	104	4/15	Vigorous plant, many flowers, uniform / Flowered strong from late June to mid-September.
Osteospermum	Serenity Pink Imp.	New	36	85	41	89	5/26	Vigorous plant, many flowers, uniform / Flowered strong from early July to mid-August.
Osteospermum	Serenity Vanilla	New	42	83	44	107	5/26	Large flowers / Flowered strong from late June to mid-July.
Osteospermum	Summertime Blueberry	New	41	67	48	102	5/6	Moderate flowering / Flowered strong from late June to mid-July. Moderate flowering from mid-July through August. Flowered strong from early September to mid-September.
Osteospermum	Summertime Cranberry	New	38	77	47	109	5/8	Vigorous plant, few flowers, unique color / Flowered strong from mid-July to early August.
Osteospermum	Summertime Deep Purple Imp.	New	49	108	61	130	5/5	Habit is more open / Flowered strong from early July to late July. Moderate flowering in August. Strong flowering in September.
Osteospermum	Summertime Sunset		57	93	60	137	5/9	Leggy, flops, vigorous plant, non-uniform / Flowered strong from early July to late July.
Osteospermum	Summertime Sunshine	New	50	72	53	109	5/5	Vigorous plant, few flowers / Flowered strong from late June to mid-July.
Osteospermum	Summertime Vanilla Sky	New	59	103	62	152	5/5	Not much color, leggy open habit / Flowered strong from mid-July to late July.
Osteospermum	Summertime Yellow Charme	New	52	98	57	124	5/9	Lodging, vigorous plant, many flowers / Flowered strong from late June to mid-July.
Osteospermum	Tradewinds Purple Bicolor		33	84	51	91	5/2	Moderate flowering / Flowered strong from mid-July to early September.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	Size Data					First Bloom	Comments mid-September by Coordinator and Research Associate / Summarized Flowering Data for Entire Season
			7/30H*	7/30W*	9/9H*	9/9W*			
Osteospermum	Tradewinds Trailing Deep Purple	New	25	90	27	102	5/5	Vigorous plant, few flowers / Moderate flowering all season.	
Osteospermum	Tradewinds Trailing Light Purple	New	27	97	32	103	5/2	Vigorous plant, few flowers / Flowered strong from late July to mid-August.	
Osteospermum	Tradewinds Yellow Bicolor		40	83	55	109	5/1	Vigorous plant, many flowers, uniform / Flowered strong from early July to early August.	
Pennisetum	Fireworks	New	69	126	94	117	-	Unique plant, excellent foliage color, vigorous / Primarily grown for foliage.	
Penstemon	Phoenix Appleblossom 09	New	60	59	64	81	5/16	Vigorous plant, many flowers / Flowered from mid-July to late July.	
Penstemon	Phoenix Lavender	New	59	62	70	89	6/30	Vigorous plant, many flowers, uniform / Flowered strong for one week in mid-July.	
Penstemon	Phoenix Pink 09	New	62	79	62	91	5/20	Moderate flowering / Flowered strong from late July to mid-August.	
Petunia (double)	Double Wave Blue		25	93	27	157	4/20	Flowers fade, vigorous / Flowered strong from September to first frost.	
Petunia (double)	Double Wave Blue Vein		23	144	38	170	4/20	Small flowers / Flowered strong from September to first frost.	
Petunia (double)	Double Wave Lavender		23	132	23	165	4/23	Large flowers, open center / Flowered strong from late June to mid-July. Moderate flowering from late July through August. Strong flowering from September to first frost.	
Petunia (double)	Double Wave Mix		20	94	24	119		Leggy, poor color mix / Flowered strong from mid-July to mid-August.	
Petunia (double)	Double Wave Pink		25	125	25	175	4/23	Vigorous, open center / Flowered strong from late June to mid-July. Moderate flowering from late July through August. Strong flowering from September to first frost.	
Petunia (double)	Double Wave Purple		34	119	34	178	4/23	Small flowers, bright color, vigorous / Moderate flowering all season.	
Petunia (double)	Double Wave Rose		17	110	19	180	4/20	Small flowers, vigorous / Flowered strong from September to first frost.	
Petunia (double)	Double Wave White		27	107	33	168	4/20	Many flowers, open center / Flowered strong from September to first frost.	
Petunia (mini spreading)	Douptini Dark Pink		33	97	33	147	6/12	Semi-double flower, vigorous / Flowered strong from early July to mid-September.	
Petunia (mini spreading)	Douptini Jolly Pink		25	93	25	178	6/30	Semi-double flower, leggy / Flowered strong from early August to late August.	
Petunia (mini spreading)	Littletonia Breezy Pink	New	29	116	29	156	6/12	Vigorous, good flower coverage / Flowered strong from early July to the end of the season.	

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Petunia (mini spreading)	Littletonia Pink		26	106	27	155	6/12	Vigorous, good flower coverage / Flowered strong all season.
Petunia (mini spreading)	Littletonia Purple		18	85	25	145	6/8	Good flower coverage, vigorous / Flowered strong all season.
Petunia (mini spreading)	Littletonia Red	New	29	115	43	137	6/10	Vigorous, good flower coverage / Flowered strong from mid-July to the end of the season.
Petunia (mini spreading)	Littletonia Red Star	New	25	93	34	112	6/8	Excellent flower coverage, uniform / Flowered strong from mid-July to the end of the season.
Petunia (mini spreading)	Littletonia Rose		30	109	34	140	6/8	Poor uniformity, great color / Flowered strong from mid-July to the end of the season.
Petunia (mini spreading)	Littletonia Sweet Pink	New	32	105	36	168	6/8	Unique lobed flower, good flower coverage / Flowered strong all season.
Petunia (mini spreading)	Littletonia Violet		20	83	27	152	6/12	Open center, good flower coverage / Flowered strong from early July to the end of the season.
Petunia (mini spreading)	Mini Me Baby Pink		24	89	24	95	4/29	Poor uniformity, good flower coverage / Flowered strong all season.
Petunia (mini spreading)	Mini Me Blue		17	95	20	112	4/29	Open center, good flower coverage / Flowered strong from early July to the end of the season.
Petunia (mini spreading)	Mini Me Lilac Vein		24	89	24	109	5/5	Open center, many flowers / Flowered strong all season.
Petunia (mini spreading)	Mini Me Mix		23	105	30	118		Struggling / Flowered strong from mid-July to mid-August.
Petunia (mini spreading)	Mini Me Pink Star		24	95	25	100	4/29	Poor uniformity, lobed flower / Flowered strong all season.
Petunia (mini spreading)	Mini Me Pink Velvet		17	65	18	70	5/5	Poor vigor, few flowers / Flowered strong from mid-July to mid-August.
Petunia (mini spreading)	Mini Me Purple		20	123	24	142	5/5	Poor uniformity, open center / Flowered strong all season.
Petunia (mini spreading)	Mini Me Purple Dark Eye		23	72	27	86	4/29	Early decline, dark color / Flowered strong from early July to the end of the season.
Petunia (mini spreading)	Mini Me Red		18	85	23	86	5/5	Poor uniformity, many flowers / Flowered strong from mid-July to the end of the season.
Petunia (mini spreading)	Mini Me White		20	93	22	97	4/29	Uniform, some flower under foliage / Flowered strong all season.
Petunia (mini spreading)	Petitunia Crystal Violet Dream	New	29	110	29	142	6/12	Vigorous, faded flowers make attractive two tone color / Flowered strong from early July to the end of the season.
Petunia (mini spreading)	Petitunia Deep Blue Dream	New	24	90	25	141	6/3	Flowers fade, many flowers / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Petunia (mini spreading)	Petitunia Grape Dream	New	27	93	36	137	6/3	Poor uniformity, vigorous, bright color / Flowered strong all season.
Petunia (mini spreading)	Petitunia Misty Rose Dream	New	44	80	46	157	6/3	Leggy, great flower coverage / Flowered strong all season.
Petunia (mini spreading)	Petitunia Red Dream	New	33	98	34	112	6/5	Large flowers, deep red color / Flowered strong all season.
Petunia (mini spreading)	Whispers Blue		29	120	36	170	4/30	Large flowers, uniform / Flowered strong from late July to the end of the season.
Petunia (mini spreading)	Whispers Bright Pink		20	65	21	77	4/29	Compact, good flower coverage / Flowered strong from early July to mid-August.
Petunia (mini spreading)	Whispers Scarlet		33	90	34	117	4/25	Large flowers, poor uniformity / Flowered strong from mid-July to the end of the season.
Petunia (spreading)	Cascadias Bicolor Cabernet	New	29	107	37	170	6/5	Vigorous, leggy, unstable color / Flowered strong all season.
Petunia (spreading)	Cascadias Grape	New	38	137	41	146	6/10	Small flowers, very vigorous, many flowers / Flowered strong from mid-July to the end of the season.
Petunia (spreading)	Cascadias Imperial Blue	New	28	93	28	114	6/5	Flowering fades late, small flower size, vigorous trailer / Flowered strong all season.
Petunia (spreading)	Cascadias Plum	New	37	98	39	99	6/3	Dark color doesn't fade / Flowered strong from mid-June to mid-August.
Petunia (spreading)	Cascadias Rim Violet	New	34	100	34	122	6/8	Vigorous, many flowers, color unstable / Flowered strong from early July to the end of the season.
Petunia (spreading)	Cascadias White Magic	New	26	95	34	160	6/5	Vigorous, open center, old flowers detract / Flowered strong all season.
Petunia (spreading)	Fame Dark Pink Morn		32	83	38	99	5/5	Leggy, open in the center, bright color / Flowered strong from early July to mid-August.
Petunia (spreading)	Fame Sky Blue		37	91	38	112	5/5	Vigorous, open center, many flowers / Flowered strong all season.
Petunia (spreading)	Fame Vanilla		23	61	-	-	5/14	Poor vigor, chlorotic, small flowers / Flowered strong from early July to late July. Moderate flowering in August. Flowered strong from September to first frost.
Petunia (spreading)	Famous Blue Velvet Evol.		29	83	29	130	5/8	Many flowers, color fades, very aromatic / Flowered strong from early July to the end of the season.
Petunia (spreading)	Famous Lilac Picotee	New	34	100	38	155	5/5	Vigorous, very faint picotee color / Flowered strong all season.
Petunia (spreading)	Famous Rose Star		27	113	33	117	4/20	Leggy, large flower size / Flowered strong all season.
Petunia (spreading)	Fortunia Blue Imp.		21	78	22	103	4/20	Poor uniformity, color fades, small flower size / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Petunia (spreading)	Fortunia Burgundy		24	93	30	97	4/20	Open center, very dark color, doesn't fade / Flowered strong from mid-July to the end of the season.
Petunia (spreading)	Fortunia Burgundy Picotee		23	91	24	97	4/22	Low vigor / Flowered strong from mid-June to mid-August.
Petunia (spreading)	Fortunia Dark Purple		20	79	25	89	4/20	Vigorous, flowers fade / Flowered strong all season.
Petunia (spreading)	Fortunia Hot Pink		20	97	20	102	4/23	Large flowers, open center, great color / Flowered strong from mid-June to mid-August.
Petunia (spreading)	Fortunia Mini Lilac		22	82	30	117	4/20	Small flower size, chlorotic, poor uniformity / Flowered strong from mid-July to the end of the season.
Petunia (spreading)	Fortunia Mix		29	85	30	114		Leggy, not much color / Flowered strong from mid-July to mid-August.
Petunia (spreading)	Fortunia Pink		27	84	28	88	4/19	Many flowers, poor uniformity / Flowered strong from early July to the end of the season.
Petunia (spreading)	Fortunia Pink Vein		26	65	29	132	4/20	Vigorous trailer, opens in middle / Flowered strong from mid-July to the end of the season.
Petunia (spreading)	Fortunia Purple Picotee		30	60	39	132	4/29	Very vigorous, open center, holds picotee well / Flowered strong all season.
Petunia (spreading)	Fortunia Red		32	70	36	99	4/25	Deep red color, small flower size, poor uniformity / Flowered strong from mid-July to mid-August.
Petunia (spreading)	Fortunia White		22	77	30	155	4/20	Open in center, covered in flowers, vigorous / Flowered strong from mid-July to the end of the season.
Petunia (spreading)	Fortunia Yellow		31	101	31	114	4/20	Small flower size, light green foliage / Flowered strong all season.
Petunia (spreading)	Garden Leader Tailing Logro Yellow		30	97	39	140	6/5	Vigorous, large flower size, open center / Flowered strong from mid-July to the end of the season.
Petunia (spreading)	Jamboree Lavender II		20	77	20	89	4/25	Low vigor, chlorotic, few flowers, has problems / Flowered strong from mid-June to mid-August.
Petunia (spreading)	Potunia Deep Purple Imp.		26	84	28	91	4/10	Flower color fades / Flowered strong all season.
Petunia (spreading)	Potunia Lobster	New	19	63	21	81	4/10	Very compact, many flowers, dark foliage / Flowered strong all season.
Petunia (spreading)	Potunia Neon		25	79	25	86	4/10	Compact, good contrast / Flowered strong from mid-July to mid-August.
Petunia (spreading)	Potunia Pink		23	88	28	89	4/10	Open in center, covered in flowers, vigorous / Flowered strong all season.
Petunia (spreading)	Potunia Plus Fire	New	32	83	33	86	4/29	Dark red, poor uniformity / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Petunia (spreading)	Potunia Red		25	84	33	91	4/10	Compact, many flowers / Flowered strong from mid-June to mid-August.
Petunia (spreading)	Ray Candy Pink	New	34	119	37	123	6/8	Hot color, open in center, vigorous / Flowered strong from mid-June to mid-August.
Petunia (spreading)	Ray Purple	New	31	102	33	105	6/5	Large flowers, open center / Flowered strong all season.
Petunia (spreading)	Ray Purple Vein	New	31	103	41	117	6/3	Vigorous, many flowers, some mildew late / Flowered strong all season.
Petunia (spreading)	Ray Red	New	29	63	41	104	6/3	Vigorous, huge flowers, some mildew late / Flowered strong all season.
Petunia (spreading)	Ray White		32	117	33	168	6/3	Huge flower, vigorous, excellent flower coverage / Flowered strong all season.
Petunia (spreading)	Sanguna Electric Burgundy		29	95	30	97	4/30	Leggy / Flowered strong from mid-July to the end of the season.
Petunia (spreading)	Sanguna Lavender Vein		18	104	37	178	4/27	Very vigorous, poor uniformity / Flowered strong all season.
Petunia (spreading)	Sanguna Red	New	18	83	25	117	4/27	Deep red color, large flowers, open center / Flowered strong from mid-July to mid-August.
Petunia (spreading)	Sanguna Vanilla	New	29	101	33	163	4/27	Vigorous, filled in center, large flowers, outstanding / Flowered strong from early July to the end of the season.
Petunia (spreading)	Soprano Red	New	57	141	58	152	6/5	Purple color, leggy, mildew late / Flowered strong from late July to the end of the season.
Petunia (spreading)	Soprano Rose	New	40	126	41	127	6/5	Leggy, some mildew late, small flowers / Flowered strong from late July to mid-August.
Petunia (spreading)	Soprano Rose Pink	New	39	120	51	124	6/5	Leggy, open in center / Flowered strong from mid-July to the end of the season.
Petunia (spreading)	Soprano Salmon Pink	New	51	124	56	128	6/5	Very leggy, mildew late, small flowers / Flowered strong from late July to the end of the season.
Petunia (spreading)	Suncatcher Pink Vein		29	138	32	144	5/6	Vigorous, open center / Flowered strong from early July to mid-August.
Petunia (spreading)	Suncatcher White		29	88	30	152	5/5	Poor uniformity, early decline / Flowered strong from mid-July to mid-August.
Petunia (spreading)	Sunray (Yellow)		29	112	29	132	6/5	Bright color, goes downhill early / Flowered strong from early July to the end of the season.
Petunia (spreading)	Surfinia Patio Chiffon		18	109	20	116	4/16	Small flowers, uniform / Flowered strong all season.
Petunia (spreading)	Surfinia Patio Coral Pink		27	115	33	117	4/30	Vigorous, small flowers / Flowered strong all season.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Petunia (spreading)	Surfinia Patio Hot Pink		30	86	30	95	4/16	Very small flowers, many flowers / Flowered strong all season.
Petunia (spreading)	Surfinia Patio Lemon		20	82	23	122	5/2	Small flowers, many flowers, filled in center / Flowered strong all season.
Petunia (spreading)	Sweetunia Safari	New	33	86	34	132	4/10	Unique color, open center, color unstable / Flowered strong all season.
Petunia hybrid	Supercal Mix		32	97	39	114		Leggy, poor uniformity / Flowered strong from mid-July to mid-August.
Petunia hybrid	Supercal Neon Rose		30	105	32	117	5/8	Poor uniformity / Flowered strong from late June to mid-August.
Petunia hybrid	Supercal Purple		31	106	32	118	5/8	Leggy, few flowers / Flowered strong from early July to mid-August.
Petunia hybrid	Supercal Terra Cotta		37	113	37	121	5/5	Leggy, unique orange color / Flowered strong all season.
Petunia hybrid	Supercal Velvet		26	98	29	122	5/5	Leggy, few flowers / Flowered strong from early July to mid-August.
Ptilotus	Joey	New	37	53	51	84	6/5	Unique flower form and appearance / Flowered strong from mid-July to first frost.
Purslane (Portulaca)	Pizazz Pink Glow	New	31	90	31	102	6/30	Vigorous, uniform / Moderate flowering all season.
Purslane (Portulaca)	Pizazz Salmon Glow	New	33	86	34	97	6/26	Vigorous, uniform, many small flowers / Moderate flowering all season.
Purslane (Portulaca)	Pizazz Ultra Pink	New	36	87	37	91	6/30	Vigorous, uniform / Moderate flowering all season.
Purslane (Portulaca)	Pizazz Vivid Yellow	New	29	79	30	89	6/30	Open center, poor uniformity / Moderate flowering all season.
Purslane (Portulaca)	Toucan Fuchsia	New	22	82	23	84	6/30	Few flowers, uniform / Moderate flowering all season.
Purslane (Portulaca)	Toucan Scarlet Shades	New	23	95	24	97		Few flowers, uniform, needs sun / Moderate flowering all season.
Purslane (Portulaca)	Toucan Yellow	New	23	80	24	84	6/30	Poor uniformity / Moderate flowering all season.
Salvia farinacea	Garden Leader Fahrenheit Violet		58	117	72	120	6/5	Has slight lodging / Flowered strong from mid-July to mid-September.
Salvia nemerosa	Sallyrosa Blue	New	46	109	60	112	6/12	Vigorous plant, many flowers, uniform / Flowered strong from early July to early September.
Sanvitalia	Sundance Yellow 08		27	82	28	91	4/15	Excellent contrast, good foliage color / Flowered strong from late June to early September.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Sanvitalia	Tsavo Golden Yellow Evol.	New	27	64	30	76	5/26	Good flower coverage / Flowered strong from early July to early September.
Scaevola	Bombay Blue		30	128	38	131	4/20	Large flowers / Flowered strong from early August to the end of the season.
Scaevola	Bombay Lavender	New	34	93	36	104	4/20	Many flowers / Flowered strong from early August to the end of the season.
Scaevola	Bombay Pink		29	82	33	86	4/20	Open center / Flowered strong from mid-August until the end of the season.
Scaevola	Bombay White	New	35	120	36	130	4/22	Many small flowers / Flowered strong from mid-August until the end of the season.
Scaevola	Fairy Violet	New	34	119	35	126	4/16	Leggy, many flowers / Flowered strong from late July until the end of the season.
Scaevola	Fairy White		36	114	37	123	5/14	Leggy, open center / Flowered strong from late July until the end of the season.
Scaevola	Surdiva Blue		27	79	33	97	4/21	Smaller flowers, good flower coverage, filled in center / Flowered strong from late July until the end of the season.
Scaevola	Surdiva Light Blue		22	92	36	97	5/2	Filled in center, good foliage / Flowered strong from late July until the end of the season.
Scaevola	Surdiva White		38	100	38	107	4/30	Small flowers, not showy / Flowered strong from late July until the end of the season.
Sedum	Fine Gold Leaf	New	11	31	17	55		Not much gold leaf color / Primarily grown for foliage.
Sedum album	Athoum	New	9	52	17	66		Not to showy but nice foliage / Primarily grown for foliage, but there were some flowers throughout the season.
Sedum lineare	Sea Urchin	New	27	51	28	74		Unique foliage plant / Primarily grown for foliage.
Sedum makinoii	Salsa Verde	New	23	58	23	69		Never flowered but nice foliage / Primarily grown for foliage.
Snapdragon	Sultan Light Pink		28	59	29	61	4/30	Low vigor, few flowers / Moderate flowering all season, except for September when it flowered strong until the first frost.
Snapdragon	Sultan Red & Yellow		29	70	30	76	5/2	Poor uniformity, few flowers / Moderate flowering all season, except for September when it flowered strong until the first frost.
Snapdragon	Sultan White		29	64	30	66	4/27	Poor uniformity, many flowers / Moderate flowering all season, except for September when it flowered strong until the first frost.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Snapdragon	Sultan Yellow		30	67	30	76	4/30	Good uniformity, many flowers late / Moderate flowering all season, except for September when it flowered strong until the first frost.
Torenia	Moon Amethyst	New	22	66	41	97	6/20	Vigorous, large flowers, outstanding, long bloom season / Flowered strong from early July until early September.
Torenia	Moon Golden Imp.	New	18	77	24	84	6/17	Excellent contrast, bright color, large flower / Flowered strong from mid-July until early September.
Torenia	Summer Wave Amethyst 09	New	23	71	32	76	4/20	Small flowers, compact / Flowered strong from late June until early September.
Torenia	Summer Wave Amethyst Ice		25	81	30	88	4/21	Small flowers, uniform / Flowered strong from late June until early September.
Torenia	Summer Wave Large Amethyst		29	80	38	91	4/18	Large flowers / Flowered strong from late June until early September.
Torenia	Summer Wave Large Blue		25	89	36	91	4/20	Poor flowering, open center / Flowered strong from early July until early September.
Torenia	Summer Wave Large Silver	New	27	84	43	94	5/5	Large flowers, vigorous / Flowered strong from early July until early September.
Torenia	Summer Wave Large Violet		15	58	38	86	4/18	Poor uniformity, leggy / Flowered strong from late June until early September.
Torenia	Summer Wave Silver	New	23	80	41	99	4/19	Vigorous, filled in / Flowered strong from late June until early September.
Torenia	Summer Wave Violet Ice		24	67	33	91	4/20	Vigorous, small flowers / Flowered strong from late June until early September.
Torenia	Torrie Blue	New	18	72	34	91	4/14	Vigorous, large flowers / Flowered strong from early July until early September.
Verbena (seed)	Garden Leader Rigida Rosa		19	79	69	117	6/5	Open center, excellent flower coverage, unique / Flowered strong from mid-July until the end to the season.
Verbena (spreading)	Aztec Magic Grape		23	72	25	84	4/20	Mildew, large flower size / Flowered strong from early July until mid-September.
Verbena (spreading)	Aztec Red Velvet		29	86	30	88	4/20	Leggy, bright color / Flowered strong from late June until late July.
Verbena (spreading)	Aztec Violet		20	93	23	84	4/25	Open center / Flowered strong from late June until mid-July.
Verbena (spreading)	Donalena Coral Pastels	New	32	107	32	91	6/3	Severe mildew, open center / Flowered strong from late June until mid-August.
Verbena (spreading)	Donalena Pink Heart		34	98	25	97	6/30	Leggy, mildew / Flowered strong from mid-July until mid-August.
Verbena (spreading)	Donalena Red Pepper Imp.		27	133	30	102	5/29	Mildew, few flowers / Flowered strong from late June until mid-July.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Verbena (spreading)	Empress Burgundy		31	86	25	81	5/8	Mildew, large flowers / Flowered strong from late June until mid-July.
Verbena (spreading)	Empress Dark Red		34	117	36	123	5/5	Open center, large flowers, bright color / Moderate flowering all season.
Verbena (spreading)	Empress Purple Imp.		31	93	34	97	5/8	Mildew, large flower size / Flowered strong from mid-July until mid-August.
Verbena (spreading)	Empress Strawberry		37	108	41	110	5/12	Leggy, color fades / Moderate flowering all season.
Verbena (spreading)	Empress Strawberry Charme	New	37	110	19	81	5/8	Low vigor, mildew / Flowered strong from early July until late July.
Verbena (spreading)	Empress Violet Imp.	New	36	100	30	102	5/8	Mildew, leggy / Flowered strong from late June until mid-July.
Verbena (spreading)	Empress White		31	109	24	91	5/8	Severe mildew, large flowers / Flowered strong from early July until early August.
Verbena (spreading)	Escapade Pink		17	113	30	104	4/25	Open center, large flowers / Flowered strong all season.
Verbena (spreading)	Fuego Bright Red	New	34	107	23	81	5/26	Open center, vivid red / Flowered strong from mid-July until late July.
Verbena (spreading)	Fuego Red Evol.	New	34	98	38	99	5/26	Leggy, mildew / Flowered strong from early July until late July.
Verbena (spreading)	Ipanema Silver		26	99	25	99	4/27	No late color, vigorous, small flowers / Flowered strong from early July until early August.
Verbena (spreading)	Lanai Blue 09	New	30	123	41	128	4/20	Many large flowers, vigorous / Flowered strong from late July until the end of the season.
Verbena (spreading)	Lanai Blush White		30	98	36	102	4/25	Mildew, open center / Flowered strong from late July until mid-August.
Verbena (spreading)	Lanai Bright Pink		20	118	28	109	4/27	Vigorous, small flower size, open center / Flowered strong from mid-July until late July.
Verbena (spreading)	Lanai Dark Red	New	34	95	36	99	4/27	Mildew, small flower size / Moderate flowering all season.
Verbena (spreading)	Lanai Lavender Star		33	103	37	104	4/30	Leggy, unique color / Flowered strong from early July until mid-August.
Verbena (spreading)	Lanai Magenta	New	30	91	25	97	4/26	Leggy, dark color / Moderate flowering all season.
Verbena (spreading)	Lanai Purple Star		22	90	25	97	4/27	Color unstable, open center / Flowered strong from early July until late July.
Verbena (spreading)	Lanai Red 07		28	115	28	121	4/20	Open center, small flowers / Flowered strong from mid-July to until early August.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Verbena (spreading)	Lascar Compact Burgundy	New	28	93	28	89	5/26	Open center / Flowered strong from late June until mid-July.
Verbena (spreading)	Lascar Compact Red	New	34	127	42	131	5/26	Open center, large bright colors / Flowered strong from late June until late July. Moderate flowering in August. Flowered strong again in September.
Verbena (spreading)	Lascar Compact Red + Eye	New	47	119	25	91	5/26	Poor uniformity / Flowered strong for a two week period in mid-July.
Verbena (spreading)	Lascar Dark Pink + Eye	New	34	82	38	99	5/26	Good flower coverage, good contrast, leggy / Flowered strong from late June until late July.
Verbena (spreading)	Magelena Carpet Burgundy		29	90	13	61	4/30	Low vigor, mildew, small flowers / Moderate flowering all season.
Verbena (spreading)	Magelena Carpet Lipstick		27	89	23	89	4/27	Mildew, small flower size / Moderate flowering all season.
Verbena (spreading)	Magelena Carpet Magic Purple		13	75	18	81	4/26	Mildew, small flower size / Flowered strong from early July until mid-August.
Verbena (spreading)	Magelena Carpet Midnight Blue		14	69	18	71	4/25	Mildew, small flower size, uniform / Flowered strong from mid-July until mid-August.
Verbena (spreading)	Magelena Carpet Midnight Purple		15	76	19	77	4/27	Small flower size / Flowered strong from late June until mid-August.
Verbena (spreading)	Magelena Carpet Scarlet		22	113	22	86	6/30	Mildew, very few flowers / Moderate flowering all season.
Verbena (spreading)	Rapunzel Hot Rose		20	81	24	89	4/30	Mildew, small flower size / Flowered strong from late June until early August.
Verbena (spreading)	Rapunzel Lilac		19	90	22	91	4/20	Excellent flower coverage, late / Flowered strong from early July until mid-September.
Verbena (spreading)	Rapunzel Magenta	New	11	81	27	97	4/25	Open center, mildew / Moderate flowering all season.
Verbena (spreading)	Rapunzel Red		34	77	38	89	4/14	Mildew, good coverage late / Flowered strong from mid-July until late July.
Verbena (spreading)	Rapunzel Violet		19	81	19	86	4/26	Mildew, low vigor / Flowered strong from late June until mid-July.
Verbena (spreading)	Tapien Plum Frost		36	80	37	100	4/21	Open center, good flower coverage / Flowered strong from June until late July.
Verbena (spreading)	Tapien Purple		22	83	25	86	4/18	Small flower size, good flower coverage / Flowered strong from late June until late July. Moderate flowering in August. Flowered strong again in September.
Verbena (spreading)	Temari Blue	New	38	116	41	118	4/21	Large flowers, mildew / Flowered strong from mid-June until late July.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Verbena (spreading)	Temari Patio Blue		29	101	46	104	4/30	Leggy, open center, few flowers / Flowered strong from late July until mid-August.
Verbena (spreading)	Temari Patio Hot Pink		32	95	51	117	5/5	Leggy, open center / Flowered strong from mid-July until mid-August.
Verbena (spreading)	Temari Patio Red		37	107	37	113	5/2	Leggy, open center, small flower size / Flowered strong from mid-June until mid-July.
Verbena (spreading)	Temari Patio Rose		42	94	36	97	4/30	Poor uniformity, good contrast / Flowered strong from mid-July until late July.
Verbena (spreading)	Temari Patio White		36	105	46	97	5/2	Leggy, open center / Flowered strong from early July until mid-August.
Verbena (spreading)	Tukana Scarlet Star		34	122	28	86	4/10	Mildew, small flower size / Flowered strong from late June until mid-July.
Verbena (spreading)	Twinkle Dark Pink	New	27	93	27	91	6/3	Severe mildew / Flowered strong from late June until early August.
Verbena (spreading)	Twinkle Dark Purple	New	25	74	30	84	6/6	Mildew, few flowers / Flowered strong from late June until mid-August.
Verbena (spreading)	Veralena Blueberry	New	33	85	37	102	6/3	No mildew, vigorous, great flower coverage / Flowered strong from late June until late July. Moderate flowering in August. Flowered strong again in September.
Verbena (spreading)	Veralena Elegant White	New	21	91	23	104	6/5	Good flower coverage, small flowers / Flowered strong all season.
Verbena (spreading)	Veralena Fancy Lavender	New	30	76	36	86	6/3	Open center, excellent late / Flowered strong from late June until late July. Moderate flowering in August. Flowered strong again in September.
Verbena (spreading)	Veralena Violet		29	102	33	104	6/3	Small flowers, open center, mildew / Flowered strong from early July until late July.
Verbena (upright)	Lanai Upright Bright Rose	New	33	86	38	91	4/20	Excellent uniformity, fading flowers attract / Flowered strong from early July to late July, then moderate flowering in August. Flowered strong again in September to the end of the season.
Verbena (upright)	Lanai Upright Magenta		36	65	38	71	4/14	Compact, flowers fade / Flowered strong from June until late July.
Verbena (upright)	Lanai Upright Violet		23	61	23	69	4/20	Compact, flowers fade / Flowered strong from early July until the end of the season.
Vinca (trailing)	Mediterranean Hot Rose XP	New	19	60	20	91	6/5	Looks average / Flowered strong from mid-July to mid-August.
Vinca (trailing)	Mediterranean Peach XP	New	18	69	19	107	6/5	Looks ok overall / Flowered strong from mid-July to mid-August.
Vinca (trailing)	Mediterranean Red XP	New	24	66	25	86	6/5	Declining looks poor / Flowered strong from mid-July to mid-August.

*All measurements in cm.

**New for the 2008 season.

Size Data, End-of-Season Comments and Flowering Data for Varieties Grown in Containers

Genus	Cultivar	New**	7/30H*	7/30W*	9/9H*	9/9W*	First Bloom	Comments mid-September by Coordinator and Research Associate /
								Summarized Flowering Data for Entire Season
Vinca (trailing)	Mediterranean White XP	New	19	58	20	84	6/5	Starting to decline / Flowered strong from early August to mid-August.
Vinca (trailing)	Nirvana Cascade Lavender w/ Eye		19	75	20	81	4/19	Running low on energy / Flowered strong from mid-July to mid-August.
Vinca (trailing)	Nirvana Cascade Pink Blush	New	23	81	24	85	4/16	Starting to decline / Flowered strong from late June to mid-August.
Vinca (trailing)	Nirvana Cascade Pink Splash		25	74	27	75	4/19	Starting to decline / Flowered strong from mid-July to mid-August.
Vinca (trailing)	Nirvana Cascade Rose		15	88	19	94	4/20	Still looks strong in late September / Flowered strong from late June to mid-August.
Zinnia	Solcito		23	68	51	104	7/7	Many small flowers, late / Flowered strong from mid-August until the end of the season.

*All measurements in cm.

**New for the 2008 season.