

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Achillea	Gypsy White		31	35	41	55	1.8	Vigorous, uniform plants with nice mounding habit / Flowered strong all season except in September.
Agastache	Golden Jubilee		51	32	74	53	12.8	90% of flowers are spent and have faded to tan, vigorous but non-uniform plants / Flowering data not collected on plants in the All-America Selection program.
Ageratum	Artist Rose		22	30	22	30	3.7	Uniform plants with many flowers but 60% are spent blooms, plants in decline / Flowered strong all season except in September.
Ageratum	Patina Blue	New	26	28	31	28	3.6	Vigorous plants with many flowers, still looks good for September / Flowered strong all season.
Ageratum	Patina Burgundy	New	21	27	32	31	3.6	Vigorous, uniform plants with many flowers but many spent blooms detract, plants in decline / Flowered strong all season except in September.
Ageratum	Patina Delft	New	31	28	34	32	4.0	Vigorous plants with many flowers, still looks good for September / Flowered strong all season.
Alternanthera	Royal Tapestry	New	10	32	35	65	0.3	Vigorous plants with excellent dark foliage, becoming open in the center / Primarily grown for foliage.
Angelonia	Alonia Dark Blue		27	27	50	36	19.6	40% dead but flowering still very strong on live plants / Flowered strong all season.
Angelonia	Alonia Pastel Pink		25	29	38	35	19.0	50% dead, poor overall appearance / Flowered strong from late June through mid August, then few to moderate until frost.
Angelonia	Alonia Pink		24	25	26	29	17.6	Small compact plants with few flowers and uniform growth habit / Flowered strong from late June through mid August, then moderate until frost.
Angelonia	Alonia White		21	23	41	31	15.5	Few flowers, all but two dead / Flowered strong from late June through early September
Angelonia	Angelface Blue		26	29	59	33	30.0	Vigorous plants with few flowers, all still healthy looking / Flowered strong all season except in September.
Angelonia	Angelface Dresden Blue		35	21	54	32	35.0	Non-uniform plants with poor overall appearance, 40% dead / Flowered strong all season except in September.
Angelonia	Angelface Wedgwood Blue		41	17	60	34	34.4	Non-uniform plants with poor overall appearance, 30% dead / Flowered strong all season except in September.
Angelonia	Angelface White Imp.	New	54	25	54	35	45.6	Vigorous plants with many large flowers, starting to decline / Flowered strong all season.
Angelonia	AngelMist Dark Pink		38	26	48	37	22.2	Vigorous plants with average flowering / Flowered strong until mid August, then moderate until frost.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Angelonia	AngelMist Dark Rose		34	26	61	30	23.6	80% dead, poor overall appearance, becoming chlorotic / Flowered strong all season except in September.
Angelonia	AngelMist Deep Plum Imp.		40	33	61	43	24.0	Non-uniform plants with many flowers, 30% dead / Flowered strong all season except in late September.
Angelonia	AngelMist Lavender Bicolor	New	37	25	48	43	21.0	80% dead, poor overall appearance, becoming chlorotic / Flowered strong until early August, went out of bloom, then moderate until frost.
Angelonia	AngelMist Lavender Stripe		32	33	58	37	19.2	80% dead, poor overall appearance / Flowered strong until early August, went out of bloom, then moderate until frost.
Angelonia	AngelMist Purple Imp.		31	24	39	31	17.6	Mildly chlorotic plants with below average flowering / Flowered strong until early August, then few to none the rest of the season.
Angelonia	AngelMist Purple Stripe		50	40	72	33	37.2	Vigorous plants with many flowers, a few plants have only white blooms / Flowered strong all season.
Angelonia	AngelMist Spreading Pink		14	28	20	37	16.8	70% dead, poor overall appearance / Flowered strong until early August, then few to none the rest of the season.
Angelonia	AngelMist Spreading Purple		22	28	37	36	17.2	Vigorous, uniform plants with few flowers, tight mounding growth habit with full/healthy foliage and no death / Flowered strong all season except in September.
Angelonia	AngelMist Spreading White Imp.	New	20	27	20	33	16.8	Few flowers, all but one dead / Flowered strong all season except in September.
Angelonia	AngelMist White Cloud		27	26	60	39	24.4	Vigorous plants made a full and uniform row, some dieback / Flowered strong all season except in September.
Angelonia	Carita Deep Pink		37	39	55	39	27.2	Vigorous, non-uniform plants with many flowers, but poor overall appearance / Flowered strong all season except for one week in the middle of August and in late September.
Angelonia	Carita Lavender		41	31	65	37	25.2	Vigorous plants with large flowers, 10% dead / Flowered strong all season except in September.
Angelonia	Serena White		17	19	39	35	17.6	Excellent growth habit and plant vigor, fills-in row uniformly, many flowers / Flowered strong all season until mid September.
Argyranthemum	Angelic Lemon		31	26	31	26	3.2	Low plant vigor, only a few plants with lots of flowers / Flowered strong through the end of July, went out of bloom, then few to moderate in September.
Argyranthemum	Angelic Pink Imp.		36	28	36	29	3.3	Non-uniform plants with few flowers, some new buds, 50% of plants in decline / Flowered strong from late June until late July, went out of bloom, then few to moderate in September.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Argyranthemum	Angelic White		33	30	33	34	2.8	Few flowers but several new buds, healthy foliage, several spent blooms persisting / Flowered strong all season except from mid August to early September.
Argyranthemum	Comet Pink		44	33	48	43	3.4	Few flowers but many new buds forming, 20% of plants are dead / Flowered strong until late July, went out of bloom, then few to moderate in September.
Argyranthemum	Madeira Crested Primrose		34	34	42	37	3.2	Vigorous plants with many flowers and uniform mounding growth habit, self-cleaning, healthiest looking Argyranthemum / Flowered strong all season except in August.
Argyranthemum	Madeira Frosted Pink	New	46	30	49	37	3.3	Vigorous, uniform plants with many flowers, a few plants are chlorotic, only one dead, looks decent for September / Flowered strong all season except in August.
Argyranthemum	Meteorite		32	30	40	32	2.9	Vigorous plants with many flowers, only one dead, healthy looking plants / Flowered strong all season except in August.
Argyranthemum	Sassy White		36	33	36	35	3.2	Uniform plants with few flowers, several new buds, 80% of plants look very poor, some chlorosis / Flowered strong until late July, went out of bloom, then few to moderate in September.
Argyranthemum	Shere Maggy Pastel Yellow		54	38	54	39	2.6	Non-uniform plants with few flowers but many new buds, only a few dead plants / Flowered strong until late July, went out of bloom, then few to moderate in September.
Argyranthemum	Shere Maggy Primrose Anemone	New	51	40	51	42	3.9	Many flowers, came back well fairly well, only a few dead plants / Flowered strong all season except in August.
Argyranthemum	Sole Mio		46	31	46	38	2.8	Most of row in poor condition with only a few still flowering well / Flowered strong until mid July, went out of bloom, then few to moderate in September.
Argyranthemum	Summersong Lavender		43	30	46	33	3.2	Non-uniform plants with almost no flowers, distinct patches of yellow foliage / Flowered strong until late July, went out of bloom, then few to none in September.
Argyranthemum	Summersong Rose		36	28	48	33	3.6	Average flowering, 50% of plants dead / Flowered strong until early August, went out of bloom, then moderate in September.
Argyranthemum	Sunlight		61	39	61	45	3.8	Vigorous, uniform plants with many flowers, 30% of row in decline / Flowered strong all season.
Argyranthemum	Vanilla Butterfly		47	34	47	38	4.6	Almost no flowers, covered in spent blooms, looks mostly dead / Flowered strong until mid August, went out of bloom, then moderate in late September.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Asteriscus	Aurelia Gold		18	28	25	33	3.7	Vigorous plants with excellent uniformity throughout row / Flowered strong all season.
Bacopa	Cloud 9 Hot White		12	25	17	27	1.7	Vigorous plants but almost no flowers, full foliage / Flowered strong until mid July, went out of bloom, was strong again in mid August to early September, then out of bloom again.
Bacopa	Gulliver Lilac		18	41	22	41	1.8	Vigorous plants but only a few with many flowers / Flowered strong until mid July, went out of bloom, was strong again in mid August to early September, then out of bloom again.
Bacopa	Gulliver Snow		11	32	18	33	2.0	Vigorous plants with few flowers / Flowered strong until mid July, went out of bloom, was strong again in mid August to early September, then out of bloom again.
Bacopa	Gulliver White		11	34	20	34	2.1	Vigorous plants with average flowering / Flowered strong until mid July, went out of bloom, was strong again in mid August to early September, then out of bloom again.
Bacopa	Scopia Great Pink Imp.		19	34	17	34	1.7	Vigorous plants with few flowers / Flowered strong until mid July, went out of bloom, was strong again in mid August to early September, then out of bloom again.
Bacopa	Scopia Great Pink Ring		18	35	20	36	1.9	Vigorous plants with few flowers, a couple plants dead / Flowered strong until mid July, went out of bloom, was strong again in mid August to early September, then out of bloom again.
Begonia	Bada Bing Mixture	New	7	12	24	24	mix	Vigorous, uniform plants with many flowers / Flowered strong all season.
Begonia	Bada Bing Pink	New	11	13	25	27	3.7	Vigorous, uniform plants with many flowers / Flowered strong all season.
Begonia	Bada Bing Rose	New	16	14	25	25	3.7	Vigorous, uniform plants with many flowers / Flowered strong all season.
Begonia	Bada Bing Scarlet	New	7	7	23	25	3.0	Non-uniform plants, many flowers / Flowered strong all season.
Begonia	Bada Boom Mixture		13	15	30	25	mix	Vigorous plants with many flowers / Flowered strong all season.
Begonia	Bada Boom White	New	14	14	23	27	3.0	Vigorous, uniform plants with many flowers / Flowered strong all season.
Begonia	Braveheart Rose Bicolor		19	16	32	34	3.4	Vigorous, uniform plants with many flowers / Flowered strong all season.
Begonia	Dragon Wing Red		24	28	38	38	3.4	Vigorous, uniform plants / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Begonia	Emperor Pink		15	17	25	29	4.1	Vigorous, uniform plants with many flowers / Flowered strong all season.
Begonia	Emperor Red		14	15	23	27	3.5	Vigorous plants with many flowers / Flowered strong all season.
Begonia	Emperor Rose		12	14	23	26	3.9	Vigorous plants with moderate flowering / Flowered strong all season.
Begonia	Emperor Soft Pink		13	14	22	23	3.9	Small plants with many flowers / Flowered strong all season.
Begonia	Emperor White		11	11	20	20	3.8	Small uniform plants with many flowers / Flowered strong all season.
Begonia	Inferno Red		12	15	32	32	4.0	Vigorous, uniform plants with many flowers / Flowered strong all season.
Begonia	Nightlife Deep Rose Imp.	New	8	10	20	24	3.0	Vigorous, non-uniform plants with many flowers / Flowered strong all season.
Begonia	Nightlife Red		21	16	24	27	3.8	Many flowers / Flowered strong all season.
Begonia	Nightlife Rose		13	12	22	24	2.9	Vigorous plants with many flowers / Flowered strong all season.
Begonia	Nightlife White		11	13	32	33	3.8	Vigorous, non-uniform plants with many flowers / Flowered strong all season.
Begonia	Sprint Blush		16	14	28	29	3.7	Vigorous, uniform plants with many flowers / Flowered strong all season.
Begonia	Sprint Rose		19	17	33	29	4.0	Vigorous, non-uniform plants with many flowers / Flowered strong all season.
Begonia	Sprint Scarlet		15	16	26	27	3.2	Vigorous, uniform plants with many flowers / Flowered strong all season.
Begonia boliviensis	Bellfire	New	55	41	59	63	2.9	Vigorous plants with many flowers, excellent overall / Flowered strong all season.
Begonia boliviensis	Bonfire		37	41	48	65	3.9	Vigorous, uniform plants with many flowers, unique and attractive texture from zig-zag branching / Flowered strong all season.
Begonia tuberhybrida	Nonstop Mocca Orange		26	22	32	40	8.5	Vigorous plants with many flowers / Flowered strong all season.
Begonia tuberhybrida	Nonstop Mocca Scarlet		16	20	30	49	9.5	Vigorous plants with few flowers / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Begonia tuberhybrida	Nonstop Mocca White		20	31	23	45	8.6	Non-uniform plants with few flowers / Flowered strong all season.
Begonia tuberhybrida	Nonstop Mocca Yellow		19	21	30	46	7.9	Vigorous, non-uniform plants with many flowers / Flowered strong all season.
Begonia tuberhybrida	Nonstop Pink Imp.	New	24	25	36	62	9.0	Vigorous plants with few flowers / Flowered strong all season.
Begonia tuberhybrida	Nonstop Yellow Imp.	New	14	20	27	43	8.2	Non-uniform plants with large flowers / Flowered strong all season.
Begonia tuberhybrida	Solenia Salmon Coral		26	28	37	40	7.0	Uniform, vigorous plants with many flowers, very impressive on 9/25 / Flowered strong all season.
Bidens	Radiant Globe Yellow	New	26	37	35	38	2.7	Significant dieback but still many flowers / Flowered strong until mid September then moderate until frost.
Brachycome	Brenda Violet		13	19	18	28	1.7	Plants formed tight compact globes, below average flowering / Flowered strong all season except from mid August to early September (moderate flowering).
Bracteantha	Strawburst Yellow	New	29	22	34	25	6.7	Non-uniform plants with many large blooms / Flowered strong all season.
Calibrachoa	Callie Coral Pink		13	27	13	33	2.2	Average overall appearance / Flowered strong all season.
Calibrachoa	Callie Dark Blue		14	30	17	33	2.7	Average overall appearance / Flowered strong all season.
Calibrachoa	Callie Deep Yellow		23	38	32	38	2.0	Tall mounding habit / Flowered strong all season.
Calibrachoa	Callie Purple `07		13	31	15	31	2.4	Average overall appearance / Flowered strong all season.
Calibrachoa	Callie Rose `06		13	31	21	37	2.3	Vigorous plants with many flowers / Flowered strong all season.
Calibrachoa	Colorful Expressions Blue		8	28	16	34	2.5	Vigorous plants with a large spread / Flowered strong all season.
Calibrachoa	Colorful Expressions Gold Rush		20	40	37	40	2.2	Tall mounding habit, significant dieback / Flowered strong all season.
Calibrachoa	Colorful Expressions Scarlet		18	37	33	39	2.1	Vigorous plants with a tall mounding habit and large spread / Flowered strong all season.
Calibrachoa	Colorful Expressions White		17	30	19	30	2.3	Average overall appearance / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Calibrachoa	Milky Way Light Blue Imp.		17	31	23	82	1.0	All dead now, but plants were large with a large spread / Flowered strong until mid September, then all plants died.
Calibrachoa	Million Bells Apricot	New	11	29	15	32	1.9	Average overall appearance / Flowered strong all season.
Calibrachoa	Million Bells Cherry Pink `08	New	15	26	30	36	2.8	Average overall appearance / Flowered strong all season.
Calibrachoa	Million Bells Peaches 'n Cream	New	13	20	19	31	2.2	Average overall appearance / Flowered strong all season.
Calibrachoa	Noa Amber Star		22	32	31	36	2.0	Average overall appearance / Flowered strong all season.
Calibrachoa	Noa Blue Legend		12	26	13	37	2.8	Average overall appearance / Flowered strong all season.
Calibrachoa	Noa Lemon		10	29	14	41	2.6	Average overall appearance / Flowered strong all season.
Calibrachoa	Noa Magenta		10	32	18	40	2.4	Average overall appearance / Flowered strong all season.
Calibrachoa	Noa Mango Eye		12	23	18	30	2.5	Average overall appearance / Flowered strong all season.
Calibrachoa	Noa Pink		16	24	22	36	2.3	Average overall appearance / Flowered strong all season.
Calibrachoa	Noa Ultimate Pink		8	25	26	38	2.0	Vigorous plants with many flowers / Flowered strong all season.
Calibrachoa	Noa Yellow		14	26	24	32	2.1	Average overall appearance / Flowered strong all season.
Calibrachoa	Noa Yellow Cream		13	30	20	35	2.7	Average overall appearance / Flowered strong all season.
Calitunia	Calitunia Purple		24	39	52	78	3.2	Vigorous plants with a large spread / Flowered strong all season.
Carnation	Can Can Scarlet		13	20	40	31	4.9	Vigorous, non-uniform plants with many flowers / Flowering data not collected on plants in the All-America Selection program.
Celosia	Fresh Look Gold		29	24	48	34	15.4	Vigorous plants with many flowers (soil was consistently too wet) / Flowered strong from late June through early September, then declined until frost.
Celosia	Fresh Look Gold		37	39	51	48	20.4	Color is mostly faded / Flowering data not collected on plants in the All-America Selection program.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Celosia	Fresh Look Orange		23	16	30	30	16.2	Many flowers with good color (soil was consistently too wet) / Flowered strong from late June through early September, then declined until frost.
Celosia	Fresh Look Red		27	23	46	34	19.2	Showy but half are diseased (soil was consistently too wet) / Flowered strong from late June through early September, then declined until frost.
Celosia	Fresh Look Red		34	28	55	35	19.1	Still looks good with some minor lodging / Flowering data not collected on plants in the All-America Selection program.
Celosia	Fresh Look Yellow		35	33	41	36	16.2	90% of flowers faded severely / Flowering data not collected on plants in the All-America Selection program.
Celosia	Smart Look Red	New	22	23	--	--	12.8	All dead (soil was consistently too wet) / Flowered strong from late June through late August, then all plants were dead.
Chrysocephalum	Flambe Orange		20	35	23	35	1.5	Appealing fine texture, many flowers / Flowered strong all season.
Chrysocephalum	Flambe Yellow		28	37	38	37	2.1	Many flowers, but poor overall because of significant dead foliage at base of all plants / Flowered strong all season.
Cleome	Senorita Rosalita		73	31	100	54	6.0	Vigorous plants with excellent blooming through entire season / Flowered strong all season.
Cleome	Sparkler Blush		33	29	99	48	10.8	Vigorous plants with excellent blooming through entire season / Came into bloom in mid July (from seed) and was strong through the end of the season.
Cleome	Spirit Appleblossom		78	35	106	50	9.7	Vigorous plants with excellent blooming through entire season / Flowered strong all season.
Coleus	Black Knight		58	30	80	46	no blooms	Huge, vigorous plants / Primarily grown for foliage.
Coleus	Chocolate Mint	New	29	26	90	42	12.3	Striking huge leaves all the way to the top of uniform plants, many flowers / Primarily grown for foliage effect, but produced many flowers mid August to early September.
Coleus	Coleosaurus Kiwi	New	36	19	68	29	no blooms	Average overall appearance / Primarily grown for foliage.
Coleus	Electric Lime	New	63	39	80	52	13.8	Vigorous, non-uniform plants with few flowers / Primarily grown for foliage effect, but produced some flowers throughout season.
Coleus	Sedona		59	41	106	57	31.2	A monstrous plant with unique foliage color and uniform habit, many flowers / Primarily grown for foliage effect, but produced many flowers from late July to mid September.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Coleus	Splish Splash	New	43	33	99	52	17.1	Huge plants with one of the most interesting color patterns of all Coleus in trial / Primarily grown for foliage effect, and produced only a few flowers throughout the season.
Coleus	Stained Glassworks Big Blond		80	36	112	60	31.2	Huge plants / Primarily grown for foliage effect, but produced many flowers July through September.
Coleus	Stained Glassworks Copper		41	26	59	34	no blooms	Vigorous, uniform plants with foliage that is more red than orange / Primarily grown for foliage.
Coleus	Stained Glassworks Daffy		52	29	74	41	11.3	Vigorous, non-uniform plants producing few flowers through season / Primarily grown for foliage.
Coleus	Stained Glassworks Molten Lava		61	39	68	52	no blooms	Lighter edges of foliage really stands out, vigorous but non-uniform plants / Primarily grown for foliage.
Coleus	Stained Glassworks Sawgrass		63	27	95	56	17.3	Vigorous, non-uniform plants with some reversion to solid green foliage / Primarily grown for foliage.
Coleus	Stained Glassworks Witch Doctor	New	52	29	66	42	no blooms	Small plants with unique leaf shape / Primarily grown for foliage.
Coleus	Twist N' Twirl		73	38	101	55	15.8	Huge plants with inconsistent foliage color pattern / Primarily grown for foliage.
Cosmos	Double & Semi Double Pink		75	36	77	60	6.9	Few flowers, significant mildew, in decline / Flowered strong all season.
Cosmos	Double Click		74	47	85	60	7.0	Remaining plants are showy but half the plants are gone / Flowered strong all season.
Cosmos	Limara Lemon	New	18	21	23	24	4.4	Small plants with low vigor but many flowers, one with aster yellows / Flowered strong all season.
Cosmos	Sensation Pinkie Pink		72	32	112	98	9.5	Vigorous plants with many flowers but some severe lodging / Flowered strong all season.
Crossandra	Orange Marmalade		16	17	33	33	5.6	Low vigor, non-uniform, unique flower, chlorotic, insects eating leaves, very susceptible to aphids / Flowered strong all season.
Cuphea	Rico Red	New	25	45	33	73	2.3	Vigorous plants with a large spread and excellent flowering / Flowered strong all season.
Cuphea	Totally Tempted	New	30	33	56	49	3.4	Non-uniform plants, 90% dead, plants had either all red flowers or all purple flowers / Flowered strong all season.
Delphinium	Summer Morning	New	18	14	26	14	3.7	Low vigor, few flowers, poor overall appearance / Flowered strong from early July through late August.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Dianthus	Auricula Mix		23	21	30	31	3.9	Showy / Flowered strong all season.
Dianthus	Corona Cherry Magic		17	24	23	30	6.1	Non-uniform plants with few flowers / Flowering data not collected on plants in the All-America Selection program.
Dianthus	Dulce Mixture	New	23	20	27	26	3.6	Vigorous plants with many flowers / Flowered strong all season.
Dianthus	Dulce White	New	19	17	26	26	3.7	Non-uniform with moderate flowering / Flowered strong all season.
Dianthus	Dulce White to Pink	New	28	21	34	34	3.5	Vigorous plants with moderate flowering / Flowered strong all season.
Dianthus	Elation Crimson		16	22	24	26	4.0	Small plants with few flowers / Flowered strong all season.
Dianthus	Elation Pink Bicolor		23	20	26	30	3.8	Vigorous, uniform plants with moderate flowering / Flowered strong all season.
Dianthus	Elation Red		27	24	28	28	3.5	Vigorous plants with few flowers / Flowered strong all season.
Dianthus	Elation Rose		24	21	27	30	3.2	Vigorous plants with moderate flowering / Flowered strong all season.
Dianthus	Elation Scarlet		22	21	28	28	3.4	Non-uniform with moderate flowering / Flowered strong all season.
Dianthus	Elation Violet		21	18	31	30	3.3	Average overall appearance / Flowered strong all season.
Dianthus	Elation White		21	18	28	27	3.4	Vigorous plants with moderate flowering / Flowered strong all season.
Dianthus	Fandango Crimson	New	39	17	43	41	4.6	Vigorous plants with few flowers / Flowered strong from late June through early September then moderate until frost.
Dianthus	Garden Spice Baby Pink		32	24	26	28	5.3	Uniform, smaller plants with few flowers / Flowered strong all season.
Dianthus	Garden Spice Coral		36	39	38	35	4.5	Vigorous plants with moderate flowering / Flowered strong from late June through end of season.
Dianthus	Garden Spice Fuchsia		33	28	31	30	5.2	Average plants with few flowers / Flowered strong most of the season, dipping some in mid August and also in late September.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Dianthus	Garden Spice Pink		32	25	32	30	4.7	Uniform plants with few flowers / Flowered strong most of the season, dipping some in mid August and also in late September.
Dianthus	Garden Spice Red		31	27	38	27	4.6	Vigorous plants with few flowers / Flowered strong most of the season, dipping some in mid August and also in late September.
Dianthus	Grace Double Crimson		18	20	35	34	5.2	Non-uniform with moderate flowering / Flowered strong from late June through end of season.
Dianthus	Ideal Violet		17	20	24	27	3.1	Non-uniform plants with few flowers / Flowering data not collected on plants in the All-America Selection program.
Dianthus	Supra Purple		31	33	33	33	5.6	Moderate flowering with no dieback / Flowering data not collected on plants in the All-America Selection program.
Dianthus	Supra Red		24	19	33	28	4.7	Healthy plants with moderate flowering, unique flower color / Flowered strong all season.
Diascia	Darla Deep Salmon		30	29	36	38	1.8	Average overall appearance / Flowered strong until late August, then was out of bloom by early September.
Diascia	Darla Light Pink		33	29	33	31	1.5	Average overall appearance / Flowered strong until late August, then was out of bloom by early September.
Diascia	Darla Rose `08	New	41	30	43	42	1.7	Vigorous plants with average flowering / Flowered strong until late August, then few to moderate until frost.
Diascia	Diamonte Coral Rose		23	34	31	41	1.2	Vigorous plants with moderate flowering / Flowering data not collected on plants in the All-America Selection program.
Euphorbia	Diamond Frost		33	31	52	47	1.8	Vigorous, non-uniform plants with many flowers, unique pillowy and delicate texture / Flowered strong all season.
Eustoma	Forever White		19	13	28	24	8.7	Poor overall appearance / Flowering data not collected on plants in the All-America Selection program.
Flowering Kale	Crane Pink	New	35	23	51	46	no blooms	Still has not deveded a good head / Primarily grown for foliage.
Flowering Kale	Crane Pink	New	23	15	56	24	no blooms	Lodging and little color / Primarily grown for foliage.
Flowering Kale	Kamone Pink	New	20	28	31	37	no blooms	Very little pink color / Primarily grown for foliage.
Flowering Kale	Kamone Pink	New	17	20	35	38	no blooms	Vigorous plants, not a lot of pink showing / Primarily grown for foliage.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Gaillardia	Sundance Bicolor		48	44	55	60	4.4	Moderate flowering, 1/3 of the plants in decline / Flowering data not collected on plants in the All-America Selection program.
Gaillardia aristata	Arizona Sun		26	25	32	36	7.0	Non-uniform plants with many flowers / Flowering data not collected on plants in the All-America Selection program.
Gaura	Geyser Pink		66	59	72	59	3.3	Vigorous plants with many flowers, looks decent despite mild aphid and flea beetle problems / Flowered strong all season until mid September.
Gaura	Geyser White		74	45	100	62	3.2	Vigorous plants with many flowers, looks decent despite mild aphid and flea beetle problems / Flowered strong all season until mid September.
Gazania	SunBathers Sunset	New	28	28	34	36	6.3	Vigorous plants with strong flowering throughout season / Flowered strong all season.
Geranium (Exotic)	Crystal Palace Gem		34	32	49	37	8.8	Vigorous, uniform plants with many flowers, unique foliage color, blooms held high above dense foliage / Flowered strong all season.
Geranium (Exotic)	Graffiti Double Red		36	26	42	31	6.4	Smaller uniform plants with many flowers / Flowered strong all season.
Geranium (Exotic)	Graffiti Double Salmon		31	34	37	34	7.9	Uniform plants with above average flowering / Flowered strong all season.
Geranium (Exotic)	Graffiti Fire		29	33	38	28	7.8	Uniform plants with above average flowering / Flowered strong all season.
Geranium (Ivy)	Acapulco Compact Cascade		29	44	43	37	7.5	Vigorous, uniform plants with many flowers, large spread, nice habit, delicate/fine overall texture / Flowered strong all season.
Geranium (Ivy)	Caliente Coral		33	34	50	48	8.7	Vigorous, uniform, tall plants, nice mounding habit throughout entire row / Flowered strong all season.
Geranium (Ivy)	Caliente Rose		35	35	49	45	8.4	Vigorous, uniform plants with many flowers, intense flower color / Flowered strong all season.
Geranium (Ivy)	Freestyle Arctic Red		26	24	35	27	9.2	Low vigor, small plants, unique flower color / Flowered strong all season.
Geranium (Ivy)	Freestyle Cherry Rose II		23	30	36	33	8.9	Non-uniform with average flowering / Flowered strong all season.
Geranium (Ivy)	Freestyle White		33	28	36	43	8.9	Vigorous plants with many flowers, open/airy texture / Flowered strong all season.
Geranium (Ivy)	Merifestival		25	29	27	35	9.4	Average overall appearance / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Geranium (Ivy)	Pink Blizzard		35	38	39	43	9.0	Uniform with many flowers, nice habit with airy texture / Flowered strong all season.
Geranium (Ivy)	Red	New	20	33	30	34	8.6	Nice deep red flowers, non-uniform / Flowered strong all season.
Geranium (Ivy)	Salmon Orange	New	22	33	43	38	8.3	Non-uniform with average flowering / Flowered strong all season.
Geranium (Ivy)	White	New	25	24	25	27	8.6	Non-uniform, low vigor, poor overall appearance / Flowered strong all season.
Geranium (Regal)	Elegance Bravo		28	33	31	41	8.6	Good recovery after flood, vigorous plants, many flowers, uniform / Flowered strong from mid July to early August, then almost entirely out of bloom due to flood, and strong again from early September until frost.
Geranium (Regal)	Elegance Jewel		32	31	32	31	8.4	Good recovery after flood, vigorous plants, many flowers, uniform / Flowered strong from mid July to early August, then almost entirely out of bloom due to flood, and strong again from early September until frost.
Geranium (Regal)	Elegance Lilac Sachet		30	24	34	33	7.4	Decent recovery after flood, many flowers shows continued plant vigor but plants unattractive, significant die-back of foliage due to fungus, uniform / Flowered strong from mid July to early August, then almost entirely out of bloom due to flood, and moderate again from early September until frost.
Geranium (Regal)	Elegance Rose Bicolor		38	36	38	40	8.2	Fewer flowers since flood but many new buds now, significant die-back of foliage due to fungus / Flowered strong from mid July to early August, then almost entirely out of bloom due to flood, and moderate again from early September until frost.
Geranium (Regal)	PAC Maiden Burgundy		36	28	36	31	8.0	Came back strong after flood and produced lots of color all thru September, vigorous plants, many flowers, uniform / Flowered strong from mid July to early August, then almost entirely out of bloom due to flood, and strong again from early September until frost.
Geranium (Regal)	PAC Maiden Iced Wine		30	32	30	34	6.8	Good recovery after flood, though moderate die-back of foliage due to fungus, many flowers / Flowered strong from mid July to early August, then almost entirely out of bloom due to flood, and strong again from early September until frost.
Geranium (Zonal)	Alba		23	30	27	31	10.6	Uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Allure Hot Coral		36	37	53	37	10.8	Large vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Allure Light Pink		32	34	45	49	14.8	Vigorous, uniform plants with many flowers, very large inflorescences / Flowered strong all season.
Geranium (Zonal)	Allure Red Passion		36	35	37	36	11.8	Vigorous plants with many flowers / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Geranium (Zonal)	Allure Tangerine		32	31	56	43	11.2	Huge vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Allure Violet		33	29	45	34	10.1	Neon flower color, many flowers, average plants / Flowered strong all season.
Geranium (Zonal)	Americana Cherry Rose II		29	26	39	33	10.6	Intense/electric flower color, uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Americana Coral		26	24	51	31	11.2	Large vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Americana Dark Red		38	37	50	37	9.2	Vigorous plants with many flowers, non-uniform / Flowered strong all season.
Geranium (Zonal)	Americana Light Pink Splash II		32	31	36	42	10.5	Vigorous, unifrom plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Americana Pink III		22	29	40	40	10.6	Uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Americana Rose Splash		28	29	42	39	10.8	Lighter green foliage, vigorous plants with many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	Americana Violet		29	33	47	36	11.0	Neon flower color, vigorous plants with many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	Apache Scarlet		20	26	27	34	8.8	Above average flowering, many flowers, non-uniform / Flowered strong from early July through the end of the season.
Geranium (Zonal)	Apache Star		22	23	24	25	9.5	Uniform plants with many flowers / Flowered strong from early July through the end of the season.
Geranium (Zonal)	Aquarello `07		26	29	38	37	9.1	Unique flower color, many flowers / Flowered strong all season.
Geranium (Zonal)	Avenida Mosaic Purple		30	33	30	33	12.5	Many flowers, average plants / Flowered strong all season.
Geranium (Zonal)	Avenida Mosaic Red		26	31	33	35	13.3	Inconsistent flower color, vigorous plants with many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	Designer Bright Red Imp.		34	34	34	28	11.4	Small plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Designer Dark Red		29	35	31	31	10.4	Many flowers, average plants / Flowered strong all season.
Geranium (Zonal)	Designer Hot Pink		20	28	31	39	11.7	Non-uniform plants with many flowers, large inflorescences / Flowered strong all season.
Geranium (Zonal)	Designer Light Pink Sizzle		25	29	40	36	11.7	Small uniform plants with many flowers / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Geranium (Zonal)	Designer Peppermint Twist		32	28	38	35	12.9	Inconsistent flower color, vigorous plants, non-uniform / Flowered strong all season.
Geranium (Zonal)	Designer Salmon		35	30	53	31	11.4	Non-uniform, tall plants with some foliage reaching as high as tallest blooms, many flowers / Flowered strong all season.
Geranium (Zonal)	Designer Violet		28	34	36	37	11.0	Neon flower color, many flowers, average plants / Flowered strong all season.
Geranium (Zonal)	Dolce Vita		30	23	43	43	11.4	Large vigorous plants with many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	Eclipse Dark Red		28	27	34	34	11.3	Uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Eclipse Light Salmon II		36	28	48	37	10.2	Nice foliage with stand-out zonal pattern, uniform, vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Eclipse Rose		27	24	51	44	11.4	Uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Eclipse Scarlet		33	26	41	33	8.4	Uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Eclipse White		25	21	25	34	9.4	Flowers closer to foliage, many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	Fantasia Cardinal Red Imp.		34	31	48	29	10.9	Vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Fantasia Flame Imp.		29	31	41	28	10.6	Many flowers, plant size slightly below average / Flowered strong all season.
Geranium (Zonal)	Fantasia Flamingo Rose Imp.		28	35	42	38	11.5	Uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Fantasia Salmon		24	35	40	38	9.3	Below average plant size, many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	Fantasia Shocking Pink		26	29	37	37	12.4	Vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Fantasia Strawberry Sizzle		32	33	51	33	12.3	Vigorous, uniform plants with many flowers, unique flower color / Flowered strong all season.
Geranium (Zonal)	Fantasia Violet Imp.		34	28	38	39	10.9	Intense flower color, vigorous plants with many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	Fantasia White		31	28	31	39	9.8	Vigorous plants with many flowers / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Geranium (Zonal)	Fidelity L Light Salmon	New	36	41	47	41	10.9	Large vigorous plants with many flowers, non-uniform, huge inflorescences / Flowered strong all season.
Geranium (Zonal)	Fidelity L Red	New	45	43	61	51	12.6	Huge vigorous plants with many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	Fidelity XL Bright Scarlet	New	44	33	59	33	10.2	Huge vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Fidelity XL Candy Rose w/Eye	New	30	29	37	38	12.6	Unique flower color, semi-double blooms in large/full inflorescences, many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	Fidelity XL Dark Salmon	New	40	34	60	38	12.3	Huge vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Fidelity XL Lavender w/Eye	New	33	34	43	41	12.2	Large vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Fidelity XL Rose w/Eye	New	36	34	41	41	11.9	Huge inflorescences with semi-double blooms, vigorous plants, many flowers, non-uniform / Flowered strong all season.
Geranium (Zonal)	Fidelity XL Salmon	New	30	32	36	35	11.7	Mixed plants or inconsistent flower color, many flowers / Flowered strong all season.
Geranium (Zonal)	Fidelity XL Scarlet	New	44	45	59	45	11.3	Huge vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Himalaya Fire		40	25	57	32	10.4	Large vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Maestro Lavender Blue		31	32	35	41	10.3	Small plants with large inflorescences held high above the foliage, many flowers / Flowered strong all season.
Geranium (Zonal)	Maestro Pink		20	31	30	39	12.3	Many flowers, huge inflorescences / Flowered strong all season.
Geranium (Zonal)	Meridonna		27	32	34	32	11.2	Many flowers, average plants / Flowered strong all season.
Geranium (Zonal)	Merifire		40	31	51	35	11.1	Vigorous plants with many flowers, non-uniform / Flowered strong all season.
Geranium (Zonal)	Meriflame		25	24	37	32	9.9	Many flowers, nice dark green foliage / Flowered strong all season.
Geranium (Zonal)	Merilady		36	28	43	28	11.2	Many flowers, average plants / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Geranium (Zonal)	Merilovely		35	37	34	40	9.8	Uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Meripino		25	29	51	36	12.6	Vigorous, uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Merisnow		23	28	27	33	8.9	Vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Noblesse		33	34	50	38	11.3	Large vigorous plants with many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	PAC Patriot White		35	28	35	31	10.3	Many flowers, average plants / Flowered strong all season.
Geranium (Zonal)	Patriot Bright Red		38	42	56	42	10.3	Vigorous, uniform plants with many flowers, large individual flowers, long peduncles / Flowered strong all season.
Geranium (Zonal)	Patriot Bright Violet		31	29	44	36	11.1	Neon flower color, uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Patriot Salmon		31	30	39	33	9.6	Uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Rocky Mountain Coral		36	32	58	42	11.8	Huge vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Rocky Mountain Dark Red		35	29	44	43	10.8	Vigorous, uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Rocky Mountain Magenta		24	24	39	39	11.4	Uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Rocky Mountain Pink		31	29	51	48	11.3	Huge vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Rocky Mountain Red		43	30	38	31	12.0	Many flowers, average plants / Flowered strong all season.
Geranium (Zonal)	Rocky Mountain Salmon `08	New	35	30	45	37	10.3	Large vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Rocky Mountain Salmon Rose		31	38	35	44	10.6	Huge vigorous plants with many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	Rocky Mountain Scarlet		37	32	49	36	11.0	Vigorous plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Rocky Mountain White `06		25	31	26	35	11.8	Smaller uniform plants with many flowers / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Geranium (Zonal)	Schoene Helena		31	27	51	35	10.0	Large vigorous plants with many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	Showcase Bright Red		30	22	35	34	10.8	Small plants, many flowers, uniform / Flowered strong all season.
Geranium (Zonal)	Showcase Deep Scarlet		39	30	47	31	9.2	Below average flowering / Flowered strong all season.
Geranium (Zonal)	Showcase Pink		23	25	35	39	10.8	Many flowers, average plants / Flowered strong all season.
Geranium (Zonal)	Showcase Rose Sizzle		22	29	45	40	11.6	Average plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Showcase White		25	31	25	32	10.7	Non-uniform plants, slightly below average flowering / Flowered strong all season.
Geranium (Zonal)	Summer Idols Dark Salmon		29	25	39	30	9.5	Uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Summer Idols Lilac w/Eye		20	24	25	34	10.6	Very small and compact plants with above average flowering, many flowers / Flowered strong all season.
Geranium (Zonal)	Summer Idols Pink		35	26	37	36	9.6	Uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Summer Idols Red		30	32	43	32	8.7	Vigorous, uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Tango Coral	New	32	32	47	32	8.5	Uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Tango Fire		42	46	43	46	12.0	Vigorous plants with many flowers, non-uniform / Flowered strong all season.
Geranium (Zonal)	Tango Hot Pink		23	26	39	41	9.7	Smaller uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Tango Light Salmon	New	31	33	42	36	10.8	Large vigorous plants with many flowers, non-uniform / Flowered strong all season.
Geranium (Zonal)	Tango Neon Purple		26	27	36	38	10.8	Neon flower color, uniform plants with many flowers / Flowered strong all season.
Geranium (Zonal)	Tango White		28	23	28	23	8.2	Small non-uniform plants with many flowers / Flowered strong all season.
Goodenia	Fresca Yellow	New	10	20	11	20	1.9	Completely crowded out by neighboring plants, low vigor / Flowered strong from early June to the end of July, then out of bloom.
Gypsophila	Gypsy Deep Rose		13	20	14	24	0.5	Non-uniform plants with few flowers / Flowering data not collected on plants in the All-America Selection program.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Helichrysum	Helica Bicolor Orange		25	22	39	37	4.8	Non-uniform plants with dense/full foliage and average flowering / Flowered strong all season.
Helichrysum	Helica Yellow Queen		23	30	47	37	5.3	Non-uniform plants with dense/full foliage and average flowering / Moderate flowering until mid July, then strong through mid September.
Heliotropium	Scentropia Blue	New	24	20	43	32	7.5	Strong flowering throughout entire season / Flowered strong all season.
Heliotropium	Scentropia Silver	New	26	31	48	52	7.3	Strong flowering throughout entire season / Flowered strong all season.
Hibiscus	Luna Rose	New	35	41	70	45	18.6	Vigorous, uniform plants with many flowers but majority of blooms hidden under foliage / Flowered strong from late July through the end of the season.
Hollyhock	Queeny Purple		54	30	74	71	10.4	Half of plants still look good, half are in decline / Flowering data not collected on plants in the All-America Selection program.
Impatiens (Double)	Fanciful Stardust Mix	New	14	19	56	40	4.6	Average overall appearance / Flowered strong from early July through the end of the season.
Impatiens (Double)	Silhouette Cherry Red		32	28	62	42	3.4	Vigorous plants with moderate flowering / Flowered strong all season.
Impatiens (Double)	Silhouette Orange Star		26	44	50	39	3.2	Uniform plants with moderate flowering / Flowered strong all season.
Impatiens (Double)	Silhouette Pink `06		21	27	61	45	4.4	Average plants with few flowers / Flowered strong from late June through the end of the season.
Impatiens (Double)	Silhouette Purple		20	21	42	37	3.6	Average overall appearance / Flowered strong all season.
Impatiens (Double)	Silhouette Red Star		28	32	41	39	3.1	Uniform plants, unstable flower pattern / Flowered strong all season.
Impatiens (Double)	Silhouette Rose `06		23	31	56	43	4.3	Average overall appearance / Flowered strong all season.
Impatiens (Mini)	Firefly Orange II		24	29	57	37	2.3	Vigorous plants with many flowers, some lodging due to rain / Flowered strong until early August, went almost out of bloom, then strong again late August to early September.
Impatiens (Mini)	Firefly Red II		15	28	43	37	2.4	Average overall appearance / Flowered strong until early August, went almost out of bloom, then strong again late August to early September.
Impatiens (Mini)	Firefly Watermelon		23	34	57	37	2.2	Vigorous plants with many flowers / Flowered strong until early August, went almost out of bloom, then strong again late August to early September.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Impatiens (New Guinea)	ColorPower Coral Flame		22	28	29	35	6.1	Average overall appearance / Flowered strong all season except for a dip to moderate in late August.
Impatiens (New Guinea)	ColorPower Electric Orange		24	30	43	43	6.8	Vigorous, uniform plants with below average flowering / Flowered strong from late June to mid August, then few to none until frost.
Impatiens (New Guinea)	ColorPower Fire		17	28	23	28	7.1	Average overall appearance / Flowered strong all season except in September.
Impatiens (New Guinea)	ColorPower Lavender Flame		19	40	33	34	6.0	Uniform plants with few flowers / Flowered strong all season except in September.
Impatiens (New Guinea)	ColorPower Perfect White		23	36	42	41	6.6	Large, uniform plants with below average flowering / Flowered strong most of the season, dipping to moderate a couple of weeks in August and September.
Impatiens (New Guinea)	ColorPower Purple Blue		20	30	37	38	6.1	Average overall appearance / Flowered strong most of the season, dipping to moderate in late August and again in late September.
Impatiens (New Guinea)	ColorPower Salmon Pink Evolution		15	26	25	32	7.6	Small, compact plants with many flowers, uniform / Moderate flowering in August but strong the rest of the season.
Impatiens (New Guinea)	ColorPower Violet		19	23	30	36	6.3	Uniform plants with average flowering / Flowered strong until early August, then few to moderate until frost.
Impatiens (New Guinea)	Compact Sonic Deep Salmon		15	21	24	30	5.8	Small, uniform plants with average flowering / Flowered strong most of the season, dipping to moderate a couple of weeks later in the season.
Impatiens (New Guinea)	Compact Sonic Light Orchid		15	15	22	24	6.8	Small, compact plants with above average flowering, uniform / Flowered strong all season except in August.
Impatiens (New Guinea)	Compact Sonic Light Pink		20	31	38	32	6.7	Average overall appearance / Flowered strong all season.
Impatiens (New Guinea)	Compact Sonic Red `08	New	12	15	18	19	6.8	Very small plants with huge flowers / Flowered strong all season.
Impatiens (New Guinea)	Kokomo L Cardinal Red		17	27	23	48	7.2	Uniform plants with many flowers / Flowered strong all season.
Impatiens (New Guinea)	Kokomo L Carmine Red		21	28	28	34	6.9	Average overall appearance / Flowered strong all season except in August.
Impatiens (New Guinea)	Kokomo L Dark Orchid		19	28	30	38	6.9	Average overall appearance / Flowered strong all season except in September.
Impatiens (New Guinea)	Kokomo L Hot Rose		23	30	31	37	7.2	Uniform plants with many flowers / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Impatiens (New Guinea)	Kokomo L Pink Star		20	33	28	38	5.1	Uniform plants with few flowers / Flowered strong until mid August, then moderate until frost.
Impatiens (New Guinea)	Kokomo L White		36	31	39	37	6.1	Large plants with average flowering / Flowered strong all season.
Impatiens (New Guinea)	Kokomo Petite Orange		21	30	31	38	4.3	Larger, uniform plants with many flowers / Flowered strong all season.
Impatiens (New Guinea)	Kokomo Petite Salmon		19	29	21	29	4.4	Small, compact plants with many flowers, uniform / Flowered strong all season.
Impatiens (New Guinea)	Kokomo Petite White		10	25	20	21	4.6	Small, compact plants with many flowers / Flowered strong all season.
Impatiens (New Guinea)	Kokomo XL Bicolor Violet		22	30	31	38	6.6	Uniform plants with few flowers / Flowered strong all season except in September.
Impatiens (New Guinea)	Kokomo XL Bright Violet		32	34	48	44	6.1	Large plants with above average flowering / Flowered strong all season.
Impatiens (New Guinea)	Kokomo XL First Blush		23	31	34	36	6.2	Vigorous plants with average flowering / Flowered strong all season.
Impatiens (New Guinea)	Kokomo XL Magenta		20	24	26	36	6.4	Average overall appearance / Flowered strong all season except in August and late September.
Impatiens (New Guinea)	Kokomo XL Orchid		18	25	33	42	6.6	Vigorous plants with average flowering / Flowered strong all season except in September.
Impatiens (New Guinea)	Kokomo XL Pink Frost		26	37	44	48	7.0	Large, uniform plants with average flowering / Flowered strong all season.
Impatiens (New Guinea)	Kokomo XL Salmon Frost		24	31	32	41	6.7	Average overall appearance / Flowered strong all season except in September.
Impatiens (New Guinea)	Paradise Blush White		23	34	33	36	7.4	Uniform plants with average flowering / Flowered strong all season except in August and late September.
Impatiens (New Guinea)	Paradise Deep Pink		26	36	38	42	6.7	Vigorous plants with average flowering / Flowered strong all season.
Impatiens (New Guinea)	Paradise Electric Orange		23	27	41	48	5.2	Large, uniform plants with average flowering / Flowered strong all season.
Impatiens (New Guinea)	Paradise Fuchsia		18	28	33	39	5.4	Uniform plants with many flowers / Flowered strong from late June through the end of the season.
Impatiens (New Guinea)	Paradise Light Lavender		26	34	42	44	6.7	Large, uniform plants with average flowering / Flowered strong all season.
Impatiens (New Guinea)	Paradise Light Pink		20	28	30	32	6.6	Uniform plants with above average flowering / Flowered strong all season except in late August.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Impatiens (New Guinea)	Paradise New Red		31	39	46	39	7.1	Large plants with large flowers and average flowering / Flowered strong until mid August, then almost out of bloom, and moderate again early September until frost.
Impatiens (New Guinea)	Paradise Salmon Pink		19	30	42	36	6.5	Vigorous plants with average flowering / Flowered strong all season except mid to late August and late September.
Impatiens (New Guinea)	Pure Beauty Bright Orange		32	33	44	43	7.6	Large plants with average flowering / Flowered strong all season.
Impatiens (New Guinea)	Pure Beauty Bright Red		26	34	42	47	6.4	Large plants with average flowering / Flowered strong until the end of July, then moderate until frost.
Impatiens (New Guinea)	Pure Beauty Fuchsia		31	33	45	39	7.1	Large plants with average flowering / Flowered strong from late June until late August, then moderate until frost.
Impatiens (New Guinea)	Pure Beauty Lavender		33	36	48	45	8.1	Large, uniform plants with many flowers / Flowered strong from late June through the end of the season.
Impatiens (New Guinea)	Pure Beauty Salmon Pink		21	25	35	35	7.1	Average overall appearance / Flowered strong all season except in August.
Impatiens (New Guinea)	Pure Beauty White		25	32	37	42	7.1	Vigorous, uniform plants with below average flowering / Flowered strong all season except late August and late September.
Impatiens (New Guinea)	Sonic Amethyst `06		24	35	46	46	6.9	Large, uniform plants with many flowers / Flowered strong until early August, them almost out of bloom, and then moderate until frost.
Impatiens (New Guinea)	Sonic Deep Red `08	New	12	22	28	39	6.4	Average overall appearance / Flowered strong all season.
Impatiens (New Guinea)	Sonic Hot Rose on Gold		21	32	29	33	7.4	Very uniform plants with many flowers / Flowered strong all season.
Impatiens (New Guinea)	Sonic Magic Pink		18	31	27	40	7.9	Uniform plants with average flowering / Flowered strong until early August, then moderate until frost.
Impatiens (New Guinea)	Sonic Orange `08	New	20	21	40	39	7.1	Vigorous plants with average flowering / Flowered strong all season.
Impatiens (New Guinea)	Sonic Purple `06		20	26	35	37	6.6	Open plants with average flowering / Flowered strong all season.
Impatiens (New Guinea)	Sonic Sweet Cherry		21	28	29	37	5.8	Uniform plants with many flowers / Flowered strong all season.
Impatiens (New Guinea)	Sonic Sweet Purple `06		27	36	35	36	7.3	Vigorous plants with average flowering / Flowered strong from late June through the end of the season, except for moderate in mid August.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Impatiens (New Guinea)	Sonic White		26	30	36	33	7.8	Uniform plants with many flowers / Flowered strong all season.
Impatiens (New Guinea)	Super Sonic Cherry Cream		22	31	36	40	7.1	Vigorous, uniform plants with many flowers / Flowered strong all season.
Impatiens (New Guinea)	Super Sonic Deep Purple		28	28	44	43	6.7	Large, uniform plants with average flowering / Flowered strong all season except for moderate in August and late September.
Impatiens (New Guinea)	Super Sonic Flame		29	28	52	44	6.5	Large plants with average flowering / Flowered strong from late June through the end of the season.
Impatiens (New Guinea)	Super Sonic Lavender `08	New	19	37	49	43	7.5	Large, uniform plants with average flowering / Flowered strong until mid August, then moderate until frost.
Impatiens (New Guinea)	Super Sonic Magenta `08	New	29	41	53	49	6.5	Very large plants with huge flowers and average flowering / Flowered strong until mid August, then moderate until frost.
Impatiens (New Guinea)	Super Sonic Pastel Pink `04		22	30	31	34	7.3	Average overall appearance / Flowered strong until mid August, then moderate until frost.
Impatiens (New Guinea)	Super Sonic Red `08	New	13	19	22	23	7.4	Average overall appearance / Flowered strong all season.
Impatiens (New Guinea)	Super Sonic Salmon `06		20	31	35	37	7.0	Vigorous plants with many flowers / Flowered strong all season except for moderate in early June.
Impatiens (New Guinea)	Super Sonic White `03		26	34	43	38	6.8	Large, uniform plants with many flowers / Flowered strong all season except for moderate in early August.
Impatiens (New Guinea)	Tamarinda Amethyst		18	29	34	36	6.6	Uniform plants with above average flowering / Flowered strong from early July through the end of the season.
Impatiens (New Guinea)	Tamarinda Blush		17	25	32	37	5.5	Uniform plants with average flowering / Flowered strong all season.
Impatiens (New Guinea)	Tamarinda Dark Red		18	31	34	40	6.7	Vigorous, uniform plants with average flowering / Flowered strong all season except for moderate in early June and late September.
Impatiens (New Guinea)	Tamarinda Orange		22	36	42	41	6.5	Vigorous, uniform plants with average flowering / Flowered strong all season except for moderate in early June and late September.
Impatiens (New Guinea)	Tamarinda Orange Orchid		18	31	41	39	5.6	Large, uniform plants with average flowering / Flowered strong from late June until early August, then moderate until frost.
Impatiens (New Guinea)	Tamarinda Purple		16	25	34	47	6.4	Uniform plants with above average flowering / Flowered strong from early July through the end of the season.
Impatiens (New Guinea)	Tamarinda Shocking Pink		19	31	32	34	7.3	Average overall appearance / Flowered strong from early July until early August.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Impatiens (New Guinea)	Tamarinda True Pink		18	24	28	32	6.4	Average overall appearance / Flowered strong from early July until early August.
Impatiens (New Guinea)	Tamarinda Violet		19	24	32	37	6.1	Average overall appearance / Flowered strong from early July until early August.
Impatiens (seed)	Advantage Red		11	21	59	45	3.9	Vigorous plants with many flowers / Flowered strong all season.
Impatiens (seed)	Balance White		16	30	52	38	5.0	Non-uniform plants with few flowers / Flowered strong from early July through the end of the season.
Impatiens (seed)	Cool Balance		9	26	71	39	5.0	Few flowers with severe lodging / Flowered strong all season.
Impatiens (seed)	Envoy Cherry		12	24	60	47	4.9	Vigorous, uniform plants with few flowers / Flowered strong all season.
Impatiens (seed)	Envoy Deep Orange		13	26	76	42	5.1	Vigorous plants with many flowers, minor lodging / Flowered strong all season.
Impatiens (seed)	Envoy Lilac		14	29	74	37	4.9	Vigorous plants with moderate flowering / Flowered strong from early July through the end of the season.
Impatiens (seed)	Envoy Peach Butterfly		14	29	71	43	4.5	Vigorous plants with many flowers, moderate lodging / Flowered strong from early July through the end of the season.
Impatiens (seed)	Envoy Red		10	28	74	44	4.0	Vigorous plants with many flowers / Flowered strong all season.
Impatiens (seed)	Jambalaya Deep Pink	New	17	23	56	42	4.6	Vigorous plants with many flowers, severe lodging / Flowered strong from early July through the end of the season.
Impatiens (seed)	Jambalaya Lilac	New	11	25	70	38	5.0	Vigorous plants with severe lodging / Flowered strong from early July through the end of the season.
Impatiens (seed)	Jambalaya Orange	New	13	25	66	39	4.5	Vigorous plants with few flowers / Flowered strong from early July through the end of the season.
Impatiens (seed)	Jambalaya Red	New	13	28	62	35	4.8	Vigorous plants with many flowers, moderate lodging / Flowered strong from early July through the end of the season.
Impatiens (seed)	Jambalaya Rose	New	12	27	63	48	4.6	Many flowers, severe lodging / Flowered strong all season.
Impatiens (seed)	Jambalaya Salmon	New	15	26	66	37	4.7	Vigorous plants with many flowers, minor lodging / Flowered strong all season.
Impatiens (seed)	Jambalaya Tropical Punch	New	12	24	62	39	4.8	Moderate lodging and flowering / Flowered strong all season.
Impatiens (seed)	Jambalaya White	New	13	21	59	50	5.0	Severe lodging / Flowered strong from early July through the end of the season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Impatiens (seed)	Shimmer Orange	New	9	28	68	40	4.8	Vigorous plants with many flowers, minor lodging / Flowered strong from early July through the end of the season.
Impatiens (seed)	Shimmer Red	New	14	27	73	46	4.7	Vigorous plants with many flowers / Flowered strong all season.
Impatiens (seed)	Shimmer Rose	New	16	26	63	40	4.3	Vigorous plants with many flowers, severe lodging / Flowered strong all season.
Impatiens (seed)	Shimmer Salmon	New	12	26	61	35	4.6	Vigorous plants with many flowers, minor lodging / Flowered strong from early July through the end of the season.
Impatiens (seed)	Shimmer Violet	New	16	33	64	41	4.6	Vigorous plants with severe lodging / Flowered strong from early July through the end of the season.
Impatiens (seed)	Shimmer White	New	11	23	59	43	4.9	Severe lodging / Flowered strong from early July through the end of the season.
Impatiens (seed)	Super Elfin White		14	24	41	45	5.1	Average overall appearance / Flowered strong all season.
Impatiens (seed)	Super Elfin XP Deep Pink	New	13	25	51	40	4.7	Severe lodging, few flowers / Flowered strong all season.
Impatiens (seed)	Super Elfin XP Punch	New	15	23	56	35	4.9	Vigorous plants with many flowers / Flowered strong all season.
Impatiens (seed)	Super Elfin XP Violet	New	13	26	57	41	4.5	Average overall appearance / Flowered strong from early July through the end of the season.
Impatiens (seed)	Xtreme Select Mix		13	27	73	33	5.2	Vigorous plants, moderate lodging / Flowered strong all season.
Impatiens (SunPatiens)	Compact Blush Pink	New	25	27	42	28	6.1	Average overall appearance / Flowered strong all season.
Impatiens (SunPatiens)	Compact Bright Orange	New	17	23	65	33	5.5	Uniform, vigorous plants with many flowers / Flowered strong all season.
Impatiens (SunPatiens)	Compact Coral	New	24	30	60	32	6.7	Vigorous plants with many large flowers / Flowered strong all season.
Impatiens (SunPatiens)	Compact White	New	27	29	43	29	5.3	Average overall appearance / Flowered strong all season.
Impatiens (SunPatiens)	Lavender	New	33	29	74	38	6.8	Uniform, vigorous plants / Flowered strong all season.
Impatiens (SunPatiens)	Magenta		40	34	79	43	5.3	Vigorous, non-uniform plants with many flowers, still very showy / Flowered strong all season.
Impatiens (SunPatiens)	Orange		22	26	72	40	5.4	Vigorous plants / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Impatiens (SunPatiens)	Red		25	21	60	34	6.0	Average overall appearance / Flowered strong all season.
Impatiens (SunPatiens)	Spreading Salmon Variegated Leaf	New	27	27	40	33	5.5	Non-uniform plants with few flowers / Flowered strong all season except in September.
Impatiens (SunPatiens)	Variegated Salmon	New	24	31	56	47	6.3	Vigorous plants with many flowers / Flowered strong all season.
Impatiens (SunPatiens)	White		30	31	44	31	5.7	Average overall appearance / Flowered strong all season.
Impatiens (SunPatiens)	White Imp.	New	30	32	52	32	5.3	Average overall appearance / Flowered strong all season.
Impatiens (Trailing)	Butterfly Cherry		27	38	54	53	2.6	Uniform, vigorous plants with moderate flowering / Flowered strong all season.
Impatiens (Trailing)	Butterfly Salmon w/Eye		30	33	66	34	2.7	Vigorous, non-uniform plants with moderate flowering / Flowered strong all season.
Impatiens (Trailing)	Fanfare Blush		29	32	71	40	4.8	Vigorous plants with many flowers / Flowered strong all season.
Impatiens (Trailing)	Fanfare Bright Coral		35	33	72	40	5.2	Vigorous plants with many flowers / Flowered strong all season.
Impatiens (Trailing)	Fanfare Fuchsia Imp.		28	29	60	30	5.2	Uniform, vigorous plants with many flowers / Flowered strong all season.
Impatiens (Trailing)	Fanfare Orange		35	37	58	41	5.6	Vigorous plants with moderate flowering / Flowered strong all season.
Impatiens (Trailing)	Fanfare Orchid		37	34	58	35	5.8	Uniform, vigorous plants with many flowers / Flowered strong all season.
Impatiens (Trailing)	Fanfare Pink Sparkle		37	38	74	40	4.5	Vigorous plants with few flowers / Flowered strong all season except in September.
Impatiens (Trailing)	Spellbound Pink		22	27	75	41	4.4	Uniform, vigorous plants with many flowers / Flowered strong all season except in September.
Impatiens (Trailing)	Spellbound Rose		32	31	78	42	4.8	Vigorous plants / Flowered strong all season.
Impatiens (Trailing)	Spellbound Strawberry Star	New	35	28	60	35	4.3	Non-uniform plants with moderate flowering / Flowered strong all season except in September.
Jamesbrittenia	Britney Grand Pink		15	35	21	37	2.1	Few flowers, chlorotic, getting crowded out by neighboring plants / Flowered strong until early August, then few to none until frost.
Jamesbrittenia	Britney Grand Red		14	30	19	38	1.8	Mostly dead, chlorotic, almost no flowers / Flowered strong until early August, then few to none until frost.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Jamesbrittenia	Britney Maroon		19	41	24	41	1.2	Tall, vigorous plants with many flowers, some chlorosis, non-uniform / Flowered strong all season except in late September.
Jamesbrittenia	Britney Red		13	26	24	30	1.3	Some die-back, chlorotic, few flowers / Flowered strong all season except in late September.
Juncus	Blue Arrows	New	31	34	50	39	no blooms	Uniform plants with very straight and erect/upright blades / Primarily grown for foliage.
Juncus	Javelin	New	60	38	107	77	2.9	Vigorous, uniform plants with long arching blades / Primarily grown for foliage effect.
Koeleria	Blue Sprite	New	8	13	11	23	6.9	Very small round clumps with soft texture, only two plants flowering / Primarily grown for foliage.
Lantana	Bandana Cherry		21	22	38	29	2.4	Smaller, uniform plants with average flowering / Flowered strong through early August, then few to moderate until frost.
Lantana	Bandana Pink `07		22	24	43	39	3.4	Vigorous, uniform plants with average flowering / Flowered strong all season except in August.
Lantana	Bandana Red		19	23	29	26	2.6	Small, uniform plants with a compact habit and average flowering / Flowered strong until early August, then moderate until frost.
Lantana	Bandana Rose		31	28	58	41	3.6	Vigorous, uniform plants with average flowering / Flowered strong until early August, then moderate to strong until frost.
Lantana	Gold Medal White		28	24	49	44	3.0	Non-uniform plants with many flowers, attractive overall / Flowered strong all season.
Lantana	Luscious Grape	New	25	36	35	46	2.9	Smaller, non-uniform plants with long leggy stems, , smaller foliage / Flowered strong all season.
Lantana	Luscious Lemonade	New	24	31	71	49	3.0	Vigorous, non-uniform plants with long leggy branches that create a messy appearance / Flowered strong all season.
Lantana	Luscious Tropical Fruit		25	27	47	40	3.7	Non-uniform plants with long leggy stems, unique foliage color / Flowered strong all season.
Laurentia	Avant Garde Pink		19	17	53	50	4.0	Vigorous plants with few flowers / Didn't flower much until mid-July and stayed strong until late-August. Flowering was moderate to few after early September.
Laurentia	Blue		8	9	37	34	3.9	Vigorous plants with few flowers / Didn't flower much until late-July and stayed strong until late-August. Flowering was moderate to few after early September.
Laurentia	Blue Star		10	11	49	33	3.6	Vigorous plants with few flowers / Moderate flowering from mid-August to mid-September otherwise few flowers during the remainder of the season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Laurentia	Rose Star		8	10	38	35	4.1	Vigorous, uniform plants with virtually no flowers / Few flowers all season.
Laurentia	Rose-Pink		6	9	33	30	4.0	Vigorous plants with few flowers / Flowering began after mid-July and was strong from 7/30 to 8/27 and then was moderate until frost.
Laurentia	Starshine Blue		19	17	52	42	4.3	Vigorous plants with few flowers, severe lodging / Flowering began in 7/23 and was strong to moderate until 9/10.
Laurentia	Starshine Blue		18	22	61	36	4.4	Vigorous plants with few flowers, no blooms on top of plants (only around base and edges of row, near the ground) / Strong flowering from July thru August and then moderate to few until frost.
Lavender	Potpourri Dark Purple	New	29	15	42	35	17.1	Stronger aroma, many flowers, uniform plants / Started strong flowering 7/10 and remained that way until frost.
Lavender	Vicenza Blue	New	19	17	38	35	17.2	Many flowers, uniform plants / Started strong flowering 7/10 and remained that way until frost.
Lobelia	Anabel Blue Mystery		40	42	30	94	1.9	50% dead, poor overall appearance / Flowered strong all season.
Lobelia	Anabel Blue Romance		29	40	40	40	1.5	Minimal flowering on a few live plants, poor overall appearance / Strong flowering until August and then only a few blooms until moderate flowering resumed late-August to frost.
Lobelia	Anabel Lilac		29	42	22	42	1.7	All but one dead / Flowered strong all season except in August.
Lobelia	Anabel Sky Blue		27	36	25	41	1.7	90% dead, poor overall appearance / Flowered strong all season except in August.
Lobelia	Anabel White		21	33	21	33	1.3	Few flowers, all but one dead / Bloomed strong until 8/13 and then few flowers until frost.
Lobelia	Hot White Imp.		28	31	38	38	1.5	50% dead, poor overall appearance / Bloomed strong until 8/13 and then few flowers until frost.
Lobelia	Laputalia Blue		36	31	38	41	1.3	90% dead, poor overall appearance / Flowered strong all season except in August.
Lobelia	Purple Star		30	34	30	37	1.6	90% dead, but still flowering strong on live plants / Flowered strong all season except in August.
Lobelia	Techno Heat Upright Blue		34	30	35	40	1.7	40% dead, poor overall appearance, but still a striking flower color / Flowered strong all season except in August.
Marigold F1	Deep Orange		38	33	46	42	9.2	Variable flower size, 2/3 of planting still looks good / Flowering data not collected on plants in the All-America Selection program.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Nemesia	Angelart Almond		26	25	26	27	2.2	60% dead or in decline but flowering strong on a few plants / Strong flowering until 8/20 then became only moderate until frost.
Nemesia	Angelart Cherry		24	28	24	28	1.6	70% dead or in decline / Strong flowering until 8/8 then few flowers until 8/27 when it resumed strong to moderate flowering to frost.
Nemesia	Angelart Fruit Punch		29	31	29	31	1.6	20% dead or in decline, many flowers on remaining plants / Flowered strong all season.
Nemesia	Angelart Melon		34	35	25	35	2.0	20% dead or in decline, many flowers on remaining plants, uniform habit / Flowered strong all season.
Nemesia	Angelart Orange		24	33	25	33	1.5	50% dead or in decline, many flowers on remaining plants / Flowered strong all season.
Nemesia	Angelart Peach		26	33	26	33	1.8	40% dead or in decline, many flowers on remaining plants / Flowered strong all season.
Nemesia	Angelart Pear		24	26	24	36	1.9	Uniform plants with many flowers, still a lot of color in the planting, very little dieback / Flowered strong all season.
Nemesia	Blueberry Sachet		29	30	29	45	1.9	Vigorous plants with healthy foliage and many flowers / Flowered strong all season.
Nemesia	Honey Cloud Lavender		24	27	24	28	1.2	Most of row in decline, few new flowers, many fruits with heavy seed set / Strong flowering until 9/10 then became only moderate until frost.
Nemesia	Honey Cloud Pink		23	26	26	26	1.2	Most of row in decline, few new flowers, many fruits with heavy seed set / Strong flowering until 9/10 then became only moderate until frost.
Nemesia	Nesia Antique Pink		37	25	37	44	1.5	Tall, vigorous plants with many flowers, some lodging in center of row, many fruits with heavy seed set / Flowered strong all season.
Nemesia	Nesia Bicolor Violet		30	32	30	50	1.5	Vigorous plants with healthy foliage and many flowers / Flowered strong all season.
Nemesia	Nesia Royal Blue		33	34	33	35	1.2	Tall, vigorous plants with few flowers, some lodging in center of row, many fruits with heavy seed set / Strong flowering until 9/10 then became only moderate until frost.
Nemesia	Nesia White		27	31	43	56	1.8	Very tall with tight and bushy habit, healthy plants without any dieback, few flowers / Strong flowering in August but sporadic for the balance of the season.
Nicotiana	Perfume Deep Purple		49	44	60	44	5.1	Vigorous plants with many flowers, moderate lodging / Flowering data not collected on plants in the All-America Selection program.
Nierembergia	Summer Splash Patio Blue Imp.	New	16	20	25	31	2.7	Many flowers, some chlorosis / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Ocimum	Pesto Perpetuo	New	42	18	46	46	no blooms	Only three plants remaining / Primarily grown for foliage.
Oplismenus	Dragonfly	New	14	32	29	52	no blooms	Vigorous plants, looked the same all summer / Primarily grown for foliage.
Ornamental Millet	Purple Majesty		90	97	130	97	32.2	Vigorous, uniform plants producing many spikes or "ears" / Flowering data not collected on plants in the All-America Selection program.
Ornamental Pepper	Black Pearl		46	26	73	62	0.9	Vigorous plants, seemed a bit leggy / Flowering data not collected on plants in the All-America Selection program.
Ornamental Pepper	Explosive Blast		13	20	16	30	1.1	Uniform plants / Flowering/fruit began in mid-July and was strong for remainder of season.
Ornamental Pepper	Garda Tricolor		29	26	76	58	1.7	Just starting to get purple peppers / Flowering/fruit began in mid-July and was strong for remainder of season.
Ornamental Pepper	Holiday Flame		21	18	27	38	2.0	Many colorful peppers, some plants already in decline / Flowering/fruit began in mid-July and was strong for remainder of season.
Ornamental Pepper	Masquerade		26	25	28	36	2.2	Non-uniform plants, peppers still yellow / Flowering/fruit began in mid-July and was strong for remainder of season.
Ornamental Pepper	Medusa		13	18	20	30	1.5	Extremely showy but some declining / Flowering/fruit began in mid-July and was strong for remainder of season.
Ornamental Pepper	Purple		24	24	42	50	1.7	Non-uniform, vigorous plants with many flowers, some lodging / Flowering/fruit began in mid-July and was strong for remainder of season.
Ornamental Pepper	White to Red		30	24	67	70	1.4	Average overall appearance / Flowering/fruit began in mid-July and was strong for remainder of season.
Osteospermum	Asti Lavender Shades	New	18	17	44	42	5.5	Vigorous plants with moderate flowering / Flowering/fruit began in mid-July and was strong for remainder of season.
Osteospermum	Asti Mixture	New	22	21	38	41	5.9	Average overall appearance / Flowering/fruit began in mid-July and was strong for remainder of season.
Osteospermum	Asti White	New	39	23	52	44	5.9	Vigorous, healthy plants with moderate flowering / Flowering/fruit began in mid-July and was strong until September when it became moderate until frost.
Osteospermum	Asti White	New	23	24	53	43	6.4	75% of plants dead / Few flowers all year.
Osteospermum	Cape Daisy Manjano	New	29	27	30	36	4.8	Most are in decline / Flowered strong all season except in August.
Osteospermum	Crescendo Compact Purple		28	31	46	47	5.1	Large plants with few flowers, moderate lodging / Strong flowering except for a week in late August and last two weeks of September when it was moderate.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Osteospermum	Crescendo Ivory		32	31	32	38	5.3	Few flowers and chlorotic plants / Flowered strong all season except in August.
Osteospermum	Crescendo Primrose		45	53	45	50	6.5	Most plants dead / Flowered strong all season except in August.
Osteospermum	Jamboana Landscape Light Purple	New	34	34	39	45	5.4	Average overall appearance / Flowered strong all season except in August.
Osteospermum	Jamboana Landscape White	New	27	37	35	37	5.9	80% of plants are dead / Strong flowering until early-August when it became few. Moderate flowering resumed in mid-September to frost.
Osteospermum	Margarita Carmen		37	36	64	83	4.8	Vigorous plants with few flowers / Few flowers in August but moderate to strong flowering for the rest of the season.
Osteospermum	Margarita Dark Pink		35	30	35	40	5.9	Only 25% of plants remain / Flowered strong all season except in August.
Osteospermum	Margarita Lemon		40	32	42	32	5.8	Non-uniform plants with few flowers / Flowered strong all season except in August.
Osteospermum	Margarita Maria		34	27	56	52	5.0	All plants are dead / Strong flowering in July but few flowers for the balance of the season.
Osteospermum	Margarita Pink Bicolor		34	35	34	35	5.2	Low vigor, few flowers / Flowered strong all season except in August.
Osteospermum	Nuanza Copper Purple		39	38	45	52	6.9	Few flowers, some lodging / Strong flowering until early August then it became few. Moderate flowering resumed in late August.
Osteospermum	Ostica Blue Eye		34	32	48	35	6.7	Only two plants remain / Strong flowering until early August then it became moderate until frost.
Osteospermum	Ostica Dark Purple		35	32	38	37	4.7	Non-uniform plants with few flowers / Strong flowering until early August then it became moderate until frost.
Osteospermum	Ostica Lilac		31	33	45	45	6.3	Vigorous plants with many flowers / Few flowers in August but strong flowering in June, July and September.
Osteospermum	Ostica Pink Imp.		33	30	33	36	5.1	Small plants with few flowers / Flowered strong all season except in August.
Osteospermum	Serenity Dark Lavender		23	20	47	54	5.3	Large plants with moderate flowering / Flowered strong all season except in August.
Osteospermum	Serenity Lavender Frost Imp.		37	28	37	35	5.0	Vigorous plants with unique flower color, moderate flowering / Flowered strong all season except in August.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Osteospermum	Side Show Bicolor Purple		31	27	37	38	5.3	Many flowers, half of planting lost to disease / Flowered strong all season except in August.
Osteospermum	Side Show Pink Bicolor Imp.	New	32	32	48	48	6.1	All dead / Strong flowering until early August then it became few until frost.
Osteospermum	Side Show Purple		25	23	40	39	5.4	Moderate flowering, some plants dead / Flowered strong all season.
Osteospermum	Side Show White		32	34	48	55	5.3	90% of plants dead / Strong flowering until early August then it became few. Moderate flowering resumed in late August.
Osteospermum	Tradewinds Deep Purple		36	29	47	44	4.7	80% of plants dead / Strong flowering until early August then it became few. Moderate to strong flowering resumed in late August.
Osteospermum	Tradewinds Pearl White	New	39	37	56	52	5.0	50% are in decline, unique color / Strong flowering until early August then it became few. Moderate flowering resumed in late August.
Osteospermum	Tradewinds Pure Yellow		36	33	50	42	6.4	Low vigor and moderate flowering / Strong flowering until early August then it became few. Moderate to strong flowering resumed in late August.
Osteospermum	Tradewinds Purple Bicolor		26	26	38	48	4.4	Only one of two Osteospermums in the ground that looks good late in the season, vigorous plants but few flowers / Flowered strong all season.
Osteospermum	Tradewinds Terra Cotta	New	37	32	44	35	4.8	Two plants remain / Flowered strong all season except in August.
Osteospermum	Tradewinds Yellow Bicolor	New	38	37	52	48	6.1	Attractive color, some lodging / Flowered strong all season except in August.
Otacanthus	Peek-a-Blue	New	7	16	26	29	3.2	Almost no flowers and very chlorotic / Few flowers most of season.
Pansy	Majestic Giants Mix		16	26	20	26	4.8	Non-uniform plants with moderate flowering / Flowering data not collected on plants in the All-America Selection program.
Penstemon	Lilliput Rose		25	23	48	29	15.1	Average overall appearance / Flowered strong all season except in September.
Penstemon	Phoenix Red		61	31	60	44	30.1	Excellent large individual flowers / Flowered strong all season except in September.
Penstemon	Phoenix Violet		56	29	64	42	21.8	Excellent large individual flowers / Flowered strong all season.
Pentas	Bahama Blush		20	18	36	30	9.8	Vigorous plants with few flowers / Flowered strong all season except in September.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Pentas	Bahama Lavender		13	14	26	27	10.1	Non-uniform plants with few flowers / Strong flowering until 8/13 then moderate until frost.
Pentas	Bahama Pink		21	21	43	40	11.9	Average plants with few flowers / Flowered strong all season except in September.
Pentas	Bahama Rose		17	23	30	25	10.4	Low vigor, few flowers / Strong flowering until 8/13 then moderate to strong until frost.
Pentas	Bahama White		26	24	49	33	11.4	Average plants with few flowers / Strong flowering from 7/23 thru 9/23 and the rest of the season was moderate.
Pentas	Butterfly Blush		20	15	56	40	10.2	Vigorous plants with many flowers / Flowered strong all season.
Pentas	Butterfly Lavendar Shades		17	16	50	38	8.4	Average overall appearance / Moderate flowering until 7/10 then strong until frost.
Pentas	Graffiti Bright Red		12	19	31	28	9.4	Average overall appearance / Moderate flowering until 7/23 then strong until frost.
Pentas	Graffiti Lavendar		16	20	32	27	9.9	Average overall appearance / Moderate flowering until 7/16 then strong until frost.
Pentas	Graffiti Lipstick	New	16	16	39	30	9.3	Vigorous plants with many flowers / Moderate flowering until 7/23 then strong until frost.
Pentas	Graffiti Pink		14	16	42	28	8.0	Vigorous plants with many flowers / Moderate flowering until 7/30 then strong until frost.
Pentas	Graffiti Red Lace		18	18	28	26	8.9	Vigorous plants with few flowers / Moderate flowering until 7/2 then strong until frost.
Pentas	Graffiti Rose		21	22	42	29	8.3	Average overall appearance / Moderate flowering until 7/23 then strong until frost.
Pentas	Graffiti Violet		14	18	24	28	9.8	Small, uniform plants with many flowers / Moderate flowering until 7/16 then strong until frost.
Pentas	Graffiti White		16	21	42	30	7.6	Non-uniform, small plants with few flowers / Strong flowering from 7/23 to 9/3 otherwise flowering was moderate.
Pentas	Kaleidoscope Appleblossom		16	17	50	33	8.2	Vigorous plants with few flowers / Moderate flowering until 7/16 then strong until frost.
Pentas	Kaleidoscope Appleblossom		20	20	42	40	9.3	Vigorous, uniform plants with many flowers / Moderate flowering until 7/23 then strong until frost.
Pentas	Kaleidoscope Lilac		13	16	53	36	6.6	Vigorous plants with many flowers / Moderate flowering until 7/30 then strong until frost.
Pentas	Lavendar Shades		14	17	52	34	9.2	Average overall appearance / Moderate flowering until 7/10 then strong until frost.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Pentas	Northern Lights Lavender	New	23	21	40	30	9.4	Uniform, vigorous plants with many flowers, season-long performer / Moderate flowering until 7/10 then strong until frost.
Pentas	Pink Bicolor		15	16	48	40	9.4	Vigorous plants with moderate flowering / Moderate flowering until 7/30 then strong until frost.
Pentas	Starla Blush	New	20	18	56	38	10.4	Vigorous plants with many flowers / Moderate flowering until 7/30 then strong until frost.
Pentas	Starla Deep Rose	New	15	21	39	33	9.4	Average overall appearance / Moderate flowering until 7/23 then strong until frost.
Pentas	Starla Mixture	New	18	19	46	27	7.2	Average overall appearance / Moderate flowering until 7/23 then strong until frost.
Pentas	Starla Pink	New	12	15	42	30	8.8	Vigorous, non-uniform plants with many flowers / Moderate flowering until 7/23 then strong until frost.
Pentas	Starla Red	New	19	18	39	30	9.3	Vigorous, uniform plants with many flowers / Flowered strong all season.
Pentas	Starla White	New	24	21	50	35	10.7	Vigorous plants with many flowers / Moderate flowering until 7/16 then strong until frost.
Perilla	Magilla Purple		43	35	100	85	no blooms	Vigorous plants, severe lodging / Primarily grown for foliage.
Petunia (Double)	Double Vision Silver		16	45	16	71	6.6	Vigorous plants with average flowering / Flowered strong all season.
Petunia (Double)	Double Wave Blue		15	57	26	57	5.4	Vigorous plants with average flowering / Flowered strong all season.
Petunia (Double)	Double Wave Blue Vein		16	51	22	57	4.4	Average overall appearance / Flowered strong all season.
Petunia (Double)	Double Wave Pink		18	55	30	65	5.1	Vigorous plants with average flowering / Flowered strong all season.
Petunia (Double)	Double Wave Rose		17	59	30	59	5.8	Average overall appearance / Flowered strong all season.
Petunia (grandiflora)	Limbo White		15	22	21	45	7.6	Average overall appearance / Flowered strong all season.
Petunia (mini-spreading)	Fortunia Mini Lilac		15	45	22	65	3.9	Vigorous, uniform plants with above average flowering / Flowered strong all season.
Petunia (mini-spreading)	Littletunia Pink		20	50	34	57	3.5	Average flowering but significant dieback / Flowered strong all season.
Petunia (mini-spreading)	Littletunia Purple		12	33	19	47	2.8	Low vigor, average flowering / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Petunia (mini-spreading)	Littletunia Rose		18	50	42	56	3.0	Uniform plants with high mounding habit and many flowers / Flowered strong all season.
Petunia (mini-spreading)	Littletunia Violet		11	32	28	53	3.0	Average flowering but significant dieback / Flowered strong all season.
Petunia (mini-spreading)	Littletunia White		14	34	23	49	2.7	Average overall appearance / Flowered strong all season.
Petunia (mini-spreading)	Mini-Me Baby Pink		16	36	20	53	2.5	Average overall appearance / Flowered strong all season.
Petunia (mini-spreading)	Mini-Me Blue		14	34	19	48	2.0	Low vigor, significant dieback, below average flowering / Flowered strong all season.
Petunia (mini-spreading)	Mini-Me Dark Purple w/ Eye		14	43	26	51	2.2	Non-uniform plants with average flowering / Flowered strong all season.
Petunia (mini-spreading)	Mini-Me Lilac Vein		14	34	24	41	2.2	Low vigor, poor flowering, significant dieback / Flowered strong all season.
Petunia (mini-spreading)	Mini-Me Pink Star		18	33	27	60	2.7	Vigorous plants with average flowering, some dieback / Flowered strong all season.
Petunia (mini-spreading)	Mini-Me Pink Velvet		14	29	19	36	2.1	Low vigor and below average flowering / Flowered strong all season.
Petunia (mini-spreading)	Mini-Me Purple		15	40	25	48	2.8	Below average plants with average flowering, some dieback / Flowered strong all season.
Petunia (mini-spreading)	Mini-Me Red		14	40	27	50	3.1	Very tight and uniform habit, average flowering / Flowered strong all season.
Petunia (mini-spreading)	Mini-Me White		11	27	20	41	2.2	Small, uniform plants with average flowering / Flowered strong all season.
Petunia (mini-spreading)	Munchkin Appleblossom		26	49	30	50	3.5	Above average flowering but significant dieback (planting very open) / Flowered strong all season.
Petunia (mini-spreading)	Petitunia Blue Dream		13	35	19	57	4.6	Average plants, slightly below average flowering (soil was consistently too wet) / Flowered strong all season.
Petunia (mini-spreading)	Petitunia Cheerful Dream		22	42	22	48	3.6	Average overall appearance / Flowered strong all season.
Petunia (mini-spreading)	Petitunia White Dream		18	40	32	55	3.7	Average overall appearance / Flowered strong all season.
Petunia (mini-spreading)	Whispers Appleblossom		31	45	31	62	4.3	Vigorous plants with average flowering, becoming open / Flowered strong all season.
Petunia (mini-spreading)	Whispers Blue		15	36	17	52	4.8	Average overall appearance (soil was consistently too wet) / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Petunia (mini-spreading)	Whispers Blue Amethyst		18	41	23	52	4.7	Average overall appearance (soil was consistently too wet) / Flowered strong all season.
Petunia (mini-spreading)	Whispers Bright Pink		16	33	16	48	5.0	Leggy/open plants with poor foliage but still many nice flowers / Flowered strong all season.
Petunia (mini-spreading)	Whispers Burgundy `06		14	39	24	46	4.6	Average overall appearance (soil was consistently too wet) / Flowered strong all season.
Petunia (mini-spreading)	Whispers Red		27	55	45	58	4.8	Taller plants with above average flowering, becoming open / Flowered strong all season.
Petunia (mini-spreading)	Whispers Rose Vein		15	56	48	61	4.0	Vigorous plants with a large spread and many flowers / Flowered strong all season.
Petunia (mini-spreading)	Whispers White		17	44	28	63	4.3	Vigorous plants with average flowering / Flowered strong all season.
Petunia (multiflora)	Lambada Scarlet Morn		17	24	42	60	5.7	Tall, vigorous plants with a large spread and many flowers / Flowered strong all season.
Petunia (multiflora)	Mambo Sweet Pink		11	19	18	47	6.2	Shorter plants with average flowering / Flowered strong all season.
Petunia (multiflora)	Symphony Burgundy Star	New	21	36	37	62	5.9	Tall, vigorous plants with many flowers / Flowered strong all season.
Petunia (multiflora)	Symphony Chiffon	New	18	27	32	38	5.1	Tall, non-uniform plants with average flowering, some dieback / Flowered strong all season.
Petunia (multiflora)	Symphony Lavender Pink	New	19	32	35	54	4.9	Tall plants with average flowering, some dieback / Flowered strong all season.
Petunia (multiflora)	Symphony Salmon Imp.		14	26	26	59	6.4	Vigorous plants with tight/dense foliage and many flowers / Flowered strong all season.
Petunia (spreading)	Avalanche Blue	New	20	37	31	58	5.5	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Baby Duck Yellow	New	19	55	46	60	4.3	Vigorous plants with average flowering, significant dieback (soil was consistently too wet) / Flowered strong all season.
Petunia (spreading)	Cascadias Bicolor Fantasy		23	45	40	82	5.8	Vigorous plants with a very large spread and many flowers, getting open in center of row / Flowered strong all season.
Petunia (spreading)	Dreams Rose Morn	New	29	31	34	66	7.7	Tall plants, huge flowers, great contrast between hot pink petals and white throat / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Petunia (spreading)	Easy Wave Mystic Pink	New	17	37	20	48	6.8	Vigorous plants with huge flowers / Flowered strong all season.
Petunia (spreading)	Famous Blue		32	70	36	75	4.6	Vigorous plants with a large spread / Flowered strong all season.
Petunia (spreading)	Famous Firestorm		30	46	38	58	5.7	Vigorous plants with average flowering / Flowered strong all season.
Petunia (spreading)	Famous Light Blue		27	51	27	60	5.3	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Famous Purple		20	52	25	52	5.3	Vigorous plants with a large spread / Flowered strong all season.
Petunia (spreading)	Famous Rose Star		18	37	27	63	6.5	Vigorous plants with a large spread and slightly above average flowering / Flowered strong all season.
Petunia (spreading)	Famous White	New	25	42	32	56	6.7	Tall, vigorous plants with average flowering, significant dieback (soil was consistently too wet) / Flowered strong all season.
Petunia (spreading)	Fortunia Burgundy		27	46	24	54	5.8	Vigorous, non-uniform plants with average flowering / Flowered strong all season.
Petunia (spreading)	Fortunia Burgundy Picotee		20	44	23	56	6.5	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Fortunia Hot Pink		22	41	22	59	6.5	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Fortunia Salmon		20	53	31	68	5.8	Vigorous plants with slightly above average flowering / Flowered strong all season.
Petunia (spreading)	Jamboree Burgundy		23	54	40	61	4.9	Extremely vigorous, tall mounding habit, large spread / Flowered strong all season.
Petunia (spreading)	Jamboree Hot Pink		24	60	37	52	5.4	Vigorous plants with average flowering / Flowered strong all season.
Petunia (spreading)	Jamboree Lavender II		17	50	35	83	5.4	Extremely vigorous plants with a large spread and a tall and mounding habit, many flowers / Flowered strong all season.
Petunia (spreading)	Jamboree Light Blue		31	62	36	79	5.3	Vigorous plants with a large spread / Flowered strong all season.
Petunia (spreading)	Limbo Violet		15	30	19	39	8.2	Vigorous plants with many flowers / Flowering data not collected on plants in the All-America Selection program.
Petunia (spreading)	Madness Red Imp.	New	22	33	42	45	5.9	Tall, vigorous plants with more upright habit / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Petunia (spreading)	Merlin Blue Morn		22	27	31	57	5.2	Non-uniform plants with many flowers / Flowering data not collected on plants in the All-America Selection program.
Petunia (spreading)	Music Purple Twist		24	43	33	65	5.7	Vigorous, uniform plants with a tight and dense mounding habit / Flowered strong all season.
Petunia (spreading)	Mystic Dark Pink		21	36	32	59	4.7	Tall, vigorous plants with average flowering / Flowered strong all season.
Petunia (spreading)	Opera Supreme Blue	New	17	46	27	56	5.6	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Opera Supreme Coral	New	16	38	37	57	4.9	Vigorous plants with average flowering / Flowered strong all season.
Petunia (spreading)	Opera Supreme Lavender	New	23	41	24	57	5.5	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Opera Supreme Lilac Ice	New	16	45	32	70	5.2	Some dieback, average overall appearance / Flowered strong all season.
Petunia (spreading)	Opera Supreme Pink Morn		17	41	32	47	5.9	Vigorous plants with many flowers, stunning in mid-September / Flowered strong all season.
Petunia (spreading)	Opera Supreme Pink Morn		16	49	24	57	5.9	Moderate dieback, average overall appearance / Flowered strong all season.
Petunia (spreading)	Opera Supreme Pink Morn		17	41	32	47	5.9	Vigorous plants with many flowers, stunning in mid-September / Flowered strong all season.
Petunia (spreading)	Opera Supreme Purple	New	18	36	30	58	6.0	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Opera Supreme Salmon	New	24	43	24	55	4.6	Vigorous plants with average flowering, moderate dieback / Flowered strong all season.
Petunia (spreading)	Opera Supreme White	New	15	46	28	60	6.5	Large spread, significant dieback (soil was consistently too wet) / Flowered strong all season.
Petunia (spreading)	Plush Deep Pink		14	41	37	50	5.8	Vigorous plants with many flowers, some dieback / Flowered strong all season.
Petunia (spreading)	Plush Deep Red		25	36	49	56	5.6	Vigorous plants with average flowering / Flowered strong all season.
Petunia (spreading)	Plush Lilac Pearl		19	55	35	88	5.0	Vigorous plants with a large spread and many flowers / Flowered strong all season.
Petunia (spreading)	Plush Purple		17	45	28	53	5.2	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Plush Salmon		12	32	24	63	5.9	Vigorous plants with many flowers, some dieback / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Petunia (spreading)	Plush White		25	27	44	52	6.5	Vigorous, uniform plants with tall but tight mounding habit, above average flowering, excellent overall (soil was consistently too wet) / Flowered strong all season.
Petunia (spreading)	Ramblin Scarlet	New	24	33	44	60	5.2	Tall, vigorous plants with above average flowering / Flowered strong all season.
Petunia (spreading)	Sanguna Blue Vein	New	18	54	20	54	5.3	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Sanguna Deep Purple		27	65	34	67	5.6	Taller, vigorous plants with a large spread / Flowered strong all season.
Petunia (spreading)	Sanguna Lavender		30	65	30	72	6.9	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Sanguna Midnight Blue		23	51	28	56	4.7	Vigorous plants with a uniform mounding habit / Flowered strong all season.
Petunia (spreading)	Sanguna Pink Blossom	New	16	51	22	56	4.6	Vigorous plants with a large spread and many flowers / Flowered strong all season.
Petunia (spreading)	Sanguna Rose		17	51	18	58	4.6	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Shock Wave Ivory	New	13	40	34	63	4.6	Tall, vigorous plants with many flowers, becoming open (soil was consistently too wet) / Flowered strong all season.
Petunia (spreading)	Shock Wave Pink Shades	New	13	39	28	58	4.4	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Shock Wave Pink Vein	New	18	43	33	60	4.7	Tight but uneven mounding habit, many flowers / Flowered strong all season.
Petunia (spreading)	Shock Wave Purple	New	15	52	34	61	4.0	Taller, vigorous plants with non-uniform habit / Flowered strong all season.
Petunia (spreading)	Shock Wave Rose	New	12	29	32	49	4.5	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Sunray		18	33	38	52	5.1	Taller plants with average flowering, getting open, unique flower color (soil was consistently too wet) / Flowered strong all season.
Petunia (spreading)	Supertunia Bermuda Beach	New	17	46	23	57	5.5	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Supertunia Bordeaux		22	57	31	63	5.7	Vigorous plants with many flowers and a tall mounding habit, unique flower color / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Petunia (spreading)	Supertunia Cotton Candy		24	56	34	66	6.2	Vigorous plants with slightly below average flowering / Flowered strong all season.
Petunia (spreading)	Supertunia Raspberry Blast		15	53	24	56	4.0	Vigorous plants formed a very dense mound of foliage, older blooms very faded / Flowered strong all season.
Petunia (spreading)	Supertunia Royal Velvet		25	37	28	45	5.1	Average overall appearance / Flowered strong all season.
Petunia (spreading)	Supertunia Vista Bubblegum		33	60	52	74	5.3	Extremely vigorous plants with tall mounding habit and above average flowering / Flowered strong all season.
Petunia (spreading)	Supertunia Vista Fuchsia		19	66	45	78	4.8	Extremely vigorous, tall mounding habit, above average flowering, large spread / Flowered strong all season.
Petunia (spreading)	Surfinia Baby Pink Ice	New	15	50	21	55	4.7	Low vigor, below average flowering, significant dieback (soil was consistently too wet) / Flowered strong all season.
Petunia (spreading)	Surfinia Baby Vanilla	New	19	44	33	54	4.3	Below average flowering, significant dieback (soil was consistently too wet) / Flowered strong all season.
Petunia (spreading)	Surfinia Mini Mini White Imp.	New	21	58	22	58	3.4	Vigorous plants with average flowering, some dieback (soil was consistently too wet) / Flowered strong all season.
Petunia (spreading)	Surfinia Pastel Pink	New	16	41	25	53	5.4	Average overall appearance, significant dieback (soil was consistently too wet) / Flowered strong all season.
Petunia (spreading)	Surfinia Patio Lemon	New	10	30	22	53	4.0	Average flowering, compact plants, chlorotic (soil was consistently too wet) / Flowered strong all season.
Petunia (spreading)	Surfinia White Imp.	New	22	51	24	52	5.6	Low vigor, significant dieback (soil was consistently too wet) / Flowered strong all season.
Petunia (spreading)	Ultra Crimson Star		23	29	32	40	8.2	Non-uniform plants with many flowers, moderate chlorosis / Flowering data not collected on plants in the All-America Selection program.
Petunia (spreading)	Wave Blue		17	43	33	110	4.9	Vigorous plants with many flowers, mild chlorosis / Flowering data not collected on plants in the All-America Selection program.
Petunia (spreading)	Wave Purple		14	33	22	136	5.2	Vigorous plants with many flowers / Flowering data not collected on plants in the All-America Selection program.
Petuniabrachoa	Magenta		14	34	26	48	3.0	Non-uniform plants with average flowering, some dieback (soil was consistently too wet) / Flowered strong all season.
Plectranthus	Cerveza N' Lime		17	23	37	35	no blooms	Vigorous plants / Primarily grown for foliage.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Plectranthus	Emerald Lace	New	9	12	20	27	no blooms	Healthy plants without any flowers / Primarily grown for foliage.
Purshane	Rio Orange		14	33	17	34	3.1	Vigorous plants with tight/dense foliage but poor flowering / Few flowers almost all season.
Purshane	Rio Scarlet		9	29	19	46	3.6	Vigorous plants with average flowering / Strong flowering from 7/23 to frost but few before 7/23.
Purshane	Rio Yellow		6	31	21	37	3.5	Vigorous plants with average flowering / Strong flowering from 7/23 to frost but few before 7/23.
Rudbeckia	Autumn Colors		18	26	80	50	9.4	Many unique colored flowers / Strong flowering from 7/30 to frost but few before 7/23.
Rudbeckia	Becky Mix		12	20	22	26	12.0	Over 2/3 of planting in decline / Strong flowering from 7/10 to 9/10 and moderate flowering for the balance of the season.
Rudbeckia	Cinnamon Bicolors		18	23	26	32	9.6	Significant mildew, in decline / Strong flowering from 7/10 to 9/10 and moderate flowering for the balance of the season.
Rudbeckia	Denver Daisy		54	36	56	52	11.0	Many flowers, some blooms getting very large / Strong flowering from 7/10 to frost and moderate flowering in the early part of July.
Rudbeckia	Prairie Sun		25	36	90	36	14.5	Vigorous plants with many large and showy flowers / Strong flowering from 7/30 to frost.
Rudbeckia	Prairie Sun		41	44	80	91	11.4	Vigorous plants with many flowers, some lodging at end of season /
Rudbeckia	Prairie Sun		41	44	80	91	11.4	Vigorous plants with many flowers, some lodging at end of season / Flowering data not collected on plants in the All-America Selection program.
Rudbeckia	Radiance	New	32	29	48	33	9.9	Unique tubular ray flowers, weaker stems caused severe lodging at end of season, many flowers, non-uniform / Strong flowering from 7/23 to 9/17 and moderate flowering in early July and late September.
Rudbeckia	Range of Colors		19	12	40	33	8.9	1/3 of plants in decline, heavy mildew / Strong flowering from 7/16 to 9/10 and moderate flowering in early July and late September.
Rudbeckia	Red Shades		28	27	79	42	8.5	Many uniquely colored flowers / Strong flowering from late-July to frost and few before that.
Rudbeckia	Toto Mix		16	17	37	38	7.5	Nice growth habit / Strong flowering from 7/10 to 9/10 and moderate flowering in early July and late September.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Salvia	Oceana Blue		62	35	94	67	42.0	Vigorous plants with moderate flowering, showy flower color and shape / Flowered strong all season except in September.
Salvia coccinea	Lady in Red		36	21	90	68	24.4	Many flowers; losing 1/3 of plants / Flowered strong all season except in September.
Salvia coccinea	Sallynia Compact Red		48	25	94	70	18.2	Slightly smaller plants, some lodging / Flowered strong all season except in September.
Salvia coccinea	Sallynia Coral		54	24	105	68	29.0	Very large, vigorous plants with few flowers / Flowered strong all season except in September.
Salvia coccinea	Sallynia Coral Touch		70	24	115	69	34.8	Very large, vigorous plants with few flowers / Flowered strong all season except in September.
Salvia coccinea	Sallynia Red		73	35	114	73	29.9	Very large, vigorous plants with many flowers / Flowered strong all season except in September.
Salvia coccinea	Sallynia Salmon		74	20	122	75	38.6	Very large, vigorous plants with many flowers / Flowered strong all season.
Salvia coccinea	Sallynia White		64	35	121	60	36.2	Very large, vigorous plants with many flowers / Flowered strong all season except in September.
Salvia farinacea	Evolution		49	29	73	59	12.6	Many flowers, significant mildew and lodging / Flowering data not collected on plants in the All-America Selection program.
Salvia farinacea	Sallyfun Blue		50	30	62	50	26.2	Low vigor, few flowers / Flowered strong all season.
Salvia farinacea	Sallyfun Blue Emotion		66	22	88	52	30.4	Many flowers, getting significant mildew / Flowered strong all season.
Salvia farinacea	Sallyfun White		37	35	51	36	25.6	Almost all plants dying / Flowered strong all season.
Salvia greggi	Sally G Pink		51	27	70	42	19.8	Only two or three plants alive / Flowered strong all season except in September.
Salvia greggi	Wild Thing		44	31	74	50	20.2	Uniform, vigorous plants with many flowers / Flowered strong all season except in August.
Salvia splendens	Red Alert		35	22	60	30	23.2	Vigorous plants with many flowers, still very showy / Flowered strong all season.
Salvia splendens	Reddy Bright Red		13	9	35	26	18.2	Old stems and foliage being chewed by insects / Flowered strong all season except in September.
Salvia splendens	Vista Red		20	14	48	40	16.2	Vigorous plants with many flowers / Flowered strong all season.
Salvia splendens	Vista Rose	New	24	15	42	38	18.0	Vigorous plants with many flowers, noticeable insect damage / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Scaevola	Crystal Imp.		42	30	42	36	2.6	Vigorous plants with a tall mounding habit / Flowered strong all season.
Scaevola	Fan Dancer		25	31	29	45	3.0	Low vigor / Flowered strong all season.
Scaevola	Summer White Fan		32	41	41	53	2.7	Vigorous, uniform plants with many flowers / Flowered strong all season.
Scaevola	Surdiva Blue	New	8	27	25	30	3.0	Average overall appearance / Moderate flowering 6/18 to 7/16 and then strong until frost.
Scaevola	Surdiva Light Blue	New	11	13	27	32	3.3	Average overall appearance / Moderate flowering 6/18 to 7/23 and then strong until frost.
Scaevola	Surdiva White	New	9	16	33	39	2.9	Low vigor, some chlorosis / Moderate flowering 6/18 to 7/2 and then strong until frost.
Scaevola	Whirlwind Blue		33	37	41	65	3.0	Vigorous plants with a large spread and many flowers / Flowered strong all season.
Scaevola	Whirlwind White		31	33	40	41	2.2	Average overall appearance / Flowered strong all season.
Scoparia	Illumina Powder Blue	New	32	21	39	21	0.5	Small flowers get lost in fine textured foliage / Flowered strong all season.
Scutellaria	Compact		12	6	17	20	9.0	Vigorous, non-uniform plants with many flowers / Few flowers until 7/10 and then strong until frost.
Scutellaria alpina	Acrobaleno		13	11	17	32	8.5	Vigorous, non-uniform plants with many flowers / Few flowers until 7/10 and then strong until frost.
Snapdragon	Amalia Duo Purple		15	27	18	27	3.0	Small, uniform plants with many flowers, inconsistent flower color / Few to moderate flowers from 7/30 to 9/3 but strong during the rest of the season.
Snapdragon	Amalia Hot Pink		20	19	20	32	2.5	Small plants with many flowers / Flowered strong all season.
Snapdragon	Amalia Purple		29	30	29	34	3.2	Biggest plants and fullest row of Snapdragons, uniform plants with many flowers / Few to moderate flowers from 8/8 to 9/3 but strong during the rest of the season.
Snapdragon	Amalia White		21	19	21	32	3.0	Small plants with many flowers, some plants more floriferous than others / Flowered strong all season.
Snapdragon	Amalia Yellow		25	24	25	24	3.6	Non-uniform plants with many flowers / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Snapdragon	Speedy Sonnet Rose	New	36	17	36	25	3.3	Uniform plants with many flowers, possible leaf rust / Strong flowering except slight drop to moderate flowering from 8/20 to 9/3.
Snapdragon	Speedy Sonnet White	New	30	15	30	24	2.6	Many flowers, possible leaf rust / Flowered strong all season except in August.
Stipa	Capriccio	New	26	29	54	70		Vigorous, uniform plants with very soft, flexible and slender blades that created a wavy hair-like mass / Primarily grown for foliage.
Talinum	Limon	New	47	30	90	69	37.6	Vigorous plants with unique lime green foliage, unique open and airy panicle inflorescence / Flowered strong from 7/16 to 8/27 and then moderately until 9/17.
Tomato	Big Beef		76	84	93	94	3.1	Vigorous plants with abundant fruits / Primarily grown for fruit.
Torenia	Catalina Midnight Blue		20	39	23	39	3.3	Low vigor, few flowers / Flowered strong all season except in September.
Torenia	Catalina Pink		12	24	23	34	3.0	Non-uniform plants with few flowers / Flowered strong all season except in September.
Torenia	Catalina White Linen	New	17	30	27	40	2.8	Vigorous plants with many flowers / Flowered strong all season except in August.
Torenia	Golden Moon		12	32	23	31	2.9	Low vigor, few flowers / Flowered strong all season.
Torenia	Purple Moon		15	39	26	39	2.8	Only three plants still alive / Flowered strong all season except in September.
Torenia	Summer Wave Amethyst Ice	New	8	38	26	40	2.7	Vigorous, non-uniform plants with few flowers / Moderate flowering in mid-August and again in the second half of September otherwise flowering was strong.
Torenia	Summer Wave Violet Ice	New	10	33	30	40	2.8	Vigorous, non-uniform plants with few flowers / Moderate flowering in mid-August and again in the second half of September otherwise flowering was strong.
Torenia	Velvet Moon		22	38	31	40	3.9	Low vigor, few flowers / Flowered strong all season except in September.
Torenia	White Moon		15	28	27	41	3.5	Non-uniform plants with few flowers / Moderate flowering in mid-August and again in the second half of September otherwise flowering was strong.
Verbena	Corsage Rose Imp.		17	27	23	35	4.5	Average plants with below average flowering / Strong flowering in June and July and few for the remainder of the season.
Verbena	Escapade Pink		16	34	28	54	5.7	Vigorous plants with average flowering / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Verbena	Ipanema Lilac	New	22	41	27	45	6.0	Vigorous plants with poor late season flowering / Strong flowering in June and July and few to moderate for the remainder of the season.
Verbena	Ipanema Pink		12	36	24	41	3.7	Average plants with poor late season flowering / Strong flowering in June to July 30th then few flowers until 8/20, then strong flowering until 9/17 and then few to frost.
Verbena	Ipanema Silver	New	17	40	19	52	3.7	Average plants with poor late season flowering / Strong flowering in June to July 30th then few flowers until 8/27, then strong flowering until 9/17 and then few to frost.
Verbena	Ipanema Star		18	35	27	53	3.7	Vigorous plants with poor late season flowering / Strong flowering in June to July 30th then few flowers until 8/27, then strong flowering until 9/17 and then few to frost.
Verbena	Lanai Blue `08	New	28	33	34	36	5.6	Vigorous plants with more upright habit / Strong flowering until 8/27 and then moderate to few until frost.
Verbena	Lanai Blush White		15	33	33	39	6.0	Vigorous plants with average flowering / Strong flowering until 9/3 and then moderate to few until frost.
Verbena	Lanai Bright Pink		12	34	24	34	3.6	Vigorous plants with poor late season flowering / Strong flowering until 7/30 and then few to moderate until frost.
Verbena	Lanai Lavender Star		24	29	35	38	5.1	More upright habit, many flowers / Flowered strong all season.
Verbena	Lanai Peach		11	40	31	47	4.9	Average overall appearance / Few flowers 8/13 to 8/27 but otherwise flowering was strong to moderate.
Verbena	Lanai Purple Star	New	22	31	28	43	4.7	Vigorous plants with average flowering / Few flowers 7/30 to 8/20 but otherwise flowering was strong earlier than 7/30 and moderate after 8/20.
Verbena	Lanai Red `07		19	33	22	37	5.8	Vigorous plants with a large spread / Strong flowering until 7/30 and then few to moderate until frost.
Verbena	Lanai Royal Purple w/Eye		15	40	28	57	5.7	Vigorous plants with average flowering / Flowered strong all season except in September.
Verbena	Lanai Upright Magneta		32	24	42	44	5.0	Average overall appearance / Flowered strong all season.
Verbena	Lanai Upright Violet		20	27	29	33	5.0	Average overall appearance / Flowered strong all season except in September.
Verbena	Quartz XP Purple	New	16	16	19	29	4.5	Low plant vigor but average flowering / Flowered strong all season except in September.
Verbena	Quartz XP Red w/ Eye	New	19	17	31	31	5.3	Average overall appearance / Flowered strong all season except in September.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Verbena	Quartz XP Scarlet	New	21	19	26	37	5.2	Average overall appearance / Flowered strong all season except in September.
Verbena	Quartz XP Silver	New	14	13	28	36	4.3	Average overall appearance / Strong flowering until 8/20 then it went from moderate to few for the remainder of the season.
Verbena	Quartz XP White	New	16	18	29	31	4.7	Average overall appearance / Strong flowering until 8/20 then it went from moderate to few for the remainder of the season.
Verbena	Rapunzel Hot Rose		12	30	20	37	4.8	Poor flowering, never came back after summer lapse / Strong flowering until 7/30 then it went moderate until 9/10 and then few for the remainder of the season.
Verbena	Rapunzel Lilac		11	35	17	41	4.6	Average plants with poor late season flowering / Strong flowering until 7/30 then there were few until 8/20 then it resumed strong to moderate flowering until 9/10.
Verbena	Rapunzel Red		19	38	28	43	4.1	Average overall appearance / Strong flowering until 7/30 then there were few until 8/20 then it resumed strong to moderate flowering until 9/10.
Verbena	Rapunzel Violet `06		14	32	21	42	4.5	Average overall appearance / Flowered strong all season except in September.
Verbena	Tropical Breeze Deep Pink		13	26	25	34	5.1	Average overall appearance / Flowered strong all season.
Verbena	Tropical Breeze Deep Purple		14	36	25	51	5.3	Vigorous plants with average flowering / Flowered strong all season.
Verbena	Tropical Breeze Lilac		19	41	33	55	5.4	Vigorous plants with average flowering / Strong flowering until 7/30 then there were few until 8/20 then it resumed strong to moderate flowering until 9/24.
Verbena	Tropical Breeze Pink w/Eye		19	32	26	54	4.7	Vigorous plants with inconsistent flower color / Flowered strong all season.
Verbena	Tropical Breeze Purple and White Imp.		21	28	40	36	5.8	Vigorous plants with average flowering and more upright habit / Flowered strong all season except in September.
Verbena	Tropical Breeze White		11	35	26	39	5.2	Average overall appearance / Flowered strong all season except in September.
Verbena	Tuscany Lavender Picotee	New	13	16	23	22	4.9	Average overall appearance / Flowered strong all season except in September.
Verbena	Tuscany Mixture	New	15	14	25	28	5.5	Average overall appearance / Strong flowering until 8/27 then it was moderate until 9/10 then it was few until frost.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Verbena	Tuscany Peach	New	14	17	26	26	4.4	Average overall appearance / Flowered strong all season except in September.
Verbena	Tuscany Pink Picotee	New	13	16	25	35	5.3	Average overall appearance / Flowered strong all season except in September.
Verbena	Tuscany Rose w/ Eye	New	13	14	22	25	4.9	Average overall appearance / Flowered strong all season except in September.
Verbena	Tuscany Violet w/ Eye	New	14	16	22	26	4.6	Average overall appearance / Strong flowering until 8/27 then it was moderate until 9/10 then it was few until frost.
Verbena	Tuscany White	New	17	16	27	28	5.3	No powdery mildew! / Flowered strong all season except in September.
Vinca	First Kiss Blueberry		19	23	34	34	4.9	25% dead, moderate flowering / Flowering data not collected on plants in the All-America Selection program.
Vinca	First Kiss Pure White	New	19	18	38	34	5.7	Average overall appearance / Flowered strong all season.
Vinca	First Kiss Raspberry	New	19	20	33	30	5.2	Tall, vigorous plants with average flowering / Flowered strong all season.
Vinca	Jaio Dark Red		24	25	41	43	4.4	Average overall appearance / Flowering data not collected on plants in the All-America Selection program.
Vinca	Nirvana Pink Blush		21	26	29	35	5.2	Average overall appearance / Flowered strong all season.
Vinca	Nirvana Raspberry w/Eye		18	31	34	34	5.9	Average overall appearance / Flowered strong all season.
Vinca	Nirvana Red		28	25	44	50	5.6	Average overall appearance / Flowered strong all season.
Vinca	Nirvana Rose		23	23	40	38	5.1	Tall, vigorous plants with average flowering / Flowered strong all season.
Vinca	Nirvana Violet		25	28	28	40	5.3	Average overall appearance / Flowered strong all season.
Vinca	Pacifica Burgundy Halo		23	22	38	44	5.5	80% of plants dead, but many flowers on remaining plants / Flowering data not collected on plants in the All-America Selection program.
Vinca	Solar Apricot		11	10	29	37	5.7	Uniform plants, older flowers fading to white / Flowered strong all season.
Vinca	Solar Red w/ Eye		16	16	33	31	5.5	Average overall appearance / Flowered strong all season.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.

Size Data, End-of-season Comments and Flowering Data for Varieties Grown in the Ground

Genus	Cultivar	New**	7/9-11	7/9-11	8/24-27	8/24-27	Avg Bloom Size*	Comments late September by Coordinator and Research Associate / Summerized Flowering Data for Entire Season
			H*	W*	H*	W*		
Vinca	Titan Pure White	New	14	20	34	38	5.9	Tall, vigorous plants with average flowering / Flowered strong all season.
Viola	Skippy XL Plum-Gold	New	22	26	22	38	2.8	Few flowers, moderate chlorosis / Flowering data not collected on plants in the All-America Selection program.
Viola	Skippy XL Red-Gold		18	27	18	39	2.3	Few flowers, moderate chlorosis / Flowering data not collected on plants in the All-America Selection program.
Viola	Velocity Baby Blue	New	22	31	30	45	4.8	Non-uniform, vigorous plants with many flowers / Flowered strong all season.
Viola	Velocity Lavender w/ Yellow Eye	New	19	26	28	37	4.6	Non-uniform plants with many flowers, moderate chlorosis / Flowered strong all season.
Viola	Velocity Lemon and Plum Picotee	New	23	27	34	42	4.4	Vigorous plants with large flowers / Flowered strong all season.
Viola	Velocity Purple Bicolor	New	26	24	30	28	4.5	Moderate flowering, some chlorosis / Flowered strong all season.
Viola	Velocity White	New	20	24	35	39	3.7	Vigorous plants with many flowers / Flowered strong all season.
Zinnia	Distance Mixture	New	18	18	60	31	6.9	Good mix of intense/vibrant colors, many flowers, non-uniform / Flowered strong all season.
Zinnia	Dreamland Red		21	32	50	48	9.1	Stand-out large blooms, vigorous plants with many flowers / Flowered strong all season.
Zinnia	Magellan Coral		33	37	65	37	8.0	75% dead, mild powdery mildew / Flowering data not collected on plants in the All-America Selection program.
Zinnia	Profusion Double Cherry		21	19	45	31	5.9	Older blooms fade considerably, moderate lodging, many flowers, non-uniform / Started flowering 7/10 and remained strong until frost.
Zinnia	Profusion Knee-High Red	New	28	30	61	60	5.9	Moderate lodging, color more like deep orange, vigorous plants, many flowers, uniform / Started flowering 7/2 and remained strong until frost.
Zinnia	Profusion Knee-High White	New	18	18	56	44	5.6	Some lodging, many flowers, non-uniform / Started flowering 7/10 and remained strong until frost.
Zinnia	Zowie! Yellow Flame		68	35	97	66	9.2	Severe lodging (suspect animal interference) and mildew / Flowering data not collected on plants in the All-America Selection program.

*All measurements in cm. **New for the 2007 season.

The comment "Average overall appearance" designates variety was standard within its class but with no outstanding or poor features.